



World News of Natural Sciences

An International Scientific Journal

WNOFNS 29(1) (2020) 1-74

EISSN 2543-5426

World Inventory of Beetles of the Family *Chrysomelidae* (Coleoptera). Part 1: Eastern Europe and Northern Asia. Check List from 1768 to 2004

Tomasz Borowski

The II Laboratory of Research Works,
The Independent Institution of Biopaleogeography and Biophysics,
22 Mickiewicza Str., Złocieniec, Poland

E-mail address: tomasz.elvis.borowski@wp.pl

ABSTRACT

This paper presents list of beetles of the family *Chrysomelidae* and their occurrence. The paper includes: 8 subfamilies, 12 tribes, 93 genera, 34 subgenera and 892 species of beetles belonging to the family *Chrysomelidae*.

Keywords: *Chrysomelidae*, *Alticinae*, *Cassidinae*, *Chlamisinae*, *Clytrinae*, *Criocerinae*, *Donaciinae*, *Eumolpinae*, *Hispinae*

Subfamilies

<i>Alticinae</i>2
<i>Cassidinae</i>42
<i>Chlamisinae</i>49
<i>Clytrinae</i>49
<i>Criocerinae</i>58
<i>Donaciinae</i>60
<i>Eumolpinae</i>65
<i>Hispinae</i>72

– Check List –

Kingdom: *Animalia*

Phylum: *Arthropoda*

Class: *Hexapoda*

Order: *Coleoptera*

Family *Chrysomelidae* Latreille, 1802

Subfamily *Alticinae* Newman, 1834

Genus *Phyllotreta* Chevrolat in Dejean, 1837

Phyllotreta acutecarinata Heikertinger, 1941

Distribution: Southern parts of Central Europe, Balkans, S Ukraine, SE European Russia

Phyllotreta andreevae Lopatin, 1992

Distribution: E Tajikistan (Badakhshan)

Phyllotreta annae Konstantinov, 1992

Distribution: Kazakhstan (Karatau Mountains)

Phyllotreta araxicola Iablokoff-Khnzorian, 1968

Distribution: Armenia, Azerbaijan

Phyllotreta armoraciae (Koch, 1803)

Distribution: Europe, Kazakhstan, Central Asia, Siberia, Introduced to N America

Phyllotreta astrachanica Lopatin, 1977

Distribution: Central, S and SE Europe, Transcaucasia, Turkey, NW Kazakhstan

Phyllotreta atra (Fabricius, 1775)

Distribution: Europe, Caucasus, Turkey, Near and Middle East, Kazakhstan, Kyrgyzstan, Tajikistan, Asian Russia (S Siberia, Sakhalin), Mongolia

Phyllotreta austriaca Heikertinger, 1909

Distribution: Southern parts of Central Europe, Ciscaucasia, Asian Russia (S Siberia, Amurland, western parts of Maritime Prov.), Korea

Phyllotreta bactriana Heikertinger, 1941

Distribution: Turkmenistan, S Tajikistan, SE Uzbekistan

Phyllotreta balcanica Heikertinger, 1909

Distribution: Distribution: S and southern parts of Central and E Europe, Caucasus, Daghestan, Turkey, Kazakhstan, Kyrgyzstan, Uzbekistan, Afghanistan

Phyllotreta banghaasi Heikertinger, 1941

Distribution: Turkmenistan, S Kazakhstan, Kyrgyzstan, Uzbekistan

Phyllotreta bartanga Lopatin, 1966

Distribution: Tajikistan (Badakhshan)

Phyllotreta beschkentic Lopatin, 1961

Distribution: S Tajikistan

Phyllotreta brevistriata Kimoto, 1966

Distribution: S Kurile Is., Japan

Phyllotreta buchtarmensis Lopatin, 1990

Distribution: E Kazakhstan

Phyllotreta buhseae Iablokoff-Khnzorian, 1978

Distribution: Turkmenistan

Phyllotreta caucasicola Heikertinger, 1941

Distribution: Caucasus, Transcaucasia, Turkey, Middle East

Phyllotreta corrugata Reiche, 1858

Distribution: S Europe, Ukraine, Caucasus, Transcaucasia, Turkey, Near and Middle East, Turkmenistan, Kazakhstan, Uzbekistan

Phyllotreta cruciferae (Goeze, 1777)

Distribution: Europe except for Fennoscandia, Caucasus, Transcaucasia, Turkey, Near and Middle East, Central Asia, India, Mongolia, N Africa, Introduced to N America

Phyllotreta curvipes Heikertinger, 1941

Distribution: S Kazakhstan

Phyllotreta dacica Heikertinger, 1941

Distribution: Balkans, S Ukraine, Transcaucasia, Turkey

Phyllotreta diademata Foudras, 1860

Distribution: Europe except for extreme N, Caucasus, Transcaucasia, Turkey, Middle East, Central Asia, N India

Phyllotreta dilatata C. G. Thomson, 1866

Distribution: Central Europe, Asian Russia (Middle Siberia: Krasnoyarsk Distr.)

Phyllotreta erysimi erysimi J. Weise, 1900

Distribution: SE Europe, Ukraine, S European Russia, Caucasus, Turkey, Middle East, Central Asia, Mongolia

Phyllotreta erysimi baicalica Heikertinger, 1941

Distribution: Asian Russia (E Siberia), Mongolia

Phyllotreta erysimi iranella Lopatin, 1990

Distribution: Iran

Phyllotreta erysimi kutscherae Heikertinger, 1941

Distribution: Asian Russia (Siberia)

Phyllotreta erysimi tekensis Lopatin, 1992

Distribution: Turkmenistan

Phyllotreta exclamationis (Thunberg, 1784)

Distribution: Europe, Caucasus, Transcaucasia, Asian Russia (S Siberia Russian Far East)

Phyllotreta ezoensis Kimoto 1993

Distribution: Asian Russia (S Kurile Is: Kunashir), Japan

Phyllotreta flexuosa (Illiger, 1794)

Distribution: All over Palaearctic except for E Mediterranean, Central Asia

Phyllotreta ganglbaueri Heikertinger, 1909

Distribution: Southern parts of Central Europe, Balkans, Crimea

Phyllotreta gurskii Lopatin, 1966

Distribution: Tajikistan (Badakhshan)

Phyllotreta humilis J. Weise, 1887

Distribution: Asian Russia (Transbaikalia, Amurland, Maritime Prov.), Mongolia, NE China, Korea

Phyllotreta judaea Pic, 1901

Distribution: E Bulgaria, Transcaucasia (Armenia), Turkey, Near and Middle East

Phyllotreta koltzei J. Weise, 1887

Distribution: Asian Russia (Maritime Prov., Ussuri Area), Korea

Phyllotreta konevi Lopatin, 1985

Distribution: Kazakhstan (Isle Barsakeljmes in Aral Sea)

Phyllotreta krali Lopatin, 1990

Distribution: Iran

Phyllotreta lativittata Kutschera, 1860

Distribution: NE Mediterranean, Caucasus, Transcaucasia, Near and Middle East, Central Asia, China (Sinkiang)

Phyllotreta lopatini Konstantinov, 1992

Distribution: Azerbaijan

Phyllotreta lubischevi Lopatin, 1992

Distribution: Kyrgyzstan

Phyllotreta maculosa Iablokoff-Khnzorian, 1968

Distribution: Armenia

Phyllotreta misella Jacobson, 1901

Distribution: Asian Russia (Middle Siberia, Transbaikalia), Mongolia, N China

Phyllotreta mollis Konstantinov, 1992

Distribution: Uzbekistan

Phyllotreta mongolica L. Medvedev, 1980

Distribution: Mongolia

Phyllotreta nemorum (Linnaeus, 1758)

Distribution: Europe, Caucasus, Transcaucasia, Turkey, Near and Middle East, Central Asia, Asian Russia (S Siberia to Amurland), Mongolia, Korea, Introduced to Australia

Phyllotreta nigripes (Fabricius, 1775)

Distribution: Europe, Caucasus, Transcaucasia, Near and Middle East, Central Asia, N Africa

Phyllotreta nodicornis (Marsham, 1802)

Distribution: Europe except for N, Caucasus, Transcaucasia, Turkey, N India

Phyllotreta ochripes (Curtis, 1837)

Distribution: Europe except for N, Caucasus, Transcaucasia, Iran Asian Russia (S Siberia to Far East)

Phyllotreta ogloblini Shapiro, 1960

Distribution: S Ukraine

Phyllotreta pallidipennis Reitter, 1891

Distribution: S Ukraine, SE European Russia, Ciscaucasia, Daghestan, Turkey, Central Asia, Afghanistan, Iran, Asian Russia (SW Siberia, Altai, Baikal Area, Transbaikalia), Mongolia NE China

Phyllotreta paradoxa Lopatin, 1956

Distribution: Tajikistan, Afghanistan

Phyllotreta parfentjevi Shapiro, 1958

Distribution: Turkmenistan, Kazakhstan, Uzbekistan

Phyllotreta praticola J. Weise, 1887

Distribution: SE European Russia, S Ural, Caucasus, Transcaucasia, Turkey, Afghanistan, Iran, Central Asia, Asian Russia (Altai), Mongolia, NW China, India

Phyllotreta procera (L. Redtenbacher, 1849)

Distribution: S and southern part of Central Europe, Caucasus, Transcaucasia, Turkey, Near and Middle East, Turkmenistan, Tajikistan, N and NE Africa

Phyllotreta pseudoexclamationis Konstantinov, 1992

Distribution: Georgia

Phyllotreta punctulata (Marsham, 1802)

Distribution: Europe except for N, Caucasus, Near East, Turkey, Introduced to N America

Phyllotreta rectilineata Chen, 1939

Distribution: Asian Russia (Ussuri Area), China, Korea, Laos, N Vietnam, Japan

Phyllotreta reitteri Heikertinger, 1911

Distribution: S Ukraine (Crimea), Kazakhstan, Uzbekistan

Phyllotreta sachalinensis L. Medvedev, 1973

Distribution: Asian Russia (S Sakhalin)

Phyllotreta scheuchi Heikertinger, 1941

Distribution: England, Spain, southern parts of Central Europe, S Ukraine, Mongolia

Phyllotreta sisymbrii J. Weise, 1888

Distribution, Caucasus, Transcaucasia, Iran

Phyllotreta striolata (Fabricius, 1803)

Distribution: Europe except for extreme N, Caucasus, Transcaucasia, Syria, Kazakhstan, Asian Russia (Siberia, Sakhalin, Kurile Is.), Mongolia, China, Korea, Japan, Taiwan, SE Asia, India, Indonesia, Introduced to S Africa and N America

Phyllotreta talassicola Heikertinger, 1944

Distribution: Central Asia, Afghanistan

Phyllotreta tetrastigma (Comolli, 1837)

Distribution: Europe, Asian Russia (W and Middle Siberia)

Phyllotreta tomboi Lopatin, 1967

Distribution: Mongolia

Phyllotreta absunurica L. Medvedev, 1980

Distribution: Mongolia

Phyllotreta undulata Kutschera, 1860

Distribution: Europe, Caucasus, Transcaucasia, Turkey, Central Asia, Asian Russia (Siberia, Russian Far East), Mongolia, Introduced to N America

Phyllotreta ustulata Lopatin, 1961

Distribution: Kazakhstan, Tajikistan, Uzbekistan

Phyllotreta vittula (L. Redtenbacher, 1849)

Distribution: Europe, Caucasus, Transcaucasia, Turkey, Central Asia, Afghanistan, Asian Russia (Siberia, Russian Far East), Mongolia, Korea, China

Phyllotreta wiseana Jacobson, 1901

Distribution: S Ukraine, Crimea, SE European Russia, Caucasus, Transcaucasia, Turkey, N Iran, W Kazakhstan

Phyllotreta zimmermanni (Crotch, 1873)

Distribution: N Europe, Asian Russia (Middle and E Siberia, Russian Far East, N Cispacific Land), N America

Genus ***Aphthona*** Chevrolat in Dejean, 1837

Aphthona abdominalis (Duftschmidt, 1825)

Distribution: Europe, Caucasus, Afghanistan, Iran, Kazakhstan, Asian Russia (S Siberia), China, Vietnam, Japan

Aphthona aeneomicans Allard, 1875

Distribution: S Europe east to Slovakia

Aphthona atrocaerulea (Stephens, 1832)

Distribution: Europe except for European Russia

Aphthona atrovirens (Forster, 1849)

Distribution: W and Central Europe, Ukraine, N Caucasus, Turkey

Aphthona beckeri Jacobson, 1896

Distribution: Southern E. Europe, Caucasus, W Kazakhstan, Siberia, Mongolia

Aphthona chalhica L. Medvedev, 1980

Distribution: Mongolia

Aphthona chekanovskii Konstantinov, 1998

Distribution: Asian Russia (Yakutia)

Aphthona chrysomelina Heikertinger, 1944

Distribution: Uzbekistan, SW Kyrgyzstan, (Chatkal Mountain Range)

Aphthona crassicornis Lopatin, 1990

Distribution: Turkey

Aphthona cyparissiae (Koch, 1803)

Distribution: Europe except for N, Caucasus, W Kazakhstan

Aphthona czwalinae J. Weise, 1889

Distribution: Europe except for N, Kazakhstan, Kyrgyzstan, Asian Russia (W Siberia, Tuva), Mongolia

Aphthona erichsoni (Zetterstedt, 1838)

Distribution: N Europe, Ukrainian Carpathians, Asian Russia (Siberia, Russian Far East, Kamchatka), Mongolia

Aphthona euphorbiae (Schrank, 1781)

Distribution: Europe except for N, Caucasus, Turkey, Kazakhstan, Central Asia, Siberia

Aphthona flava Guillebeau, 1894

Distribution: S and SE Europe, Turkey

Aphthona flaviceps Allard, 1859

Distribution: S and SE Europe, Caucasus, Turkey, Middle East, Kazakhstan, Central Asia

Aphthona franzi Heikertinger, 1944

Distribution: Southern parts of Central and SE Europe, Caucasus, Turkey, Asian Russia (Altai)

Aphthona gracilipes Ogloblin, 1926

Distribution: S Kazakhstan, NW Kyrgyzstan

Aphthona gracilis Faldermann, 1837

Distribution: S Kazakhstan, NW Kyrgyzstan (Moldavia, Romania, S Ukraine, Crimea), Caucasus, Transcaucasia, Turkey, Near and Middle East, S Kazakhstan, Uzbekistan, Asian Russia (Transbaikalia), Mongolia

Aphthona hammarstroemi Jacobson, 1901

Distribution: SE Kazakhstan, Kyrgyzstan, Tajikistan, Asian Russia (S Siberia east to Transbaikalia)

Aphthona hauseri Heikertinger, 1911

Distribution: Afghanistan, Iran, Central Asia

Aphthona herbigrada (Curtis, 1837)

Distribution: Europe except for N, N Africa

Aphthona hissarica Lopatin, 1975

Distribution: Iran, NE Afghanistan, Tajikistan, India (Kashmir)

Aphthona interstitialis J. Weise, 1887

Distribution: Asian Russia (Transbaikalia, Amurland, Ussuri Area, Maritime Prov.), Mongolia, W China, Tibet, Tajikistan

Aphthona jacobsoni Ogloblin, 1926

Distribution: Afghanistan, N Iran, Central Asia

Aphthona jakuta Ogloblin, 1926

Distribution: Asian Russia (Evenkia, Yakutia, Middle and upper Lena Valley, Cisbaikalia, Transbaikalia, Magadan Distr., Russian Far East), Mongolia

Aphthona kaszabi Kral, 1967

Distribution: Mongolia

Aphthona konstantinovi Lopatin in Konstantinov, 1998

Distribution: Crimea, N Caucasus, Turkey

Aphthona kuntzei Roubal, 1931

Distribution: E Mediterranean, Balkans, Ukraine, Turkey, Near East

Aphthona lacertosa (Rosenhauer, 1847)

Distribution: Central and SE Europe, Turkey, introduced to N America

Aphthona lopatini Konstantinov, 1998

Distribution: S Kazakhstan, Kyrgyzstan

Aphthona lubischevi Konstantinov, 1998

Distribution: Crimea

Aphthona lutescens (Gyllenhal, 1813)

Distribution: Europe, Caucasus, Turkey, Kazakhstan, Central Asia, Asian Russia (W Siberia, Transbaikalia), Mongolia, N Africa

Aphthona maculata Allard, 1876

Distribution: Caucasus, Turkey, Near East, Iran, Kazakhstan, S Tajikistan

Aphthona modesta J. Weise, 1887

Distribution: Asian Russia (Amurland, Maritime Prov.), NE China, Korea

Aphthona mohri Warchałowski, 1973

Distribution: Turkmenistan, Iran

Aphthona nigriceps (W. Redtenbacher, 1842)

Distribution: S and SE Europe, S Urals, Caucasus, Turkey, Near East, N Africa

Aphthona nigriscutis Foudras, 1860

Distribution: Central and SE Europe, Caucasus, Transcaucasia, Turkey, Iran, W Kazakhstan, Introduced to N America

Aphthona nonstriata (Goeze, 1777)

Distribution: Europe, Caucasus, Turkey, Iran, Kazakhstan, Central Asia, Asian Russia (W Siberia)

Aphthona ovata Foudras, 1860

Distribution: S, Central and SE Europe, Transcaucasia, Turkey

Aphthona pallida (Bach, 1856)

Distribution: SE and Central Europe, Crimea, Caucasus

Aphthona perminuta Bale, 1875

Distribution: Asian Russia (Sakhalin, Kuril Is.), Korea, Japan

Aphthona placida (Kutschera, 1861)

Distribution: Central and SE Europe

Aphthona promissa Ogloblin, 1926

Distribution: Afghanistan, S Kazakhstan, Kyrgyzstan, Tajikistan

Aphthona przhevalskii Konstantinov, 1998

Distribution: S Kazakhstan

Aphthona pygmaea (Kutschera, 1861)

Distribution: Europe except for N, Caucasus, Turkey, Near East, N Africa

Aphthona reinecki Lopatin, 1962

Distribution: NE Afghanistan

Aphthona reitteri Allard, 1884

Distribution: Caucasus, Transcaucasia

Aphthona rugipennis Ogloblin, 1926

Distribution: Caucasus, S Kazakhstan, Uzbekistan

Aphthona russica Konstantinov, Volkovitsh et Cristofaro, 2001
Distribution: W Ciscaucasia (Taman Peninsula)

Aphthona sajanica Ogloblin, 1926
Distribution: Asian Russia (Sayan, Evenkia), Mongolia, NE China

Aphthona sarmatica Ogloblin in Gavrilenko, 1928
Distribution: Southern E Europe, Crimea, Transcaucasia

Aphthona semicyanea Allard, 1859
Distribution: Central, S and SE Europe, N Caucasus, Transcaucasia, Turkey, Near East, Kazakhstan, Central Asia, Asian Russia (S Siberia), Mongolia, India

Aphthona semiviridis Jacoby, 1885
Distribution: Asian Russia (S Sakhalin), Japan

Aphthona stussineri J. Weise, 1888
Distribution: Central and S Europe, Ukrainian Carpathians

Aphthona testaceicornis J. Weise, 1894
Distribution: Caucasus

Aphthona tolli Ogloblin, 1926
Distribution: N Kazakhstan, Asian Russia (Transbaikalia, Yakutia, Amurland), Mongolia, China

Aphthona trivialis J. Weise, 1887
Distribution: Asian Russia (Yakutia, Ussuri Area, Amurland), N Korea

Aphthona valachica Heikertinger, 1944
Distribution: Romania, Turkey

Aphthona venustula (Kutschera, 1861)
Distribution: Europe except for N, Caucasus, Turkey, Middle East

Aphthona violacea (Koch, 1803)
Distribution: Europe except for N, Caucasus, Turkey, Kazakhstan, S Siberia

Aphthona wiseana Konstantinov, 1998
Distribution: Iran, Turkmenistan, Uzbekistan

Genus *Longitarsus* Latreille, 1829

Subgenus *Longitarsus (Longitarsus)* Latreille, 1829

Longitarsus (Longitarsus) absynthii Kutschera, 1862

Distribution: Europe except for the extreme N, Transcaucasia, Turkey, Kazakhstan, Central Asia, Mongolia

Longitarsus (Longitarsus) acuticollis Lopatin, 1976

Distribution: S Kazakhstan

Longitarsus (Longitarsus) aeneicollis (Faldermann, 1837)

Distribution: Europe except for N, Caucasus, Transcaucasia, Turkey, Near and Middle East, Kazakhstan, Central Asia

Longitarsus (Longitarsus) aeruginosus (Foudras, 1860)

Distribution: W and S Europe, N Mediterranean

Longitarsus (Longitarsus) albineus (Foudras, 1860)

Distribution: Southern Central Europe, Balkans, N Mediterranean, Caucasus, Turkey, Near and Middle East, Tajikistan, Uzbekistan, N Africa

Longitarsus (Longitarsus) alfierii alfierii Pic, 1923

Distribution: NE Mediterranean, Turkey, Near and Middle East, Kyrgyzstan, N Africa

Longitarsus (Longitarsus) alfierii furthi Gruev, 1982

Distribution: N Mediterranean, Balkans, Crimea, Caucasus (Georgia)

Longitarsus (Longitarsus) anatolicus J. Weise, 1900

Distribution: Transcaucasia, Turkey, Near and Middle East

Longitarsus (Longitarsus) aphthonoides J. Weise, 1887

Distribution: Asian Russia (Middle Siberia, Cisbaikalia, Transbaikalia, E Siberia, Amurland, Maritime Prov. Sakhalin)

Longitarsus (Longitarsus) apicalis (Beck, 1817)

Distribution: Europe, Asian Russia (W Siberia, Middle Siberia, Sayan, Cisbaikalia, Transbaikalia)

Longitarsus (Longitarsus) afghanicus Lopatin, 1963

Distribution: Afghanistan

Longitarsus (Longitarsus) asperifoliarum J. Weise, 1887

Distribution: Caucasus, S and E Kazakhstan, Kyrgyzstan, Turkmenistan, Uzbekistan, Afghanistan, Asian Russia (Altai)

Longitarsus (Longitarsus) atricillus (Linnaeus, 1761)

Distribution: Europe except for extreme N, Transcaucasia, Middle East, Turkmenistan, Uzbekistan, N Africa

Longitarsus (Longitarsus) ballotae (Marsham, 1802)

Distribution: Europe except for N, Ciscaucasia, Caucasus, Transcaucasia, Turkey, Near and Middle East, S Kazakhstan, Mongolia, N Africa

Longitarsus (Longitarsus) bertii Leonardi, 1973

Distribution: Southern parts of Central Europe, Balkans, SW Ukraine, Transcaucasia, Turkey, Near and Middle East

Longitarsus (Longitarsus) brisouti Heikertinger, 1912

Distribution: W and S Europe, Ukraine, Ciscaucasia, Turkey

Longitarsus (Longitarsus) brunneus (Duftschmidt, 1825)

Distribution: Europe, Caucasus, Transcaucasia. SE Kazakhstan, Kyrgyzstan, Asian Russia (W and Middle Siberia, Cisbaikalia, Transbaikalia, Amurland, Russian Far East), Korea

Longitarsus (Longitarsus) callidus Warchałowski, 1967

Distribution: W and Central Europe, Transcaucasia, Iran, Kazakhstan, N Africa

Longitarsus (Longitarsus) celticus Leonardi, 1975

Distribution: Southern parts of Central Europe, Ukraine

Longitarsus (Longitarsus) cerinthes (Schrank, 1798)

Distribution: Europe except N, Mediterranean, N Africa

Longitarsus (Longitarsus) corpulentus J. Weise, 1887

Distribution: S Kazakhstan, Central Asia

Longitarsus (Longitarsus) curtus (Allard, 1860)

Distribution: Europe except for N, Caucasus, Transcaucasia, Turkmenistan, Tajikistan, Asian Russia (Transbaikalia), Afghanistan

Longitarsus (Longitarsus) desertorum Heikertinger, 1913

Distribution: Turkmenistan, Kazakhstan, Afghanistan, Central Asia, Mongolia

Longitarsus (Longitarsus) dlabolai Kral, 1964

Distribution: Caucasus (Georgia)

Longitarsus (Longitarsus) echii (Koch, 1803)

Distribution: Europe except for N, Turkey, Afghanistan, N Africa

Longitarsus (Longitarsus) eminus Warchałowski, 1967

Distribution: Near and Middle East, Kazakhstan, Afghanistan, Central Asia

Longitarsus (Longitarsus) exsoletus (Linnaeus, 1758)

Distribution: Europe except for extreme N, Caucasus, Transcaucasia, Turkey, Near and Middle East, Turkmenistan

Longitarsus (Longitarsus) fallax J. Weise, 1888

Distribution: S and SE Europe, Caucasus, Transcaucasia, Turkey, Near and Middle East, Kazakhstan, Central Asia, N Africa

Longitarsus (Longitarsus) ferrugineus (Foudras, 1860)

Distribution: Europe except for N, N Africa

Longitarsus (Longitarsus) finitimus Konstantinov, 1992

Distribution: Kazakhstan (W Tian-Shan)

Longitarsus (Longitarsus) foudrasi J. Weise, 1893

Distribution: Europe except N, Ciscaucasia, W Caucasus, Transcaucasia, Turkey, Asian Russia (Amurland), N Africa

Longitarsus (Longitarsus) fulgens (Foudras, 1860)

Distribution: Europe except for N and S, Caucasus, Transcaucasia, S Siberia

Longitarsus (Longitarsus) ganglbaueri Heikertinger, 1912

Distribution: Europe except for N, Caucasus, Transcaucasia, Turkey, Asian Russia (Transbaikalia, Ussuri Area, Sakhalin), Mongolia, Introduced to N America

Longitarsus (Longitarsus) georgianus (Allard, 1866)

Distribution: Caucasus (Georgia)

Longitarsus (Longitarsus) godmani (Baly, 1876)

Distribution: Asian Russia (Amurland), Korea, China, N Vietnam

Longitarsus (Longitarsus) gracilis Kutschera, 1864

Distribution: Europe except for N, Caucasus (Arax Valley), Israel, N Africa

Longitarsus (Longitarsus) hissaricus Lopatin in Konstantinov et Lopatin, 2000

Distribution: Tajikistan

Longitarsus (Longitarsus) hoberlandti Lopatin, 1990

Distribution: Turkmenistan N Iran, Tajikistan

Longitarsus (Longitarsus) holsaticus (Linnaeus, 1758)

Distribution: Europe, Caucasus, Asian Russia (All over Siberia), China, Korea, Japan

Longitarsus (Longitarsus) indigonaceus Lopatin, 1963

Distribution: NE Afghanistan, Pakistan, India (Bengal)

Longitarsus (Longitarsus) jacobaeae (Waterhouse, 1858)

Distribution: Europe, Caucasus, Transcaucasia, Kazakhstan, Kyrgyzstan, Mongolia, Tibet, Asian Russia (All over Siberia except for N)

Longitarsus (Longitarsus) jailensis Heikertinger, 1913

Distribution: Balkans, Crimea, Turkey

Longitarsus (Longitarsus) juncicola (Foudras, 1860)

Distribution: W and Central Europe, Caucasus, Transcaucasia, Turkey, N Africa

Longitarsus (Longitarsus) karlheinzi Warchałowski, 1972

Distribution: Crimea, Turkey, Near and Middle East

Longitarsus (Longitarsus) khnזורiani Palij, 1970

Distribution: W Caucasus, Kyrgyzstan

Longitarsus (Longitarsus) kutscherai (Rye, 1872)

Distribution: Europe except for N and E, Ciscaucasia, Caucasus, Transcaucasia, Turkey, Asian Russia (S Siberia), N China, Korea, N Africa

Longitarsus (Longitarsus) languidus F. Kutschera, 1863

Distribution: Southern parts of Central Europe east to Transcarpathia, Caucasus

Longitarsus (Longitarsus) lateripunctatus lateripunctatus (Rosenhauer, 1856)

Distribution: Mediterranean, Near East, Caucasus

Longitarsus (Longitarsus) lateripunctatus personatus J. Weise, 1893

Distribution: Central Europe east to Ukraine, Ciscaucasia, Caucasus, Turkey, Near East

Longitarsus (Longitarsus) ledouxi Doguet, 1979

Distribution: Ciscaucasia, W Caucasus, Turkey

Longitarsus (Longitarsus) lewisii (Baly, 1874)

Distribution: Europe except for N east to Ukraine, Transcaucasia, Turkey, Iran, Afghanistan, Kyrgyzstan, Uzbekistan, Asian Russia (Siberia, Sakhalin, Kurile Is.), Mongolia, NE and E China, Korea, Japan, Taiwan, N Vietnam

Longitarsus (Longitarsus) linnaei (Duftschmidt, 1825)

Distribution: Southern parts of Central, S and SE Europe, Caucasus, Transcaucasia, Turkey, Near East

Longitarsus (Longitarsus) longipennis Kutschera, 1863

Distribution: Central and SE Europe, Caucasus, Transcaucasia, Turkey, Kazakhstan, Central Asia, Asian Russia (S Siberia east to Tuva and Yakutia)

Longitarsus (Longitarsus) longiseta J. Weise, 1889

Distribution: Europe except for S and extreme N, Caucasus, Transcaucasia, Asian Russia (E Siberia, Maritime Prov.), NE China, Korea, Japan

Longitarsus (Longitarsus) luridus (Scopoli, 1763)

Distribution: All over Palaearctic except for Central Asia and Russian Far East, Introduced to N America

Longitarsus (Longitarsus) lycopi (Foudras, 1860)

Distribution: Europe except for N, Caucasus, Transcaucasia, Turkey, Near East, Iran, S Kazakhstan, Central Asia, N Africa

Longitarsus (Longitarsus) marguzoricus Konstantinov in Konstantinov et Lopatin, 2000

Distribution: Central Asia (Tajikistan)

Longitarsus (Longitarsus) medvedevi Shapiro, 1956

Distribution: Central, SE and E Europe, Uzbekistan

Longitarsus (Longitarsus) melanocephalus (DeGeer, 1775)

Distribution: Europe, Caucasus, Transcaucasia, Turkey, Near and Middle East, S Kazakhstan, Central Asia, Asian Russia (W and Middle Siberia, Transbaikalia), Mongolia

Longitarsus (Longitarsus) melanoxanthus Lopatin, 1963

Distribution: S Afghanistan

Longitarsus (Longitarsus) membranaceus (Foudras, 1860)

Distribution: Europe except for N, Transcaucasia, Turkey, Near and Middle East, N Africa

Longitarsus (Longitarsus) minimus Kutschera, 1863

Distribution: Southern parts of Central Europe, N Caucasus, Asian Russia (S Siberia)

Longitarsus (Longitarsus) minusculus (Foudras, 1860)

Distribution: Europe except for N, E Caucasus, Turkey

Longitarsus (Longitarsus) monticola Kutschera, 1863

Distribution: Mountains of W and Central Europe, Southern parts of European Russia, Caucasus, Tajikistan

Longitarsus (Longitarsus) muchei Mohr, 1984

Distribution: Uzbekistan (Alai Mountain Range)

Longitarsus (Longitarsus) murteus Warchałowski, 1972

Distribution: SE Kazakhstan, N Afghanistan

Longitarsus (Longitarsus) nanus (Foudras, 1860)

Distribution: Europe except for N, E Caucasus, Near East, N Africa

Longitarsus (Longitarsus) nasturtii (Fabricius, 1792)

Distribution: Europe except for N, E Caucasus, Kazakhstan, Kyrgyzstan, Asian Russia (All over Siberia to Russian Far East), Mongolia, NE China, Tibet

Longitarsus (Longitarsus) niger (Koch, 1803)

Distribution: Europe except for N, Caucasus, Transcaucasia, Turkey

Longitarsus (Longitarsus) nigerrimus (Gyllenhal, 1827)

Distribution: Europe except for N, Caucasus, Asian Russia (Amurland)

Longitarsus (Longitarsus) nigrofasciatus (Goeze, 1777)

Distribution: Europe except for extreme N, E Caucasus, Turkey, Near and Middle East, Afghanistan, Kazakhstan, Central Asia, Asian Russia (W Siberia)

Longitarsus (Longitarsus) nitidamiculus Kimoto, 1965

Distribution: Asian Russia (Maritime Prov. Ussuri Area, Kurile Is.), Korea, Japan

Longitarsus (Longitarsus) nitidus Jacoby, 1885

Distribution: Asian Russia (Maritime Prov., Ussuri Area), NE China, Korea, Japan

Longitarsus (Longitarsus) noricus Leonardi, 1976

Distribution: Southern parts of Central Europe, Caucasus, Transcaucasia

Longitarsus (Longitarsus) oblitteratoides Gruev, 1973

Distribution: W and S Europe, Transcaucasia

Longitarsus (Longitarsus) oblitteratus (Rosenhauer, 1847)

Distribution: Central and SE Europe, Transcaucasia, Turkey, Near and Middle East

Longitarsus (Longitarsus) ochroleucus (Marsham, 1802)

Distribution: Europe, Caucasus, Transcaucasia, Turkey, N Africa, Canary Isles

Longitarsus (Longitarsus) pallidicornis Kutschera, 1863

Distribution: Mountains of W, Central and E Europe

Longitarsus (Longitarsus) parvulus (Paykull, 1799)

Distribution: Europe, Caucasus, Transcaucasia, Turkey, Near East, Asian Russia (W and Middle Siberia, Sayan, Cisbaikalia), N Africa, Canary Isles, Madeira

Longitarsus (Longitarsus) pellucidus (Foudras, 1860)

Distribution: Europe, Caucasus, Transcaucasia, Turkey, Near and Middle East, Kazakhstan, Central Asia, Mongolia, N Africa, Introduced to N America

Longitarsus (Longitarsus) picicollis (J. Weise, 1900)

Distribution: Bulgaria, Romania and Ukraine, Caucasus, Transcaucasia, Turkey, Middle East, Kazakhstan, Central Asia

Longitarsus (Longitarsus) pratensis (Panzer, 1794)

Distribution: Europe Caucasus, Transcaucasia, Turkey, Near and Middle East, Kazakhstan, Central Asia, N Africa, Canary Isles, Introduced to N America

Longitarsus (Longitarsus) pulmonoriae J. Weise, 1893

Distribution: Central and SE Europe, Caucasus

Longitarsus (Longitarsus) quadriguttatus (Pontoppidan, 1765)

Distribution: Europe except for N, Ciscaucasia, E Caucasus, Turkey

Longitarsus (Longitarsus) ratshensis Khnzorian, 1962

Distribution: Caucasus (Georgia)

Longitarsus (Longitarsus) rectilineatus (Foudras, 1860)

Distribution: W, S and southern parts of Central Europe, Caucasus, Transcaucasia, Turkey, Near and Middle East, Afghanistan, Kazakhstan, N Africa

Longitarsus (Longitarsus) reichei (Allard, 1860)

Distribution: Europe except for extreme N, Caucasus, Transcaucasia, Iran

Longitarsus (Longitarsus) rubellus (Foudras, 1860)

Distribution: Mountains of Central and E Europe

Longitarsus (Longitarsus) rubiginosus (Foudras, 1860)

Distribution: All over Palaeartic except for SW and E Mediterranean, and N Africa. Introduced to N America

Longitarsus (Longitarsus) sahlbergi Pic, 1907

Distribution: S Kazakhstan

Longitarsus (Longitarsus) salarius Lopatin et Kulenova, 1985

Distribution: Kazakhstan

Longitarsus (Longitarsus) salviae Gruev, 1975

Distribution: Europe except for N and E, Crimea, Caucasus, Transcaucasia

Longitarsus (Longitarsus) scutellaris (Rey, 1874)

Distribution: Europe except for extreme N, Caucasus, Transcaucasia, Turkey, Mongolia

Longitarsus (Longitarsus) silbursaicus Lopatin, 2004

Distribution: Tajikistan (S Slopes of Hissar Mountain Range)

Longitarsus (Longitarsus) strigicollis Wollaston, 1864

Distribution: S and southern parts of Central Europe, Caucasus (Georgia), N Africa, Canary Isles

Longitarsus (Longitarsus) substriatus Kutschera, 1863

Distribution: W, S, SE and southern parts of Central Europe, N Caucasus, Kazakhstan

Longitarsus (Longitarsus) succineus (Foudras, 1860)

Distribution: All over Palaeartic, Introduced to N America

Longitarsus (Longitarsus) suturatus (Foudras, 1860)

Distribution: W and S Mediterranean, Crimea, N Caucasus

Longitarsus (Longitarsus) suturellus (Duftschmidt, 1825)

Distribution: All over Palaeartic except for Mediterranean, Transcaucasia, Central Asia

Longitarsus (Longitarsus) symphyti Heikertinger, 1912

Distribution: Europe except for N and S, W Caucasus, Uzbekistan Asian Russia (Tuva)

Longitarsus (Longitarsus) tabidus (Fabricius, 1775)

Distribution: Europe, Caucasus, Transcaucasia, Turkey, Near and Middle East, Kazakhstan, Turkmenistan, Kyrgyzstan Mongolia, N, Africa

Longitarsus (Longitarsus) tienshanicus Konstantinov, 1992

Distribution: Uzbekistan (Ugam Mountain Range)

Longitarsus (Longitarsus) tishechkini Konstantinov, 2000

Distribution: Kazakhstan (Zaili Alatau)

Longitarsus (Longitarsus) tournefortiae L. Medvedev et Voronova, 1979

Distribution: Mongolia

Longitarsus (Longitarsus) transbaicalicus Ogloblin, 1917

Distribution: S and Asian Russia (Middle Siberia, Cisbaikalia, Transbaikalia, Amurland), Mongolia

Longitarsus (Longitarsus) trepidus Warchałowski, 1973

Distribution: Transcaucasia, Turkey, Middle East

Longitarsus (Longitarsus) tristis J. Weise, 1888

Distribution: Central and SE Europe, E Caucasus

Longitarsus (Longitarsus) tshikatunovi Lopatin, 1966

Distribution: Kazakhstan, Kyrgyzstan

Longitarsus (Longitarsus) violentoides Konstantinov, 2000

Distribution: Armenia (Tsahkadzor)

***Longitarsus (Longitarsus) violentus* J. Weise, 1893**

Distribution: SE European Russia, Caucasus, Transcaucasia, Turkey, Middle East, Kazakhstan, Central Asia, Asian Russia (S and Middle Siberia, Transbaikalia, Tuva, Yakutia, Beringia), Mongolia

Subgenus ***Longitarsus (Testergus)* J. Weise, 1893**

***Longitarsus (Testergus) anchusae* (Paykull, 1799)**

Distribution: Europe except for N, Caucasus, Transcaucasia, Turkey, Near and Middle East, Kazakhstan, Tajikistan, Asian Russia (Altai, Transbaikalia)

***Longitarsus (Testergus) anatolicus* J. Weise, 1900**

Distribution: Armenia, Azerbaijan, Turkey, Tajikistan, Uzbekistan

***Longitarsus (Testergus) brachypterus* J. Weise, 1890**

Distribution: Caucasus (Arax Valley)

***Longitarsus (Testergus) ellipticus* Reitter, 1909**

Distribution: S Kazakhstan

***Longitarsus (Testergus) excisipennis* Lopatin, 1967**

Distribution: S Tajikistan

***Longitarsus (Testergus) fuscoaeneus* L. Redtenbacher, 1849**

Distribution: Europe except for N, Crimea, Caucasus, Transcaucasia, Turkey, Near East

***Longitarsus (Testergus) hittita* Biondi, 1995**

Distribution: Armenia, Turkey

***Longitarsus (Testergus) imitator* Lopatin, 1967**

Distribution: Kazakhstan, Central Asia

***Longitarsus (Testergus) josiphi* Konstantinov, 1994**

Distribution: Kazakhstan (W Tian-Shan)

***Longitarsus (Testergus) lederi* J. Weise, 1889**

Distribution: Ciscaucasia, Caucasus, Transcaucasia

***Longitarsus (Testergus) mohri* Lopatin, 1963**

Distribution: S Afghanistan

***Longitarsus (Testergus) pinguis* J. Weise, 1888**

Distribution: SE and southern parts of Central Europe, Turkey, Syria

***Longitarsus (Testergus) primaeveris* Lopatin, 1967**

Distribution: S Kazakhstan, S Kyrgyzstan, SW Tajikistan, S Uzbekistan

Longitarsus (Testergus) pubescens J. Weise, 1889

Distribution: Caucasus (Abkhazia, Georgia, Armenia)

Longitarsus (Testergus) radiatus Konstantinov, 1992

Distribution: Uzbekistan (W Tian-Shan)

Longitarsus (Testergus) sengloki Konstantinov, 1994

Distribution: Tajikistan (Senglok Mountain Range)

Longitarsus (Testergus) sogdianus Lopatin, 1956

Distribution: Tajikistan (South of Hissar Mountain Range)

Longitarsus (Testergus) tmetopterus Jacobson, 1893

Distribution: S Turkmenistan, Uzbekistan, S Kazakhstan, Kyrgyzstan, Afghanistan

Longitarsus (Testergus) turcomanorum Lopatin, 1967

Distribution: S Turkmenistan, Uzbekistan

Longitarsus (Testergus) weisei Guillebeau, 1895

Distribution: W Europe, Albania, Poland, Turkey, Middle East, Turkmenistan, Tajikistan, Nepal, China

Genus ***Hermaeophaga*** Foudras, 1860

Hermaeophaga mercurialis (Fabricius, 1792)

Distribution: Europe except for N, Caucasus, Turkey

Hermaeophaga nigricornis Ogloblin, 1921

Distribution: Asian Russia (Transbaikalia, Dauria)

Hermaeophaga ruficollis (H. Lucas, 1849)

Distribution: Central Asia, India (Mysore), Sri Lanka, N and W Africa

Genus ***Altica*** Geoffroy, 1762

Altica aenescens (J. Weise, 1888)

Distribution: Europe except for extreme N and S

Altica ancyrensis (J. Weise, 1897)

Distribution: Transcaucasia, Turkey, Near East

Altica balassogloi (Jacobson, 1892)

Distribution: Afghanistan, Pakistan Kazakhstan, Kyrgyzstan, Mongolia

Altica bicarinata (Kutschera, 1860)

Distribution: E Medinerranean, Turkey, Iran,

Altica bisulcata (J. Weise, 1887)

Distribution: Mongolia, Asian Russia (Amurland, Maritime Prov.)

Altica brevicollis Foudras, 1860

Distribution: Europe except for extreme S and N, Caucasus, Transcaucasia, Turkey, Iran
Kazakhstan

Altica breviscula (J. Weise, 1900)

Distribution: Azerbaijan, Iran

Altica carduorum Guerin-Meneville, 1858

Distribution: Europe except for the N, Transcaucasia, Turkey, Kazakhstan, Kyrgyzstan,
Tajikistan, introduced to N America

Altica carinthiaca (J. Weise, 1888)

Distribution: N, NW and Mountains of Central Europe, Transcaucasia, Kyrgyzstan,
Uzbekistan, Asian Russia (N Baikal)

Altica chamaenerii (Lindberg, 1926)

Distribution: N and Mountains of Central Europe, Transcaucasia, Kyrgyzstan, Asian
Russia (Beringia, Kamchatka)

Altica circaeae Ohno, 1960

Distribution: Asian Russia (S Kurile Is.), Japan

Altica cornivorax Kral, 1969

Distribution: Southern parts of Central Europe, Ukraine, Turkey

Altica deserticola (J. Weise, 1889)

Distribution: SE European Russia, S Urals, SW Kazakhstan, W Caspian Plain, Ciscaucasia,
Transcaucasia, Near East, Turkey, Afghanistan, Turkmenistan, Kazakhstan, Kyrgyzstan, N
and NW China, Mongolia, Taiwan

Altica difficilis (Ogloblin, 1921)

Distribution: Kyrgyzstan

Altica engstroemi (J. Sahlberg, 1894)

Distribution: N Europe, SE Kazakhstan, Asian Russia (W and Middle Siberia, Altais,
Transbaikalia, Chukotka, Kamchatka)

Altica fragariae (Nakane, 1955)

Distribution: E and NE China, Korea, Asian Russia (Sakhalin), Japan

Altica fruticola (J. Weise, 1888)

Distribution: Central Europe, Ukrainian Carpathians

Altica globicollis (J. Weise, 1889)

Distribution: SW Caucasus, Transcaucasia, NW Iran, Turkey

Altica hampei (Allard, 1867)

Distribution: Crimea, Caucasus, Transcaucasia, Turkey

Altica helianthemi (Allard, 1859)

Distribution: Europe except for N, Caucasus, Kazakhstan, Asian Russia (Tuva, Transbaikalia, Yakutia)

Altica impressicollis (Reiche, 1862)

Distribution: Central, S and SE Europe, Caucasus, Turkey, Near and Middle East

Altica ivlievi (L. Medvedev, 1968)

Distribution: Asian Russia (Magadan Distr.)

Altica jarmilae Kral, 1979

Distribution: E Mediterranean, Turkey, Caucasus (Georgia)

Altica kozlovi (Ogloblin, 1921)

Distribution: N China

Altica longicollis (Allard, 1860)

Distribution: Europe except for S

Altica lubischevi (Palič, 1963)

Distribution: Kazakhstan, Kyrgyzstan, Tajikistan, China (Tibet)

Altica lythri Aube, 1843

Distribution: Europe except for N

Altica mohri Lopatin, 1990

Distribution: E Iran

Altica nuristanica (Lopatin, 1963)

Distribution: E and NE Afghanistan

Altica oleracea (Linnaeus, 1758)

Distribution: All over Palaearctic, except for extreme N

Altica opacifrons (H. Lindberg, 1938)

Distribution: N Europe

Altica palustris (J. Weise, 1888)

Distribution: Europe, Caucasus, Transcaucasia, Turkey, Middle East, Kazakhstan, Central Asia

Altica pamiranica (J. Weise, 1889)

Distribution: Kazakhstan, Kyrgyzstan, Tajikistan, NW China

Altica plotnicovi (Palij, 1963)

Distribution: Kyrgyzstan

Altica pontica (Ogloblin, 1925)

Distribution: Turkey

Altica quercetorum quercetorum Foudras, 1860

Distribution: Central and S Europe, Caucasus, Transcaucasia, Turkey

Altica quercetorum saliceti (J. Weise, 1888)

Distribution: Europe except for extreme N, Armenia

Altica rosicola Kral, 1969

Distribution: W Caucasus, Armenia

Altica sajanica (Csiki, 1901)

Distribution: Asian Russia (S Middle Siberia, Transbaikalia, Amurland)

Altica semenovi (Jacobson, 1892)

Distribution: Central Asia, NW China

Altica sibirica (Csiki, 1901)

Distribution: Asian Russia (W Siberia)

Altica stichai Kral, 1965

Distribution: W Caucasus, Transcaucasia

Altica talassicola Lopatin, 1976

Distribution: S Kazakhstan, Kyrgyzstan

Altica talyshana Konstantinov, 1995

Distribution: Azerbaijan

Altica tamaricis Schrank, 1785

Distribution: Europe except for N, Caucasus, Transcaucasia, Turkey, Middle East, Kazakhstan, Uzbekistan, Asian Russia (S Siberia, Transbaikalia)

Altica tristis (Ogloblin, 1921)

Distribution: Asian Russia (Transbaikalia)

Altica tsharynensis (Ogloblin, 1921)

Distribution: Kazakhstan

Altica viridula (J. Weise, 1889)

Distribution: Caucasus, Transcaucasia, Iran

Altica weisei (Jacobson, 1892)

Distribution: Asian Russia (NE and E Siberia), Korea, N China

Genus *Batophila* Foudras, 1860

Batophila acutangula Hikertinger, 1921

Distribution: Asian Russia (Amurland, Ussuri Area, Maritime Prov. Sakhalin), Korea, N China, Taiwan

Batophila dogueti Doberl, 1894

Distribution: Azerbaijan, Iran

Batophila fallax J. Weise, 1888

Distribution: Southern Central and SE Europe, Caucasus, Transcaucasia, Turkey, Iran

Batophila olexai Kral, 1964

Distribution: Balkans, Transcaucasia, Turkey

Batophila rubi (Paykull, 1799)

Distribution: Europe, Caucasus

Genus *Mniophila* Stephens, 1832

Mniophila muscorum muscorum (Koch, 1803)

Distribution: Europe except for SW and NE, Caucasus, Transcaucasia

Genus *Lythraria* Bedel, 1897

Lythraria salicariae (Paykull, 1800)

Distribution: All over Palaearctic except for E Mediterranean, N Africa and Central Asia

Genus *Ochrosis* Foudras, 1860

Ochrosis ventralis (Illiger, 1807)

Distribution: Europe except for N, Caucasus, Turkey, Near and Middle East, N Africa, Canary Isles, Madeira

Genus *Neocrepidodera* Heikertinger, 1911

Neocrepidodera brevicollis (J. Daniel, 1904)

Distribution: Mountains of W Central and E Europe

Neocrepidodera corpulenta (Kutschera, 1860)

Distribution: Mountains of W, Central E and SE Europe

Neocrepidodera crassicornis crassicornis (Faldermann, 1837)

Distribution: S and SE Europe, Ciscaucasia, Caucasus, Transcaucasia, Turkey, Kazakhstan

Neocrepidodera cyanescens cyanescens (Duftschmidt, 1825)

Distribution: Mountains of W and Central Europe

Neocrepidodera femorata (Gyllenhal, 1813)

Distribution: Mountains of W, Central and E Europe, N Europe, Asian Russia (W and Middle Siberia, Altai, Baikal Area, Tuva)

Neocrepidodera ferruginea (Scopoli, 1763)

Distribution: Europe, Caucasus, Transcaucasia, Turkey, Iran

Neocrepidodera impressa impressa (Fabricius, 1801)

Distribution: S Europe, Near East, N Africa

Neocrepidodera interpunctata (Motschulsky, 1859)

Distribution: N Europe, Middle Kazakhstan, Asian Russia (S Siberia, Tuva, Baikal Area, Transbaikalia, Yakutia, Amurland, Maritime Prov., Ussuri Area, Sakhalin, Kurile Is.), Mongolia, China, Korea, Japan

Neocrepidodera kozhantshikovi (Jacobson, 1925)

Distribution: Asian Russia (Yakutia)

Neocrepidodera melanostoma (L. Redtenbacher, 1849)

Distribution: Mountains of W, Central and E Europe

Neocrepidodera motschulskii (Konstantinov, 1991)

Distribution: Europe except for S, Caucasus

Neocrepidodera nigrifula (Gyllenhal, 1813)

Distirbution: Europe except for SW

Neocrepidodera obscuritarsis (Motschulsky, 1859)

Distribution: Asian Russia (Amurland, Maritime Prov., Ussuri Area, NE Sakhalin), China, Japan

Neocrepidodera puncticollis (Reitter, 1879)

Distribution: Carpathians

Neocrepidodera sibirica (Pic, 1909)

Distribution: Asian Russia (Amurland, Ussuri Area)

Neocrepidodera sublaevis (Motschulsky, 1859)

Distribution: Kazakhstan, Afghanistan, N Tajikistan, Asian Russia (Middle and E Siberia to Russian Far East), Mongolia

Neocrepidodera transsilvanica (Fuss, 1864)

Distribution: Carpathians

Neocrepidodera transversa (Marsham, 1802)

Distribution: Europe except for N, Caucasus, Transcaucasia, Turkey, Iran

Genus ***Orestia*** Germar, 1845

Orestia aubei Allard, 1859

Distribution: Mountains of Central, E and northern parts of SE Europe, (Dinaric Mts., Carpathians)

Orestia carpathica Reitter, 1880

Distribution: Mountains of Central Europe (Czerna Gora, Carpathians)

Orestia caucasica Reitter, 1879

Distribution: Ciscaucasia, Caucasus, Transcaucasia

Orestia paveli Frivaldszky, 1877

Distribution: Mountains of Central, E and northern parts of SE Europe (Dinaric Mts., Carpathians)

Genus ***Crepidodera*** Chevrolat in Dejean, 1836

Crepidodera aurata (Marsham, 1802)

Distribution: Europe, Caucasus, Transcaucasia, Turkey, Iran, Kazakhstan, Asian Russia (W, S, Middle and NE Siberia, Russian Far East), Mongolia, N China, Korea, N Africa

Crepidodera aurea (Geoffroy, 1785)

Distribution: Europe except for N, Caucasus, Turkey, E Kazakhstan, W Siberia

Crepidodera fulvicornis (Fabricius, 1792)

Distribution: Europe, Ciscaucasia, Caucasus, Transcaucasia, Turkey, Near East, N Iran, NW and E Kazakhstan, Asian Russia (W and Middle Siberia, Cisbaikalia, Transbaikalia, Amurland), Mongolia

Crepidodera japonica Baly, 1877

Distribution: Asian Russia (Sakhalin, Kurile Is.), Japan

Crepidodera lamina (Bedel, 1901)

Distribution: Europe except of N, NW Caucasus

Crepidodera nigricoxis Allard, 1878

Distribution: Southern parts of Central Europe, SE Europe east to Rumania, Caucasus, N Korea

Crepidodera nitidula (Linnaeus, 1758)

Distribution: Europe except for SW, Asian Russia (W and Middle Siberia, Sayan)

Crepidodera obscuripes (Heikertinger, 1912)

Distribution: Asian Russia (E Siberia, Russian Far East), Mongolia, China, Korea

Crepidodera picipes (J. Weise, 1887)

Distribution: Asian Russia (Cisbaikalia, Transbaikalia, Ussuri Area, Amurland, Maritime Prov., Sakhalin, Kurile Is.), N China, Korea

Crepidodera plutus (Latreille, 1804)

Distribution: Europe except for N, Caucasus, Turkey, Iran, Kazakhstan, Kyrgyzstan, Tajikistan, Asian Russia (Siberia to Russian Far East, Sakhalin, Kurile Is.), Mongolia, N, China, Korea, Japan

Crepidodera sahalinensis Konstantinov, 1996

Distribution: Asian Russia (Sakhalin, Kunashir Isle)

Crepidodera ussuriensis Konstantinov, 1996

Distribution: Asian Russia (Russian Far East)

Crepidodera viridis Gressitt et Kimoto, 1963

Distribution: Asian Russia (Russian Far East), NW China

Genus ***Derocrepis*** J. Weise, 1886

Derocrepis pubipennis Reitter, 1892

Distribution: Armenia, Georgia, Transcaucasia

Derocrepis rufipes (Linnaeus, 1758)

Distribution: Europe except for N and Mediterranean, Transcaucasia, Turkey, Asian Russia (W and Middle Siberia, Sayan)

Derocrepis serbica caucasica J. Weise, 1886

Distribution: Caucasus

Derocrepis serbica jajlensis Heikertinger, 1922

Distribution: Crimea

Derocrepis serbica laterufa Pic, 1909
Distribution: N Caucasus, Georgia

Derocrepis serbica ossetica Heikertinger, 1922
Distribution: Caucasus (N Ossetia)

Derocrepis serbica serbica (Kutschera, 1860)
Distribution: Balkans, Crimea

Genus ***Novofoudrasia*** Jacobson, 1901

Novofoudrasia rufiventris (J. Weise, 1900)
Distribution: Uzbekistan, S Kazakhstan, Afghanistan, Tajikistan, Nepal

Genus ***Hippuriphila*** Foudras, 1860

Hippuriphila babai Chujo, 1959
Distribution: Asian Russia (Sakhalin, Kurile Is), Japan

Hippuriphila modeeri (Linnaeus, 1761)
Distribution: Europe, Caucasus, Turkey, Asian Russia (Siberia), Mongolia

Genus ***Epitrix*** Foudras, 1860

Epitrix abeillei (Bauduer, 1874)
Distribution: Turkey, Middle and Near East, Kazakhstan, Turkmenistan, Uzbekistan, NE China, Mongolia, N Africa

Epitrix atropae Foudras, 1860
Distribution: Europe except for N, Caucasus, Transcaucasia, Turkey, N Africa

Epitrix caucasica (Heikertinger, 1950)
Distribution: S European Russia, Caucasus, Transcaucasia, Turkey, Iran, Kazakhstan, Central Asia, India (Himalaya)

Epitrix dieckmanni (Mohr, 1968)
Distribution: Turkmenistan, Near and Middle East, Saudi Arabia

Epitrix ermischii (Mohr, 1968)
Distribution: Turkmenistan, Uzbekistan, Iran

Epitrix intermedia Foudras, 1860
Distribution: Southern parts of Central Europe, Balkans, Ukraine, Caucasus, Turkey

Epitrix ogloblini (Iablokoff-Khuzorian, 1960)

Distribution: Armenia

Epitrix pubescens (Koch, 1803)

Distribution: Europe except for N, Caucasus, Transcaucasia, Turkey, Iran, Kazakhstan, Asian Russia (W Siberia), Azores Isles

Epitrix wuorentausi (Heikertinger, 1950)

Distribution: Asian Russia (Amurland, Ussuri Area, Maritime Prov.)

Genus *Minota* Kutschera, 1859

Minota carpathica Heikertinger, 1911

Distribution: Mountains of W, Central, E and SE Europe

Genus *Apteropeda* Chevrolat in Dejean, 1837

Apteropeda globosa (Illiger, 1794)

Distribution: Europe except for extreme N

Apteropeda orbiculata (Marsham, 1802)

Distribution: Europe except for extreme N and E

Apteropeda splendida Allard, 1860

Distribution: Europe except for extreme N and E

Genus *Podagrica* Chevrolat in Dejean, 1837

Podagrica fuscicornis (Linnaeus, 1766)

Distribution: Europe except for extreme N, Transcaucasia, Turkey, Near East, N Africa

Podagrica malvae (Illiger, 1807)

Distribution: S and southern parts of Central and E Europe, Caucasus, Transcaucasia, Turkey, Near and Middle East

Podagrica menetriesi (Faldermann, 1837)

Distribution: S and SE Europe, Caucasus, Transcaucasia, Turkey, Iraq, Kazakhstan, Central Asia

Genus *Chaetocnema* Stephens, 1832

Chaetocnema aerosa (Letzner, 1846)

Distribution Europe except for S and SE, Caucasus, Daghestan, Turkey, Israel

Chaetocnema arenacea (Allard, 1860)

Distribution: S and SE Europe, Caucasus, Daghestan, Turkey, N Africa

Chaetocnema arida (Foudras, 1860)

Distribution: Europe except for N, Caucasus, N Africa

Chaetocnema aridula (Gyllenhal, 1827)

Distribution: Europe, Caucasus, Transcaucasia, Turkey, Kazakhstan, Kyrgyzstan, Asian Russia (Siberia), N Africa

Chaetocnema arisi Pic, 1915

Distribution: S Kazakhstan

Chaetocnema breviuscula (Faldermann, 1837)

Distribution: S and SE Europe, Latvia, Caucasus, Transcaucasia, Middle East, Kazakhstan, Tajikistan, Asian Russia (southern parts of W Siberia), N China, Korea

Chaetocnema chlorophana (Duftschmidt, 1825)

Distribution: S, SE and southern parts of Central Europe, Caucasus, Turkey, Iraq, N Africa

Chaetocnema compressa (Letzner, 1864)

Distribution: Central and SE Europe, Caucasus, Kazakhstan

Chaetocnema concinna (Marsham, 1802)

Distribution: Europe, Caucasus, Transcaucasia, Turkey, Israel, Kazakhstan, Turkmenistan, Asian Russia (Siberia, Russian Far East, Sakhalin, Kurile Is.), Mongolia, China, Korea, Vietnam, Taiwan, Japan, N Africa, introduced to N America

Chaetocnema concinnicollis (Baly, 1874)

Distribution: Asian Russia (Amurland, Ussuri Area, Maritime Prov.), China, Korea, Japan, SE Asia

Chaetocnema conducta (Motschulsky, 1838)

Distribution: S, SE and southern parts of Central Europe, Caucasus, Transcaucasia, Turkey, Near East, Iran, Kazakhstan, Central Asia, N, W and S Africa

Chaetocnema confusa (Boheman, 1851)

Distribution: Europe except for N, Caucasus, Turkey

Chaetocnema costulata (Motschulsky, 1860)

Distribution: Afghanistan, Asian Russia (Cisbaikalia, Sayan, Transbaikalia, Buriatia, Tuva, Yakutia, Amurland, Maritime Prov., Kamchatka, Sakhalin), Mongolia, China

Chaetocnema coyei (Allard, 1863)

Distribution: SE Europe, Transcaucasia, Turkey, Near and Middle East

Chaetocnema gottwaldi Kral, 1969

Distribution: W Kazakhstan

Chaetocnema heptapotamica Lubischev, 1963

Distribution: Caucasus, SE Kazakhstan, Kyrgyzstan

Chaetocnema hortensis (Geoffroy, 1785)

Distribution: Europe, Caucasus, Transcaucasia, Turkey, Near and Middle East, Kazakhstan, Tajikistan, Uzbekistan, Asian Russia (W, Middle and S Siberia, Cisbaikalia, Sayan, Cispacific Land, Amurland, Maritime Prov.), N Africa

Chaetocnema ingenua (Baly, 1876)

Distribution: Afghanistan, China, Asian Russia (Amurland, Maritime Prov. Kurile Is.), Korea

Chaetocnema jelineki Lopatin, 1990

Distribution: SE Iran

Chaetocnema kabakovi Lopatin, 1995

Distribution: Afghanistan

Chaetocnema klapperichi Lopatin, 1963

Distribution: Afghanistan

Chaetocnema laevicollis (C. G. Thomson, 1866)

Distribution: Europe, Caucasus, Transcaucasia, N Iran, Kazakhstan, Kyrgyzstan, Asian Russia (Transbaikalia, Tuva, Ussuri Area, Maritime Prov.), Mongolia, NE China

Chaetocnema major major (Jacquelin du Val, 1852)

Distribution: S, SE and southern E Europe, Caucasus, Transcaucasia, Turkey, Near and Middle East, Kazakhstan

Chaetocnema major mandschurica Heikertinger, 1951

Distribution: Asian Russia (Ussuri Area, Amurland, Maritime Prov.), NE China, Japan

Chaetocnema mannerheimii (Gyllenhal, 1827)

Distribution: Europe except for SW, Caucasus, Daghestan, Turkey, Kazakhstan, Kyrgyzstan, Asian Russia (W, Middle, S and NE Siberia), Mongolia

Chaetocnema medvedevi Palij, 1968

Distribution: Kyrgyzstan (E Tian-Shan)

Chaetocnema montenegrina Heikertinger, 1912

Distribution: SE Europe, Turkey, Middle East, Central Asia

Chaetocnema nebulosa J. Weise, 1866

Distribution: S Ukraine, Crimea, Caucasus, Iran, Kazakhstan, Kyrgyzstan, Mongolia

Chaetocnema obesa (Boieldieu, 1859)

Distribution: Europe except for N, Caucasus, Turkey, Iraq, Kazakhstan, Asian Russia (Altai), China, Mongolia

Chaetocnema oblonga Lopatin, 1990

Distribution: S Iran

Chaetocnema ogloblini Palič, 1970

Distribution: Asian Russia (Ussuri Area, Amurland, Maritime Prov.), NE China

Chaetocnema orientalis (Bauduer, 1874)

Distribution: SE Europe east to Romania, Caucasus, Turkey, Near East, Iran, Turkmenistan

Chaetocnema procerula (Rosenhauer, 1856)

Distribution: S and SE Europe, Turkey, N Africa

Chaetocnema psylloides Pic, 1909

Distribution: Middle East, S Kazakhstan, Central Asia

Chaetocnema sahlbergii (Gyllenhal, 1827)

Distribution: Europe except Mediterranean, Caucasus, Turkey, Asian Russia (S Siberia, Cisbaikalia, Cispaik Land, Amurland, Kamchatka)

Chaetocnema scheffleri (Kutschera, 1864)

Distribution: S, Central and SE Europe, Caucasus, Transcaucasia, Turkey, Near and Middle East, N Africa

Chaetocnema schlaeflii (Stierlin, 1866)

Distribution: Caucasus, Middle East, Iran, Turkmenistan, NE China

Chaetocnema semicoerulea semicoerulea (Koch, 1803)

Distribution: Europe except for N, Caucasus, Transcaucasia, Turkey, Kazakhstan, Asian Russia (W and Middle Siberia, Cisbaikalia)

Chaetocnema semicoerulea transbaikalica Heikertinger, 1951

Distribution: Asian Russia (Transbaikalia, Ussuri Area, Beringia, Amurland, Maritime Prov.), Mongolia

Chaetocnema shabalini Palič, 1968

Distribution: Kyrgyzstan

Chaetocnema sinuata J. Weise, 1889

Distribution: Kazakhstan, Central Asia, Asian Russia (Transbaikalia), Mongolia, China (Kansu)

Chaetocnema sonkulica Palič, 1968

Distribution: Kyrgyzstan (Tian-Shan)

Chaetocnema splendens splendens (Motschulsky, 1845)

Distribution: Asian Russia (Cisbaikalia, Transbaikalia, Ussuri Area, Amurland), Mongolia, N China

Chaetocnema splendens ljudmilae Lopatin, 1961

Distribution: S Kazakhstan, Kyrgyzstan, S Tajikistan

Chaetocnema subcoerulea (Kutschera, 1864)

Distribution: Europe except for N and SW, Caucasus

Chaetocnema tibialis (Illiger, 1807)

Distribution: Europe except for N, Caucasus, Transcaucasia, Turkey, Near and Middle East, Kazakhstan Central Asia, Asian Russia (Transbaikalia), Mongolia, N Africa

Chaetocnema ussuriensis Heikertinger, 1951

Distribution: Asian Russia (S Yakutia, Ussuri Area, Maritime Prov.), N China

Genus ***Mantura*** Stephens, 1832

Mantura ambigua (Kutschera, 1862)

Distribution: W and N Europe, Ukrainian Carpathians

Mantura chrysanthemii (Koch, 1803)

Distribution: Europe, Ukrainian Carpathians, Turkey, N Africa, Canary Isles, Madeira

Mantura cylindrica L. Miller, 1880

Distribution: Italy, S Croatia, S Bulgaria, Greece, Turkey, Caucasus

Mantura mathewsi (Stephens, 1834)

Distribution: W, S, and southern parts of Central Europe, Ukrainian Carpathians, Azerbaijan

Mantura mesasiatica Lopatin, 1965

Distribution: Kyrgyzstan, Tajikistan

Mantura obtusata (Gyllenhal, 1813)

Distribution: Europe except for SW, Caucasus

Mantura rustica (Linnaeus, 1767)

Distribution: All over Palearctic except for N Africa

Genus ***Sphaeroderma*** Stephens, 1832

Sphaeroderma balyi balyi Jacoby, 1885

Distribution: Asian Russia (S Maritime Prov.), Korea, China, Japan

Sphaeroderma fuscicorne Baly, 1864

Distribution: Asian Russia (S Maritime Prov.), Korea China, Japan

Sphaeroderma rubidum (Graells, 1858)

Distribution: Europe except for N, Caucasus, Turkey, Near East, N Africa, Madeira

Sphaeroderma testaceum (Fabricius, 1775)

Distribution: Europe except for extreme N, Ciscaucasia, Caucasus, Transcaucasia

Sphaeroderma unicolor Kimoto, 1965

Distribution: Asian Russia (Maritime Prov.), Japan

Genus ***Argopus*** Fischer-Waldheim, 1824

Argopus ahrensi (Germar, 1817)

Distribution: Central, E, and SE Europe, N Caucasus

Argopus bicolor Fischer-Waldheim, 1824

Distribution: Balkans, SE Europe, Caucasus

Argopus intermedius J. Weise, 1887

Distribution: Asian Russia (Ussuri Area, Maritime Prov.)

Argopus nigratarsis (Gebler, 1823)

Distribution: Eastern Central and E Europe, Turkmenistan, Kazakhstan, Asian Russia (Altai, Sayan, Transbaikalia, Amurland, Maritime Prov.), Mongolia, Korea, N and NE China, Japan

Argopus punctipennis punctipennis (Motschulsky, 1866)

Distribution: Asian Russia (Sakhalin Kurile Is.), Japan

Argopus punctipennis substriatus J. Weise, 1887

Distribution: Asian Russia (Amurland, Maritime Prov., Ussuri Area), N. Korea

Argopus unicolor Motschulsky, 1860

Distribution: Asian Russia (Amurland, Maritime Prov., Ussuri Area), Korea, Japan

Genus ***Pentamesa*** Harold, 1876

Pentamesa duodecimpunctata (Motschulsky, 1860)

Distribution: Asian Russia (Sayan, Altai, Baikal Area, Tuva, Yakutia, Amurland)

Pentamesa kondarensis arnoldi Lopatin, 1996

Distribution: Uzbekistan

Pentamesa kondarensis kondarensis Lopatin, 1956

Distribution: Uzbekistan, Tajikistan

Genus ***Argopistes*** Motschulsky, 1860

Argopistes biplagistus Motschulsky, 1860

Distribution: Asian Russia (Amurland, Ussuri Area, Khabarovsk Distr., Sakhalin), NE China, Korea, Japan

Argopistes coccinelliformis Csiki, 1940

Distribution: NE China, Japan, Taiwan, Vietnam

Argopistes udege Konstantinov, 1994

Distribution: Asian Russia (Russian Far East)

Argopistes unicolor Jacoby, 1885

Distribution: Asian Russia (Ussuri Area), Korea, Japan

Genus ***Hemipyxis*** Chevrolat in Dejean, 1837

Hemipyxis plagioderoides (Motschulsky, 1860)

Distribution: Asian Russia (E Siberia, Amurland, Maritime Prov.), Korea, China, Japan

Genus ***Philopona*** J. Weise, 1903

Philopona vibex (Erichson, 1834)

Distribution: Asian Russia (Ussuri Area, S Kurile Is., Kunashir Isle), Korea, China, Japan, Taiwan, N Vietnam, India

Genus ***Dibolia*** Latreille, 1929

Dibolia carpathica J. Weise, 1893

Distribution: SE Europe, S Urals, Ciscaucasia, Caucasus, Transcaucasia, Turkey, SE Kazakhstan

Dibolia cryptocephala (Koch, 1803)

Distribution: Central and SE Europe, S Urals, Ciscaucasia, Caucasus, Transcaucasia, Turkey, Kazakhstan

Dibolia cynoglossi (Koch, 1803)

Distribution: Europe except for extreme N, Armenia, Turkey

Dibolia depressiuscula Letzner, 1847

Distribution: Europe except for N, Caucasus, Transcaucasia, Turkey, Near East, NE Kazakhstan, Asian Russia (W Siberia, Cisbaikalia, Transbaikalia), N Africa

Dibolia femoralis femoralis L. Redtenbacher, 1849

Distribution: Europe except for N, Caucasus, Turkey

Dibolia foerstieri Bach, 1856

Distribution: Europe except for N, Belarus, Crimea, SE European Russia, Transcaucasia

Dibolia kraalii Mohr, 1981

Distribution: Transcaucasia, N Iran

Dibolia mesasiatica Lopatin 1965

Distribution: Uzbekistan Tajikistan (Hissar Mountain Range)

Dibolia occultans (Koch, 1803)

Distribution: Europe except for N, Caucasus, Turkey, Iran N Africa, Canary Isles

Dibolia phoenicia Allard, 1866

Distribution: Balkans, Hungary, Caucasus (Georgia), Turkey, Near East

Dibolia rugulosa L. Redtenbacher, 1849

Distribution: Europe except for N, Caucasus, Transcaucasia

Dibolia schillingii (Letzner, 1847)

Distribution: Central and SE Europe, Caucasus, Transcaucasia, Turkey, W Kazakhstan

Dibolia timida (Illiger, 1807)

Distribution: Europe except for N and northern parts of Central, N Africa

Dibolia tricolor Reitter, 1899

Distribution: Armenia, Turkey

Dibolia tshatkatica corpulenta Mohr, 1981

Distribution: Kyrgyzstan

Dibolia tshatkatica tshatkatica Palič, 1968

Distribution: Turkmenistan, Kyrgyzstan

Dibolia turkmenica Iablokoff-Khnzorian, 1978

Distribution: Turkmenistan

Dibolia wisei Mohr, 1981

Distribution: Caucasus (Georgia)

Dibolia zaitzevi L. Medvedev, 1980
Distribution: NE China, Mongolia

Dibolia zangezurica Iablokoff-Khnzorian, 1968
Distribution: Transcaucasia, Turkey, Iran

Genus *Psylliodes* Berthold, 1827

Psylliodes aeneolus Heikertinger, 1911
Distribution: SE Kazakhstan

Psylliodes aereus austriacus Heikertinger, 1911
Distribution: Mountains of Central, E and SE Europe

Psylliodes affinis (Paykull, 1799)
Distribution: Europe, Caucasus, Transcaucasia, Turkey, Kazakhstan, Asian Russia (W Siberia), N Africa

Psylliodes angusticollis Baly, 1874
Distribution: Asian Russia (Sakhalin, Kurile Is.), China, Japan, Korea, Taiwan, N Vietnam

Psylliodes araraticus Iablokoff-Khnzorian, 1968
Distribution: Armenia

Psylliodes aristus Khnzorian, 1962
Distribution: Armenia

Psylliodes attenuatus (Koch, 1803)
Distribution: All over Palaeartic except for Near East and N Africa

Psylliodes callinotus Faldermann, 1837
Distribution: Caucasus

Psylliodes chalcomerus (Illiger, 1807)
Distribution: All over Palaeartic except for southern Central Asia

Psylliodes chrysocephalus (Linnaeus, 1758)
Distribution: Europe, Caucasus, Transcaucasia, Turkey, Near East, Iran, N Africa Azores, Madeira

Psylliodes circumdatus (W. Redtenbacher, 1842)
Distribution: Europe except for N, Caucasus, Transcaucasia, Turkey, Near East, Iran, N Africa

Psylliodes cucullatus (Illiger, 1807)

Distribution: Europe except for E Mediterranean, N Caucasus, Kazakhstan, Asian Russia (All over Siberia), Mongolia, Korea, China (Kansu)

Psylliodes cupreatus (Duftschmidt, 1825)

Distribution: Europe except for N and E Mediterranean, Transcaucasia, Kazakhstan, Kyrgyzstan, Uzbekistan, Asian Russia (Siberia east to Buriatia), Mongolia

Psylliodes cupreus (Koch, 1803)

Distribution: Europe except for N, Caucasus, Transcaucasia, Turkey, Near and Middle East, Turkmenistan, Kazakhstan, Kyrgyzstan, Asian Russia (W Siberia, Transbaikalia), Mongolia

Psylliodes cyanescens J Weise, 1887

Distribution: Asian Russia (Transbaikalia, Amurland, Ussuri Area)

Psylliodes deplanatus L. Medvedev, 1962

Distribution: N Caucasus, Georgia

Psylliodes dilutellus Heikertinger, 1911

Distribution: Kazakhstan, Central Asia

Psylliodes dulcamarae (Koch, 1803)

Distribution: Europe except for N, Caucasus, Transcaucasia, Turkey, Kazakhstan, Asian Russia (W Siberia), Mongolia

Psylliodes frivaldskyi J. Weise, 1888

Distribution: Carpathians

Psylliodes hyoscyami (Linnaeus, 1758)

Distribution: All over Palaeartic except for N Africa

Psylliodes illyricus Leonardi et Gruev, 1993

Distribution: SE Europe, Ukrainian Carpathians, Turkey

Psylliodes instabilis Foudras, 1860

Distribution: Europe except for N, Caucasus, Transcaucasia, Turkey, Near East, N Africa

Psylliodes isatidis Heikertinger, 1914

Distribution: Europe except for N, N and E Caucasus, turkey, Iran, Kazakhstan, Uzbekistan, Asian Russia (W Siberia), Mongolia

Psylliodes kasyi Lopatin, 1967

Distribution: Transcaucasia, Turkey, Iran

Psylliodes longicollis J. Weise, 1900

Distribution: Ciscaucasia, Transcaucasia

Psylliodes luteolus (O. F. Muller, 1776)

Distribution: Europe except for N, Ciscaucasia, Caucasus, Transcaucasia, Turkey, Near and Middle East, N Africa

Psylliodes macellus agropyri Palij, 1961

Distribution: E European Russia (Cisvolgensis: Saratov Distr.), N Kazakhstan

Psylliodes macellus macellus (J. Weise, 1900)

Distribution: E Kazakhstan, Asian Russia (S Siberia from Krasnoyarsk Distr. to Buriatia and Dauria), Mongolia

Psylliodes marcidus (Illiger, 1807)

Distribution: Coastal parts of Atlantic, North Sea, Baltic Sea, Black Sea and Mediterranean countries

Psylliodes napi flavicornis J. Weise, 1883

Distribution: Mountains of Central and E Europe

Psylliodes napi napi (Fabricius, 1792)

Distribution: Europe, Caucasus, Transcaucasia, Turkey, S Kazakhstan, Asian Russia (Siberia east to Baikal and Yakutia), N Africa

Psylliodes nitidus L. Medvedev, 1973

Distribution: Asian Russia (Ussuri Area)

Psylliodes nivalis Khnzorian, 1962

Distribution: Caucasus (Georgia)

Psylliodes ozisiki Leonardi et Arnold, 1995

Distribution: Armenia, Turkey

Psylliodes pallidicornis Heikertinger, 1921

Distribution: Caucasus, Turkemenistan

Psylliodes persicus Allard, 1866

Distribution: Caucasus, Transcaucasia, Near and Middle East, Saudi Arabia, Kazakhstan, Central Asia

Psylliodes picinus (Marsham, 1802)

Distribution: Europe except for N

Psylliodes pubipennis Lopatin, 1958

Distribution: S Tajikistan

Psylliodes punctifrons Baly, 1874

Distribution: Asian Russia (SA Maritime Prov.), Korea, China, Japan, Taiwan, Indochina, Vietnam, Sumatra

Psylliodes reitteri parallelus J. Weise, 1890

Distribution: SE European Russia, Kazakhstan, Central Asia, Asian Russia (S Siberia, Amurland, Maritime Prov.) Mongolia, China

Psylliodes reitteri reitteri J. Weise, 1888

Distribution: Central and SE Europe

Psylliodes rhaicus Jacobson, 1922

Distribution: S Ukraine, S European Russia, W Kazakhstan

Psylliodes rubroaeneus Heikertinger, 1916

Distribution: Ciscaucasia, Georgia

Psylliodes saulcyi Allard, 1867

Distribution: SE Ukraine, S European Russia, N Caucasus, Near and Middle East, Kazakhstan, Mongolia, N Africa

Psylliodes sophiae Heikertinger, 1914

Distribution: Europe, Caucasus, Transcaucasia, Turkey, Near and Middle East, Kazakhstan, Central Asia, Asian Russia (S Siberia east to Baikal), N Africa

Psylliodes subaeneus Kutschera, 1867

Distribution: Mountains of Central and E Europe (Dynaric Mts., Carpathians)

Psylliodes subrugosus Jacoby, 1885

Distribution: Asian Russia (Sakhalin), China, Japan

Psylliodes testaceoconcolor Heikertinger, 1926

Distribution: Transcaucasia, Near East

Psylliodes thlaspis Foudras, 1860

Distribution: Europe except for N and northern parts of Central Europe, Caucasus

Psylliodes toelgi Heikertinger, 1914

Distribution: Mountains of Europe except for Fennoscandia

Psylliodes validus J. Weise, 1889

Distribution: Ciscaucasia, Caucasus, Transcaucasia

Psylliodes vindobonensis Heikertinger, 1914

Distribution: Mountains of Central, E and SE Europe

Psylliodes wrasei Leonardi et Arnold, 1995

Distribution: Balkans, S Ukraine, Caucasus (Georgia)

Genus *Nonarthra* Baly, 1862

Nonarthra cyaneum Baly, 1874

Distribution: Asian Russia (Amurland, Maritime Prov.), Korea, Japan, China, Taiwan, Vietnam

Genus *Sangariola* Jacobson, 1922

Sangariola punctostriata (Motschulsky, 1860)

Distribution: Asian Russia (Sakhalin, Kunashir Isle), N China, Korea, Japan

Genus *Liprus* Motschulsky, 1860

Liprus punctostriatus Motschulsky, 1860

Distribution: Asian Russia (S Maritime Prov.), Korea, Japan, China (Kiangsu, Kirin), Taiwan

Genus *Phygasia* Chevrolat in Dejean, 1837

Phygasia fulvipennis (Baly, 1874)

Distribution: Asian Russia (Maritime Prov., Sikhote-Alin Mountains), Korea, N and NE China, Japan

Genus *Luperomorpha* J. Weise, 1887

Luperomorpha funesta (Baly, 1874)

Distribution: W China, Asian Russia (Maritime Prov.), Korea, Japan

Luperomorpha klapperichi (Lopatin, 1962)

Distribution: NE Afghanistan

Luperomorpha suturalis Chen, 1938

Distribution: S Asian Russia (S Siberia, S Baikal Area, Amurland), Mongolia, NE China

Subfamily *Cassidinae* Gyllenhal, 1813

Tribe *Aspidimorphini* Hincks, 1952

Genus *Aspidimorpha* Hope, 1840

Aspidimorpha difformis (Motschulsky, 1860)

Distribution: Asian Russia (Amurland, Maritime Prov.), China, Korea, Japan

Aspidimorpha transparipennis (Motschulsky, 1860)

Distribution: Asian Russia (Amurland, Maritime Prov.), Mongolia, China, Korea

Tribe *Cassidini* Hincks, 1952

Genus *Thlaspida* J. Weise, 1899

Thlaspida lewisi (Baly, 1874)

Distribution: Asian Russia (S Amurland, Maritime Prov.), China, Korea, Japan

Genus *Glyphocassis* Spaeth, 1914

Glyphocassis spilota (Gorham, 1885)

Distribution: Asian Russia (Amurland, Maritime Prov.), China, Korea, Japan

Genus *Macromonycha* Spaeth, 1911

Macromonycha apicalis (Gebler, 1845)

Distribution: Transcaucasia, S Kazakhstan, Central Asia)

Genus *Chiridula* J. Weise, 1889

Chiridula semenovi J. Weise, 1889

Distribution: Transcaucasia, Kazakhstan, Central Asia

Genus *Eremocassis* Spaeth, 1926

Eremocassis weisei (Jacobson, 1894)

Distribution: S Kazakhstan, Central Asia

Genus *Ischyronota* J. Weise, 1891

Ischyronota conicollis (J. Weise, 1890)

Distribution: Kazakhstan, Tajikistan, Mongolia

Ischyronota desertorum (Gebler, 1834)

Distribution: Southern parts of E Europe, E Ciscaucasia, Kazakhstan, Central Asia, NW China, Mongolia

Ischyronota elevata (Reitter, 1890)

Distribution: Transcaucasia, Kazakhstan, Turkmenistan, Uzbekistan, Iran

Ischyronota schusteri Spaeth, 1914

Distribution: S Kazakhstan, Turkmenistan, W China, Monoglia

Ischyronota spaethi Reitter, 1901

Distribution: Kazakhstan

Genus *Cassida* Linnaeus, 1758

Subgenus *Cassida (Alledoya)* Hincks, 1950

Cassida (Alledoya) seraphina hablitziae Motschulsky, 1838

Distribution: Transcaucasia, Kazakhstan (Chu-Ili Mountains)

Cassida (Alledoya) vespertina Boheman, 1862

Distribution: Asian Russia (Amurland, Maritime Prov.), China, Korea, Japan

Subgenus *Cassida (Cassida)* Linnaeus, 1758

Cassida (Cassida) atrata Fabrucius, 1787

Distribution: Central and SE Europe, Turkey

Cassida (Cassida) aurora J. Weise, 1907

Distribution: Southerneastern parts of Central Europe, Ciscaucasia

Cassida (Cassida) berolinensis Suffrian, 1844

Distribution: SE Europe Kazakhstan, Asian Russia (S Siberia, Russian Far East), Mongolia, N China

Cassida (Cassida) denticollis Suffrian, 1844

Distribution: Europe, Kazakhstan, Asian Russia (S Siberia, Russian Far East)

Cassida (Cassida) fausti Spaeth, 1926

Distribution: S Ukraine, Ciscaucasia, Daghestan, Turkey

Cassida (Cassida) ferruginea Goeze, 1777

Distribution: Central and SE Europe, N, Kazakhstan, Asian Russia (W Siberia)

Cassida (Cassida) flaveola Thunberg, 1794

Distribution: Europe except for extreme N, S and Mediterranean, N Kazakhstan, Asian Russia (W Siberia)

Cassida (Cassida) fusciorufa Motschulsky, 1866

Distribuiton: Asian Russia (Amurland, Maritime Prov.), China, Korea, Japan

Cassida (Cassida) inquinata Brulle, 1832

Distribution: Southern parts of E Europe, Caucasus, Turkmenistan

Cassida (Cassida) lineola Creutzer, 1799

Distribution: Central and southern parts of E Europe, Caucasus, Kazakhstan, Kyrgyzstan, Uzbekistan, Asian Russia (Siberia east to Maritime Prov.), Mongolia, China, Korea, Japan, Taiwan

Cassida (Cassida) mandli Spaeth, 1921

Distribution: Asian Russia (Amurland, Maritime Prov.), Korea, China

Cassida (Cassida) mongolica Boheman, 1854

Distribution: Asian Russia (Cisbaikalia, Amurland), Mongolia, NE China

Cassida (Cassida) nebulosa Linnaeus, 1758

Distribution: All over Palaearctic except for Mediterranean, introduced to N America

Cassida (Cassida) palaestina Reiche, 1858

Distribution: Near East, Transcaucasia, Kazakhstan, Central Asia

Cassida (Cassida) pallidicollis Boheman, 1856

Distribution: Asian Russia (S Siberia, Amurland, Maritime Prov.), Mongolia, China

Cassida (Cassida) pannonica Suffrian, 1848

Distribution: Southern parts of Central and SE Europe, Caucasus, Turkey, Near East, Kazakhstan, Kyrgyzstan, Asian Russia (W. Siberia)

Cassida (Cassida) panzeri J. Weise, 1907

Distribution: Central, E, and SE Europe, Caucasus, Kazakhstan, Asian Russia (Siberia east to Russian Far East)

Cassida (Cassida) piperata Hope, 1842

Distribution: Asian Russia (Amurland, Maritime Prov.), China, Korea, Japan

Cassida (Cassida) prasina Illiger 1798

Distribution: Europe except for N, SW and Mediterranean, Caucasus, Transcaucasia, Turkey, Kazakhstan, Asian Russia (Siberia east to Russian Far East)

Cassida (Cassida) reitteri J. Weise, 1892

Distribution: Armenia

Cassida (Cassida) rubiginosa rubiginosa O. F. Muller, 1776

Distribution: Europe, Asian Russia (W Siberia)

Cassida (Cassida) rubiginosa rugosopunctata Motschulsky, 1866

Distribution: E Asian Russia (E Siberia, Russian Far East, Sakhalin, Kurile Is.), Mongolia

Cassida (Cassida) rufovirens Suffrian, 1844

Distribution: Central and southern parts of E Europe, Ciscaucasia, Turkey

Cassida (Cassida) sanguinolenta O. F. Muller, 1776

Distribution: Europe except for N and SW, Turkey, S Urals, Kazakhstan, Asian Russia (W Siberia, Cisbaikalia)

Cassida (Cassida) sanguinosa Suffrian, 1844

Distribution: Europe except for S and extreme N, Caucasus, Kazakhstan, Asian Russia (W Siberia, Cisbaikalia)

Cassida (Cassida) sareptana Kraatz, 1873

Distribution: Steppe of Ukraine and European Russia, Ciscaucasia, W Kazakhstan

Cassida (Cassida) seladonia Gyllenhal, 1827

Distribution: Europe except for extreme N and E, Ciscaucasia, W Kazakhstan

Cassida (Cassida) spaethi J. Weise, 1900

Distribution: Asian Russia (Amurland, Maritime Prov.), Korea, China

Cassida (Cassida) stigmatica Suffrian, 1844

Distribution: Europe (except for N, NW, Iberian, Appenine and Balkan Peninsula), Turkey, Kazakhstan, Asian Russia (S Siberia), N, China

Cassida (Cassida) vibex Linnaeus, 1767

Distribution: All over Palaeartic except for extreme N

Subgenus ***Cassida (Cassidulella)*** A. Strand, 1928

Cassida (Cassidulella) nobilis Linnaeus, 1758

Distribution: All over Palaeartic except for extreme N and N Africa

Cassida (Cassidulella) parvula Boheman, 1854

Distribution: Eastern S and southern E Europe, Crimea, Ciscaucasia, Caucasus, Turkmenistan, Kazakhstan, Central Asia, Asian Russia (S Siberia to Amurland), Mongolia

Cassida (Cassidulella) pusilla Walth, 1839

Distribution: E Mediterranean

Cassida (Cassidulella) velaris J. Weise, 1896

Distribution: Asian Russia (Amurland, Maritime Prov.), China, Japan

Cassida (Cassidulella) vittata Villers, 1789

Distribution: Europe except for N, Caucasus, Kazakhstan, Uzbekistan, Asian Russia (S Siberia east to Maritime Prov.), Japan

Subgenus *Cassida (Mionycha)* J. Weise, 1891

Cassida (Mionycha) azurea Fabricius, 1801

Distribution: Central and E Europe, S Kazakhstan, Asian Russia (S Siberia), N Africa

Cassida (Mionycha) concha Solsky, 1872

Distribution: Asian Russia (Amurland, Maritime Prov.), China, Korea, Japan

Cassida (Mionycha) margaritacea Schaller, 1783

Distribution: Europe (except for N, SW, northern and central parts of E), Caucasus, Turkey, N, Kazakhstan, Asian Russia (Cisbaikalia)

Cassida (Mionycha) subreticulata Suffrian, 1844

Distribution: Central, S and southern parts of E Europe, Caucasus, Transcaucasia, Turkey, Iran, Kazakhstan, Central Asia, Asian Russia (Siberia east to Amurland), Mongolia

Subgenus *Cassida (Lordiconia)* Reitter, 1926

Cassida (Lordiconia) canaliculata Laicharting, 1781

Distribution: SE Europe and southern parts of E Europe, Caucasus, Kazakhstan

Subgenus *Cassida (Mionychella)* Spaeth, 1926 in Hincks, 1952

Cassida (Mionychella) hemisphaerica Herbst, 1799

Distribution: Europe except for extreme N, Caucasus, Turkey, N Africa

Subgenus *Cassida (Lordicassis)* Reitter, 1926

Cassida (Lordicassis) medvedevi Lopatin, 1965

Distribution: Tajikistan (Mountains)

Cassida (Lordicassis) moori Boheman, 1856

Distribution: Kazakhstan, Kyrgyzstan, India (Mountains)

Cassida (Lordicassis) tianshanica Borowiec et Swietojanska, 2001

Distribution: Kyrgyzstan (Tian-Shan Mountains)

Cassida (Lordicassis) transcaucasica Borowiec et Swietojanska, 2001

Distribution: Transcaucasia

Cassida (Lordicassis) undecimnotata Gebler, 1834

Distribution: Middle East, Kazakhstan, Central Asia

Subgenus *Cassida (Odontionycha)* J. Weise, 1891

Cassida (Odontionycha) viridis Linnaeus, 1758

Distribution: All over Palaearctic except for extreme N

Subgenus *Cassida (Onychocassis)* Spaeth in Spaeth et Reitter, 1926

Cassida (Onychocassis) bella Faldermann, 1837

Distribution: Caucasus, Turkey

Subgenus *Cassida (Taiwania)* Spaeth, 1913

Cassida (Taiwania) amurensis Kraatz, 1879

Distribution: Asian Russia (Amurland, Maritime Prov.), Korea, China

Cassida (Taiwania) versicolor Boheman, 1855

Distribution: Asian Russia (S Amurland, Maritime Prov.), China, Japan

Subgenus *Cassida (Pseudocassida)* Desbrochers des Loges, 1891

Cassida (Pseudocassida) murraea Linnaeus, 1767

Distribution: All over Palaearctic except for W Mediterranean, Central Asia and N Africa

Subgenus *Cassida (Tylocentra)* Reitter, 1926

Cassida (Tylocentra) saucia J. Weise 1889

Distribution: Caucasus, Turkey

Cassida (Tylocentra) sussamyrica Spaeth, 1926

Distribution: S Kazakhstan, Kyrgyzstan

Cassida (Tylocentra) turcmunica J. Weise, 1892

Distribution: Kazakhstan, Central Asia, Mongolia

Genus *Pilemostoma* Desbrochers des Loges, 1891

Pilemostoma bucharica Spaeth, 1914

Distribution: Uzbekistan

Pilemostoma fastuosa (Schaller, 1783)

Distribution: Europe except for N and western Mediterranean, Caucasus, Kazakhstan, Central Asia, Asian Russia (S. Siberia), Mongolia

Genus *Hypocassida* J. Weise, 1893

Hypocassida subferruginea (Schrank, 1776)

Distribution: Europe except for N, Caucasus, Transcaucasia, Turkey, Kazakhstan, Afghanistan, Central Asia, Asian Russia (S Siberia east to Maritime Prov.), W China, N Africa

Subfamily *Chlamisinae* Gressitt, 1946

Genus *Chlamisus* Rafinesque, 1815

Chlamisus pubiceps (Chujo, 1940)

Distribution: Asian Russia (S Maritime Prov.), Korea

Subfamily *Clytrinae* Kirby, 1837

Tribe *Clytrini* Kirby, 1837

Genus *Labidostomis* Germar, 1822

Subgenus *Labidostomis (Labidostomis)* Germar, 1822

Labidostomis (Labidostomis) amurensis Heyden, 1884

Distribution: Asian Russia (Amurland, Khabarovsk Prov. Maritime Prov.), China, Korea

Labidostomis (Labidostomis) arcuata Pic, 1920

Distribution: S Kazakhstan, Kyrgyzstan, NW China

Labidostomis (Labidostomis) arnoldii L. Medvedev, 1962

Distribution: Northern Caucasus

Labidostomis (Labidostomis) asiatica Faldermann, 1837

Distribution: Transcaucasia

Labidostomis (Labidostomis) beckeri J. Weise, 1882

Distribution: S and SE parts of European Russia, Ukraine, Crimea, Moldavia, Ciscaucasia, E Kazakhstan, Asian Russia (W Siberia)

Labidostomis (Labidostomis) bipunctata bipunctata (Mannerheim, 1825)

Distribution: Asian Russia (Altai, Tuva, Sayan, Transbaikalia, Russian Far East), Mongolia

Labidostomis (Labidostomis) bipunctata indigiriensis L. Medvedev, 1978

Distribution: Asian Russia (Yakutia)

Labidostomis (Labidostomis) brevipennis Faldermann, 1837

Distribution: Transcaucasia, Turkey

Labidostomis (Labidostomis) chinensis Lefevre, 1887

Distribution: Asian Russia (Transbaikalia, Amurland, Maritime Prov.), Mongolia, China, Korea

Labidostomis (Labidostomis) crebrecollis L, Medvedev, 1962

Distribution: Asian Russia (Transbaikalia, Amurland, Maritime Prov.), Mongolia, Korea

Labidostomis (Labidostomis) curtus Lopatin, 1961

Distribution: Kazakhstan Plains, S Uzbekistan, S Tajikistan

Labidostomis (Labidostomis) cyanicornis Germar, 1822

Distribution: SE and southern parts of Central and E Europe, Ciscaucasia, N Kazakhstan, Asian Russia (W Siberia, Baikal Area, Tuva, Sayan, Yakutia), Mongolia

Labidostomis (Labidostomis) decipiens Faldermann, 1837

Distribution: Balkans, Transcaucasia, Turkey, Syria, N Iran

Labidostomis (Labidostomis) elegans Lefevre, 1876

Distribution: Transcaucasia, Turkey, N Iran

Labidostomis (Labidostomis) fedtschenkoi Lopatin, 1963

Distribution: Uzbekistan, Tajikistan (Mountains)

Labidostomis (Labidostomis) glasunovi Jacobson, 1893

Distribution: Tajikistan (Mountains), Pamirs

Labidostomis (Labidostomis) humeralis D. H. Schneider, 1792

Distribution: S, Central and the southern part of E Europe, N Kazakhstan, Turkey

Labidostomis (Labidostomis) kaszabi L. Medvedev, 1962

Distribution: Turkey

Labidostomis (Labidostomis) lepida Lefevre, 1872

Distribution: Latvia, Lithuania, Belarus, Ukraine, W European Russia

Labidostomis (Labidostomis) lipskyi Lopatin, 1961

Distribution: Tajikistan

Labidostomis (Labidostomis) longimana longimana (Linnaeus, 1761)

Distribution: W, Central and E Europe, Kazakhstan, Asian Russia (S Siberia, Altai)

Labidostomis (Labidostomis) longimana dalmatina (Lacordaire, 1848)

Distribution: S Europe, Crimea, Caucasus, Turkey

- Labidostomis (Labidostomis) lucida lucida*** (Germar, 1824)
Distribution: W, Central and western parts of East Europe
- Labidostomis (Labidostomis) lucida axillaris*** (Lacordaire, 1848)
Distribution: Steppe zone of Palaearctic, W Iran
- Labidostomis (Labidostomis) maculipennis*** Lefevre, 1870
Distribution: Transcaucasia, Turkey
- Labidostomis (Labidostomis) medvedevi*** Warchałowski, 1985
Distribution: SE Azerbaijan (Talysh), W Turkmenistan, NW Iran
- Labidostomis (Labidostomis) mesopotamica peregrina*** J. Weise, 1900
Distribution: Daghestan, Transcaucasia, E Turkey
- Labidostomis (Labidostomis) metallica metallica*** Lefevre, 1872
Distribution: SE part of European Russia, Daghestan, W Kazakhstan
- Labidostomis (Labidostomis) metallica centrisculpta*** Pic, 1920
Distribution: S Kazakhstan, Kyrgyzstan, SE Tajikistan
- Labidostomis (Labidostomis) metallica dzhungarica*** L. Medvedev, 1980
Distribution: Mongolia, NW China
- Labidostomis (Labidostomis) metallica imitatrix*** L. Medvedev, 1971
Distribution: Asian Russia (Yakutia)
- Labidostomis (Labidostomis) metallica mongolica*** L. Medvedev, 1980
Distribution: Asian Russia (Tuva), Mongolia
- Labidostomis (Labidostomis) metallica ornatipennis*** L. Medvedev, 1971
Distribution: S Kazakhstan, Kyrgyzstan (W Tian-Shan)
- Labidostomis (Labidostomis) metallica steppensis*** L. Medvedev, 1971
Distribution: Asian Russia (Altai), N and E Kazakhstan
- Labidostomis (Labidostomis) oertzeni villosula*** J. Weise, 1889
Distribution: Transcaucasia, E Turkey
- Labidostomis (Labidostomis) ornatus*** L. Medvedev, 1962
Distribution: S Kazakhstan, (W Tian-Shan)
- Labidostomis (Labidostomis) pachysoma*** L. Medvedev, 1965
Distribution: SE of European Russia, Steppe of Crimea Peninsula, Daghestan, Georgia

Labidostomis (Labidostomis) pallidipennis (Gebler, 1830)

Distribution: S and southern parts of E Europe, Caucasus, Transcaucasia, Turkey, Kazakhstan, Asian Russia (Siberia)

Labidostomis (Labidostomis) propinqua Faldermann, 1837

Distribution: Balkans, Ukraine, Crimea, Caucasus, Transcaucasia, Turkey

Labidostomis (Labidostomis) rugicollis Lefevre, 1872

Distribution: Tajikistan, S Turkmenistan (Kopetdagh Mountains), N Iran

Labidostomis (Labidostomis) schneideri J. Weise, 1900

Distribution: Uzbekistan, Tajikistan

Labidostomis (Labidostomis) senicula Kraatz, 1872

Distribution: SE of European Russia, Kazakhstan, Central Asia, Mongolia NW China

Labidostomis (Labidostomis) sibirica sibirica (Germar, 1824)

Distribution: Asian Russia (Siberia), N Mongolia, N China

Labidostomis (Labidostomis) sibirica tjutschevi Jacobson, 1900

Distribution: Asian Russia (Tuva, Transbaikalia), N Mongolia

Labidostomis (Labidostomis) sibirica transitoria Jacobson 1900

Distribution: Asian Russia (Altai, S Siberia)

Labidostomis (Labidostomis) stenostoma J. Weise, 1900

Distribution: E. Uzbekistan, Tajikistan, S. Kyrgyzstan

Labidostomis (Labidostomis) subfasciata J. Weise, 1885

Distribution: Azerbaijan, S Turkmenistan, N and W Iran

Labidostomis (Labidostomis) sulcicollis (Lacordaire, 1848)

Distribution: Armenia, Turkey

Labidostomis (Labidostomis) tridentata (Linnaeus, 1758)

Distribution: Europe, Asian Russia (S. Siberia, Russian Far East), Mongolia, N China

Genus ***Antipus*** DeGeer, 1778

Subgenus ***Antipus (Tituboea)*** Lacordaire, 1848

Antipus (Tituboea) macropus Illiger, 1800

Distribution: S Europe, Caucasus, Turkey, Syria, Iran, Turkmenistan, Uzbekistan

Antipus (Tituboea) nigriventris Lefevre, 1872

Distribution: S Europe, Caucasus, Turkey, Syria, Iran, Turkmenistan, Uzbekistan

Antipus (Tituboea) puncticollis L. Medvedev, 1962

Distribution: N Iran, Turkmenistan

Antipus (Tituboea) rugulosa J. Weise, 1898

Distribution: S Transcaucasia

Antipus (Tituboea) silensis J. Weise, 1894

Distribution: Turkmenistan, Uzbekistan, Tajikistan, S Kazakhstan, E Iran

Genus *Lachnaia* Chevrolat in Dejean, 1837

Lachnaia sexpunctata (Scopoli, 1763)

Distribution: W and S Europe, S Ukraine, Turkey

Genus *Clytra* Laicharting, 1781

Subgenus *Clytra (Clytraria)* Semenov, 1903

Clytra (Clytraria) atraphaxidis atraphaxidis (Pallas, 1773)

Distribution: S Europe, the southern part of E Europe, Caucasus, N and E Kazakhstan, Mountains of Central Asia, Turkey, W Iran

Clytra (Clytraria) atraphaxidis asiatica Chujo, 1941

Distribution: Asian Russia (Amurland), China, Korea

Clytra (Clytraria) atraphaxidis maculifrons Zubkov, 1833

Distribution: SE of European Russia, N and Middle Kazakhstan, Plains of Central Asia, N Iran

Clytra (Clytraria) atraphaxidis punctata J. Weise, 1890

Distribution: Asian Russia (Altai), E. Kazakhstan, Mongolia, NW China

Clytra (Clytraria) jacobsoni Semenov, 1903

Distribution: Tajikistan

Clytra (Clytraria) novempunctata Olivier, 1808

Distribution: Balkans, Daghestan, Transcaucasia, Turkey, W Iran, Iraq, Turkmenistan, NE Africa

Clytra (Clytraria) popovi L. Medvedev, 1961

Distribution: Tajikistan

Clytra (Clytraria) rufina (Solsky, 1882)

Distribution: S Kazakhstan, Deserts of Central Asia

Clytra (Clytraria) valerianae valerianae Menetries, 1832

Distribution: Balkans, southern E Europe, Caucasus, Transcaucasia, Turkey, NW Iran

Clytra (Clytraria) valerianae tetrastigma (W. Schmidt, 1841)

Distribution: S Ukraine, Crimea, NW Iran

Subgenus *Clytra (Clytra)* Laicharting, 1781

Clytra (Clytra) arida J. Weise, 1889

Distribution: Asian Russia (W Siberia, Tuva, Sayan, Transbaikalia, Russian Far East), Mongolia, China, Korea

Clytra (Clytra) laeviuscula (Ratzeburg, 1837)

Distribution: Central, S and southern parts of E Europe, Ciscaucasia, Transcaucasia, Turkey, N and E Kazakhstan, E Kyrgyzstan, Afghanistan, N, Tajikistan, NW China

Clytra (Clytra) quadripunctata quadripunctata (Linnaeus, 1758)

Distribution: Europe, Caucasus, Transcaucasia, Turkey, N Iran, Kazakhstan, Asian Russia (southern W and Middle Siberia, Amurland)

Clytra (Clytra) quadripunctata appendicina (Lacordaire, 1848)

Distribution: Southern part of Central and W Europe, Kazakhstan, Central Asia

Clytra (Clytra) quadripunctata turfanica Lopatin, 1962

Distribution: China (Turfan)

Genus *Smaragdina* Chevrolat in Dejean, 1837

Subgenus *Smaragdina (Calyptorhina)* Lacordaire, 1848

Smaragdina (Calyptorhina) aeneoviridis Lopatin, 1975

Distribution: S Tajikistan

Smaragdina (Calyptorhina) biornata Lefevre, 1872

Distribution: Transcaucasia, Turkey, W Iran

Smaragdina (Calyptorhina) chloris caucasica L. Medvedev, 1971

Distribution: SW Ciscaucasia, Abkhazia

Smaragdina (Calyptorhina) golda Jacobson, 1925

Distribution: Asian Russia (S Amurland Maritime Prov.), Korea, Japan

Smaragdina (Calyptorhina) limbata (Steven, 1806)

Distribution: Balkans, Romania, Hungary, E Ciscaucasia, Transcaucasia, Turkey, Near and Middle East

Smaragdina (Calyptorhina) unipunctata (Olivier, 1808)
Distribution: Transcaucasia, Turkey, Middle East, Turkmenistan

Smaragdina (Calyptorhina) viridis viridis (Kraatz, 1882)
Distribution: S Kazakhstan, Turkey

Smaragdina (Calyptorhina) viridis comans (Jacobson, 1925)
Distribution: SE Azerbaijan, Turkmenistan, N Iran

Subgenus *Smaragdina (Nanosmaragdina)* Lopatin et Kulenova, 1985

Smaragdina (Nanosmaragdina) macilenta (J. Weise, 1887)
Distribution: Kazakhstan (Chu-Ili Mountains), Uzbekistan, W Tajikistan

Subgenus *Smaragdina (Monrosiana)* L. Medvedev, 1992

Smaragdina (Monrosiana) affinis (Illiger, 1794)
Distribution: S, Central and E Europe, Turkey, N Africa

Smaragdina (Monrosiana) aurita aurita (Linnaeus, 1767)
Distribution: Europe except for the North, Turkey

Smaragdina (Monrosiana) aurita auritoides Achard, 1923
Distribution: Caucasus, NW Iran, NE Turkey

Smaragdina (Monrosiana) aurita hammarstroemi (Jacobson, 1901)
Distribution: Asian Russia (Siberia, Russian Far East), Mongolia

Smaragdina (Monrosiana) aurita nigrocyanea (Motschulsky, 1866)
Distribution: Asian Russia (Sakhalin, Kurile Is.), Japan

Smaragdina (Monrosiana) collaris collaris (Fabricius, 1781)
Distribution: Kazakhstan, Asian Russia (Tuva, E Siberia), Mongolia, China

Smaragdina (Monrosiana) collaris lateralis Gebler, 1848
Distribution: E Kazakhstan, Asian Russia (Altai, Transbaikalia, Yakutia)

Smaragdina (Monrosiana) discolor discolor (Solsky, 1881)
Distribution: Kazakhstan, Central Asia

Smaragdina (Monrosiana) discolor rufilabris (J. Weise, 1887)
Distribution: Kazakhstan (Chu-Ili Mountains)

Smaragdina (Monrosiana) discolor viridiceps (J. Weise, 1892)
Distribution: Mountains of the SE Kazakhstan and Central Asia (except for the Turkmenistan)

Smaragdina (Monrosiana) flavicollis (Charpentier, 1825)

Distribution: Europe except for the extreme North and South, Turkey, Algeria

Smaragdina (Monrosiana) hypocrita (Lacordaire, 1848)

Distribution: Serbia, Bulgaria, Ukraine (S Crimea), Caucasus, Turkey

Smaragdina (Monrosiana) labilis sahlbergi (Jacobson, 1901)

Distribution: Asian Russia (Transbaikalia, Amurland, Maritime Prov.), Mongolia, Korea

Smaragdina (Monrosiana) obscuripes (J. Weise, 1887)

Distribution: Asian Russia (Transbaikalia, Maritime Prov.), N China

Smaragdina (Monrosiana) potanini L. Medvedev, 1970

Distribution: Asian Russia (S Maritime Prov.), China

Smaragdina (Monrosiana) punctatissima J. Weise, 1892

Distribution: S Kazakhstan, Kyrgyzstan

Smaragdina (Monrosiana) salicina (Scopoli, 1763)

Distribution: Europe, Asian Russia (W Siberia), Caucasus, Turkey, E Kazakhstan

Smaragdina (Monrosiana) semiauratiaca Fairmaire, 1888

Distribution: Asian Russia (S Amurland, S Maritime Prov.), China, Korea, Japan

Smaragdina (Monrosiana) stenroosi (Jacobson, 1901)

Distribution: S. Kazakhstan, Kyrgyzstan

Smaragdina (Monrosiana) thoracica thoracica Fischer-Waldheim, 1842

Distribution: Asian Russia (Altai, Siberia), Mountains of Kyrgyzstan, Tajikistan, SE Kazakhstan

Smaragdina (Monrosiana) thoracica dzhungarica L. Medvedev, 1980

Distribution: NW China

Smaragdina (Monrosiana) xanthaspis (Germar, 1824)

Distribution: SE and southern parts of Central Europe, Transcaucasia, Turkey

Genus ***Cheilotoma*** Chevrolat in Dejean, 1837

Subgenus ***Cheilotoma (Cheilotoma)*** Chevrolat in Dejean, 1837

Cheilotoma (Cheilotoma) erythrostoma (Faldermann, 1837)

Distribution: SE Europe, NW Caucasus, Transcaucasia, Iran

Cheilotoma (Cheilotoma) musciformis (Goeze, 1777)

Distribution: S Europe, Caucasus, Kazakhstan, Asian Russia (southern parts of W and Middle Siberia, Transbaikalia)

Subgenus *Cheilotoma (Exaesiognatha)* Jacobson, 1923

Cheilotoma (Exaesiognatha) ivanovi Jacobson, 1923

Distribution: Plains of Central Asia from W Turkmenistan to Fergana Valley and S Tajikistan

Genus *Coptocephala* Chevrolat in Dejean, 1837

Subgenus *Coptocephala (Coptocephala)* Chevrolat in Dejean, 1837

Coptocephala (Coptocephala) chalybaea chalybaea (Germar, 1824)

Distribution: SE Europe, NW and Minor Caucasus, Daghestan

Coptocephala (Coptocephala) chalybaea apicalis Lacordaire, 1848

Distribution: Steppe zone from S Ukraine and Crimea to Central Kazakhstan, Ciscaucasia

Coptocephala (Coptocephala) gebleri Gebler, 1841

Distribution: SE Balkan, S Ukraine (Crimea) and European Russia, Caucasus, Transcaucasia, Kazakhstan, Kyrgyzstan, Asian Russia (southern parts of W Siberia, Altai)

Coptocephala (Coptocephala) hissarica Lopatin, 1963

Distribution: SE Uzbekistan, W Tajikistan

Coptocephala (Coptocephala) orientalis Baly, 1873

Distribution: Asian Russia (S Siberia. Amurland, Maritime Prov.), Mongolia, China, Japan

Coptocephala (Coptocephala) rubicunda rubicunda (Laicharting, 1781)

Distribution: SW, Central and southern E Europe, Ciscaucasia, Georgia, N Kazakhstan, Asian Russia (southern parts of W and Middle Siberia, Cisbaikalia)

Coptocephala (Coptocephala) unifasciata unifasciata (Scopoli, 1763)

Distribution: Europe except for N, Transcaucasia, Turkey, Syria, E Kazakhstan, W Pamirs, Asian Russia (southern parts of W Siberia)

Coptocephala (Coptocephala) unifasciata australis L. Medvedev, 1965

Distribution: S Kazakhstan, Central Asia (Tian-Shan and Hissar-Darvaz Mountains)

Coptocephala (Coptocephala) unifasciata deserta L. Medvedev, 1965

Distribution: Desert and semi-desert areas of Kazakhstan and Central Asia

Coptocephala (Coptocephala) unifasciata destinoi Fairmaire, 1884
Distribution: Transcaucasia, Turkey, Near East

Subfamily ***Criocerinae*** Latreille, 1807

Tribe ***Criocerini*** Latreille, 1807

Genus ***Lilioceris*** Rietter, 1912

Lilioceris lilii (Scopoli, 1763)

Distribution: Europe except for the North, SE Kazakhstan (Dzhungar Alatau), Asian Russia (W and Middle Siberia, Amurland), N Africa

Lilioceris merdigera (Linnaeus, 1758)

Distribution: All over Palaearctic except for the extreme North, S and Central Asia, N America

Lilioceris ruficoillis (Baly, 1865)

Distribution: Asian Russia (S. Maritime Prov.), China, Korea

Lilioceris rugata (Baly, 1865)

Distribution: Asian Russia (Amurland, Maritime Prov.), China, Korea, Japan

Lilioceris scapularis (Baly, 1859)

Distribution: Asian Russia (Amurland, Maritime Prov.), China, Korea, Japan

Genus ***Crioceris*** Geoffroy, 1762

Crioceris asparagi (Linnaeus, 1758)

Distribution: Europe except for the North, Mediterranean (except for Apennines Peninsula, Sicily, Corsica, Sardinia, Crete), Caucasus, Transcaucasia, Turkmenistan, introduced to N America and Argentina

Crioceris bicrucata (C. R. Sahlberg, 1823)

Distribution: SE European Russia (Volgograd Distr.), Caucasus, Greece, Turkey, Central Asia

Crioceris duodecimpunctata duodecimpunctata (Linnaeus, 1758)

Distribution: All over the Palaearctic except the North

Crioceris duodecimpunctata hypopsila Jacobson, 1907

Distribution: S Kazakhstan, Central Asia

Crioceris duodecimpunctata orientalis (Jacoby, 1885)

Distribution: Asian Russia (Amurland, Khabarovsk Prov., Maritime Prov.), China, Korea, Japan

Crioceris iliensis J. Weise, 1900

Distribution: Kazakhstan, Turkmenistan

Crioceris oshanini Dohrn, 1884

Distribution: Kazakhstan, Central Asia

Crioceris quatuordecimpunctata quatuordecimpunctata (Scopoli, 1763)

Distribution: Central and SE Europe

Crioceris quatuordecimpunctata sibirica J. Weise, 1887

Distribution: Asian Russia (Amurland, Khabarovsk Prov., Maritime Prov.), NE China, Korea, Japan

Crioceris quinquepunctata (Scopoli, 1763)

Distribution: Mountains of Central and East Europe, Dinars Mts, S Belarus, Ukraine, S European Russia

Tribe *Lemiini* Gyllenhal, 1813

Genus *Oulema* Des Gozis, 1886

Oulema dilutipes (Fairmaire, 1885)

Distribution: Asian Russia (Amurland, Maritime Prov.), China, Korea, Japan

Oulema duftschmidi (L. Redtenbacher, 1874)

Distribution: Europe, Kazakhstan, Central Asia

Oulema erichsonii (Suffrian, 1841)

Distribution: Europe except for the extreme North and South, Asian Russia (Siberia, Maritime Prov.), Mongolia, Japan

Oulema gallaeciana (Heyden, 1870)

Distribution: All over Palaearctic except for the Kazakhstan and Central Asia

Oulema melanopus (Linnaeus, 1758)

Distribution: Europe, Kazakhstan, Asian Russia (S Siberia, east to Mongolia)

Oulema oryzae (Kuwayama, 1929)

Distribution: Asian Russia (Maritime Prov.), China, Japan

Oulema pygmaea Kraatz, 1879

Distribution: Asian Russia (Amurland, Khabarovsk Prov. Maritime Prov.), China, Korea

Oulema septentrionis J. Weise, 1880

Distribution: Europe except for the extreme North and South

Oulema tristis (Herbst, 1786)

Distribution: Europe, Asian Russia (S. Siberia, Amurland), Kazakhstan, Korea, Japan

Genus ***Lema*** Fabricius, 1798

Subgenus ***Lema (Lema)*** Fabricius, 1798

Lema (Lema) cyanella (Linnaeus, 1758)

Distribution: All over Palaearctic except for the Central Asia

Lema (Lema) diversa Baly, 1873

Distribution: Asian Russia (S. Maritime Prov.), Korea, China, Japan

Lema (Lema) scutellaris (Kraatz, 1879)

Distribution: Asian Russia (Amurland, Maritime Prov.), Korea, China, Japan

Subgenus ***Lema (Microlema)*** Pic, 1932

Lema (Microlema) decempunctata Gebler, 1830

Distribution: Asian Russia (Altai, Maritime Prov.), Mongolia, N China, Japan, Kazakhstan

Lema (Microlema) quadrimaculata Gebler, 1845

Distribution: Kazakhstan, Uzbekistan, Kyrgyzstan

Subfamily ***Donaciinae*** Kirby, 1837

Tribe ***Donaciini*** Kirby, 1837

Genus ***Donacia*** Fabricius, 1775

Subgenus ***Donacia (Donacia)*** Fabricius, 1775

Donacia (Donacia) aequidorsis Jacobson, 1894

Distribution: SE European Russia, W Kazakhstan

Donacia (Donacia) antiqua Kunze, 1818

Distribution: N, Central and Northern part of E. Europe

Donacia (Donacia) bactriana bactriana J. Weise, 1887

Distribution: S. Kazakhstan, Central Asia

Donacia (Donacia) bactriana sahlbergi Jacobson, 1901

Distribution: Central Asia

Donacia (Donacia) breviscula Jacobson, 1899

Distribution: Asian Russia (Amurland)

Donacia (Donacia) crassipes Fabricius, 1775

Distribution: Europe, Kazakhstan, Asian Russia (Siberia east to Baikal)

Donacia (Donacia) fedtschenkoae Jacobson, 1899

Distribution: Uzbekistan

Donacia (Donacia) flemola Goecke, 1944

Distribution: Asian Russia (Amurland, Maritime Prov.), China, Korea

Donacia (Donacia) gracilicornis Jacobson, 1892

Distribution: Transcaucasia, W. Iran

Donacia (Donacia) kirgizkaisaka Jacobson, 1925

Distribution: Siberia (Irtysh River)

Donacia (Donacia) knipovitschi Jacobson, 1927

Distribution: Asian Russia (S. Maritime Prov.), NE China

Donacia (Donacia) koenigi Jacobson, 1899

Distribution: Transcaucasia

Donacia (Donacia) kraatzi J. Weise, 1882

Distribution: Armenia, N. Turkey

Donacia (Donacia) mistschenkoi Jacobson, 1910

Distribution: Caucasus

Donacia (Donacia) ochroleuca J. Weise, 1882

Distribution: Asian Russia (Transbaikalia, Amurland, Maritime Prov.), China

Donacia (Donacia) polita Kunze, 1818

Distribution: S. Europe, Moldavia

Donacia (Donacia) ussuriensis L. Medvedev, 1973

Distribution: Asian Russia (S. Maritime Prov.)

Subgenus *Donacia (Donaciella)* Reitter, 1920

Donacia (Donaciella) cinerea Herbst, 1784

Distribution: Europe, Transcaucasia, Kazakhstan, W. Siberia

Donacia (Donaciella) clavipes clavipes Fabricius, 1793

Distribution: All over the Palaearctic except for the extreme North

Donacia (Donaciella) clavipes glabrata Solsky, 1872

Distribution: Asian Russia (E. Siberia, Maritime Prov.), Mongolia

Donacia (Donaciella) tomentosa Ahrens, 1810

Distribution: N and Central Europe, Azerbaijan, E. Kazakhstan, Uzbekistan, Asian Russia (S. Siberia, Altai)

Subgenus ***Donacia (Donaciomima)*** L. Medvedev, 1973

Donacia (Donaciomima) aquatica (Linnaeus), 1758

Distribution: Europe, Asian Russia (Siberia), N China, Japan

Donacia (Donaciomima) bicolora bicolora Zschach, 1788

Distribution: Europe except for the South, Asian Russia (W Siberia), Central Asia

Donacia (Donaciomima) brevicornis Ahrens, 1810

Distribution: N. and NE Europe

Donacia (Donaciomima) brevitarsis C. G. Thomson, 1884

Distribution: N and NE Europe, Alps

Donacia (Donaciomima) clavareani Jacobson, 1906

Distribution: Asian Russia (Maritime Prov.), China, Japan

Donacia (Donaciomima) dentata Hoppe, 1795

Distribution: Europe except for the extreme North, Kazakhstan, Asian Russia (W Siberia)

Donacia (Donaciomima) fennica (Paykull, 1800)

Distribution: N. northeast of Central and E. Europe, Asian Russia

Donacia (Donaciomima) impressa Paykull, 1799

Distribution: Europe except for the outermost North and South, Kazakhstan, Asian Russia

Donacia (Donaciomima) malinovskiyi Ahrens, 1810

Distribution: Central and E Europe, Kazakhstan, Asian Russia (W Siberia)

Donacia (Donaciomima) marginata marginata Hoppe, 1795

Distribution: Europe except for the North, Caucasus, Kazakhstan, Uzbekistan, Asian Russia (W Siberia)

Donacia (Donaciomima) obscura obscura Gyllenhal, 1813

Distribution: Europe except for the Mediterranean

Donacia (Donaciomima) obscura splendens Jacobson, 1894

Distribution: Asian Russia (W and Middle Siberia, Altais, Transbaikalia, Yakutia, Amurland, Maritime Prov.)

Donacia (Donaciomima) semicuprea Panzer, 1796

Distribution: W and Central Europe, Asian Russia (Siberia east to Baikal)

Donacia (Donaciomima) simplex Fabricius, 1775

Distribution: W and Central Europe, Asian Russia (S. Siberia, Transbaikalia), Mongolia

Donacia (Donaciomima) sparganii sparganii Ahrens, 1810

Distribution: N, Central and E. Europe, Asian Russia (W. Siberia)

Donacia (Donaciomima) sparganii gracilipes Jacoby, 1885

Distribution: Asian Russia (Transbaikalia, NE Siberia, Kamchatka, Amurland, Maritime Prov., Sakhalin, Kurile Is.), Japan

Donacia (Donaciomima) thalassina intermedia Jacobson, 1899

Distribution: Asian Russia (Siberia, Maritime Prov.) Mongolia

Donacia (Donaciomima) thalassina thalassina Germar, 1811

Distribution: Europe except for the extreme North, Asian Russia (S. Siberia, Transbaikalia, Tuva), Mongolia

Donacia (Donaciomima) versicoloreae (Brahm, 1790)

Distribution: Europe, Kazakhstan, Asian Russia (SW Siberia)

Donacia (Donaciomima) vulgaris issykensis Jacobson, 1900

Distribution: Kazakhstan, Central Asia

Donacia (Donaciomima) vulgaris vulgaris Zschach, 1788

Distribution: All over the Palaeartic

Subgenus ***Donacia (Cyphogaster)*** Goecke, 1934

Donacia (Cyphogaster) lenzi Schonfeldt, 1888

Distribution: Asian Russia (S. Maritime Prov.), China, Korea, Japan

Donacia (Cyphogaster) provosti Fairmaire, 1885

Distribution: Asian Russia (Amurland, Maritime Prov.), China, Korea, Japan

Genus ***Sominella*** Jacobson, 1908

Sominella macrocnemia (Fischer-Waldheim, 1823)

Distribution: Asian Russia (Transbaikalia, Yakutia, Khabarovsk Prov. Maritime Prov.), China

Tribe ***Haemoniini*** Chen, 1941

Genus ***Macroplea*** Samouelle, 1819

Macroplea appendiculata (Panzer, 1794)

Distribution: Europe except for the North and South, W Siberia

Macroplea mutica mutica (Fabricius, 1792)

Distribution: Coastal parts of the North, White, Baltic, Mediterranean, Black and Caspian Sea

Macroplea mutica japana (Jacoby, 1885)

Distribution: Asian Russia (E. Siberia), Japan

Genus ***Neohaemonia*** Szekessy, 1941

Neohaemonia voronovae L. Medvedev, 1977

Distribution: Asian Russia (Transbaikalia), Mongolia

Tribe ***Plateumarini*** Askevold, 1990

Genus ***Plateumaris*** C. G. Thomson, 1866

Plateumaris amurensis J. Weise, 1898

Distribution: Asian Russia (Yakutia, Amurland, Maritime Prov., Sakhalin, Kurile Is.), Japan

Plateumaris braccata (Scopoli, 1772)

Distribution: Europe except for the North and South, Caucasus, SE Kazakhstan, Asian Russia (S Siberia)

Plateumaris consimilis consimilis (Schrank, 1781)

Distribution: Europe except for the North and South, Urals, Asian Russia (Siberia)

Plateumaris consimilis orientalis Shavrov, 1948

Distribution: Asian Russia (S. Maritime Prov.)

Plateumaris constricticollis kurilensis L. Medvedev, 1978

Distribution: Asian Russia (S Kurile Is., Kunashir)

Plateumaris obsoleta Jacobson, 1894

Distribution: Asian Russia (S. Maritime Prov.)

Plateumaris roscida J. Weise, 1912

Distribution: Asian Russia (Transbaikalia, Yakutia, Amurland, Maritime Prov.)

Plateumaris rustica (Kunze, 1818)

Distribution: Europe except for the South, Asian Russia (W. Siberia), N. Algeria

Plateumaris sachalinensis L. Medvedev, 1973

Distribution: Asian Russia (S. Sakhalin)

Plateumaris sericea sericea (Linnaeus, 1758)

Distribution: Europe except for the South, W and Central Siberia

Plateumaris sericea caucasica Zaitzev, 1930

Distribution: NW Caucasus (Teberda, Bakuriani)

Plateumaris sericea sibirica (Solsky, 1872)

Distribution: Asian Russia (Siberia, Amurland, Maritime Prov., Kamchatka, Sakhalin), Mongolia, China, Japan

Plateumaris wisei Duvivier, 1885

Distribution: N and C Europe, Asian Russia (W. Siberia, Tuva, Transbaikalia, Amurland, Maritime Prov., Sakhalin), Mongolia, Japan

Subfamily ***Eumolpinae*** Hope, 1840

Tribe ***Nodinini*** Chen, 1940

Genus ***Basilepta*** Baly, 1860

Basilepta balyi (Harold, 1877)

Distribution: Asian Russia (S Sakhalin, Kurile Is.), Japan

Basilepta fulvipes (Motschulsky, 1860)

Distribution: Asian Russia (Transbaikalia, Amurland, Maritime Prov., Kurile Is.), Mongolia, Korea, China, Japan

Basilepta kaszabi Lopatin, 1962

Distribution: China (Timbu)

Genus ***Weiselina*** Reitter, 1890

Weiselina lenkorana Reitter, 1890

Distribution: E Azerbaijan

Genus *Pagria* Lefevre, 1884

Pagria signata (Motschulsky, 1858)

Distribution: Asian Russia (Maritime Prov.), Korea, China, S Asia

Genus *Bedelia* Lefevre, 1875

Bedelia angustata Lefevre, 1875

Distribution: Transcaucasia, Iran

Bedelia kaschgarica Lopatin, 1962

Distribution: NW China (Kaschgar)

Bedelia kokanica (Solsky, 1882)

Distribution: S Kazakhstan, Uzbekistan, Tajikistan

Bedelia viridicoerulea Reitter, 1901

Distribution: Tajikistan, Kyrgyzstan

Genus *Chloropterus* Morawitz, 1861

Chloropterus grandis J. Weise, 1889

Distribution: Kazakhstan, Turkmenistan, Tajikistan, Uzbekistan Mongolia

Chloropterus lefevrei Reitter, 1890

Distribution: Transcaucasia, Valleys of Kazakhstan and Central Asia, Near East

Chloropterus unguiculatus Lopatin, 1965

Distribution: S Tajikistan

Chloropterus versicolor (Morawitz, 1860)

Distribution: Southern parts of Steppe zone of Ukraine and European Russia, Caucasus, Kazakhstan, SW Turkmenistan

Genus *Cleoporus* Lefevre, 1884

Cleoporus variabilis (Baly, 1874)

Distribution: Asian Russia (Maritime Prov.), China, Korea, Japan

Tribe *Colasposomini* Springlova, 1960

Genus *Colasposoma* Laporte, 1833

Colasposoma dauricum Mannerheim, 1849

Distribution: Asian Russia (Transbaikalia, Amurland, Maritime Prov., Sakhalin), Mongolia, N China, Korea

Tribe *Eumolpini* Jacoby, 1908

Genus *Eumolpus* Illiger, 1798

Eumolpus asclepiadeus (Pallas, 1773)

Distribution: W, S, Central, and southern parts of E Europe, Turkey, Kazakhstan, Asian Russia (Southern part of W Siberia)

Eumolpus chinensis Baly, 1859

Distribution: Mongolia, Central and E China

Eumolpus globicollis Lefevre, 1888

Distribution: Asian Russia (S Amurland, Maritime Prov.), Korea, N China

Eumolpus goniostoma J. Weise, 1889

Distribution: E Kazakhstan, Asian Russia (S Siberia), Mongolia, N China

Genus *Abiromorphus* Pic, 1924

Abiromorphus anceyi Pic, 1924

Distribution: Asian Russia (S Maritime Prov.) NE China Korea

Genus *Chrysochares* Morawitz, 1861

Chrysochares asiaticus asiaticus (Pallas, 1771)

Distribution: S of European Russia, Transcaucasia

Chrysochares asiaticus orientalis Lopatin, 1963

Distribution: Kazakhstan, Turkmenistan, Uzbekistan, S Tajikistan

Chrysochares constricticollis Lopatin, 1963

Distribution: E Georgia, Daghestan

Chrysochares punctatus (Gebler, 1845)

Distribution: Kazakhstan, Turkmenistan, Uzbekistan, S and N Tajikistan, Mongolia, NW China

Tribe *Adoxini* Jacoby, 1908

Genus *Malegia* Lefevre, 1883

Malegia aenea (Chen, 1940)

Distribution: Asian Russia (Amurland Maritime Prov.), Korea, N China

Malegia colchica Reitter, 1912

Distribution: Caucasus (Georgia)

Malegia jacobsoni Sumakov, 1901

Distribution: S Turkmenistan

Malegia turkestanica turkestanica Reitter, 1890

Distribution: Kazakhstan, Kyrgyzstan, Tajikistan, Uzbekistan

Malegia turkestanica uralensis Reitter, 1912

Distribution: NW Kazakhstan

Genus *Lypesthes* Baly, 1863

Lypesthes ater (Motschulsky, 1860)

Distribution: Asian Russia (Maritime Prov.), Korea, China

Genus *Andosia* J. Weise, 1896

Andosia reitteri J. Weise, 1896

Distribution: S Kazakhstan, Uzbekistan, S Tajikistan

Genus *Caspiana* Lopatin, 1977

Caspiana armata Lopatin, 1977

Distribution: SW Turkmenistan

Genus *Parnops* Jacobson, 1894

Parnops glasunovi ferghanus Lopatin, 1976

Distribution: Kyrgyzstan (Foothill Plains of Chatkal Mountain Range)

Parnops glasunovi glasunovi Jacobson, 1894

Distribution: S Turkmenistan, Iran, Uzbekistan, S Tajikistan

Genus *Trichochrysea* Baly 1861

Trichochrysea amygdali amygdali (Ogloblin, 1941)

Distribution: Tajikistan (Hissar, Babatagh, Gazimailik Mountain Ranges)

Trichochrysea amygdali nuratavica Lopatin, 1976

Distribution: Uzbekistan (Nuratau Mountain Range)

Trichochrysea arnoldii (L. Medvedev, 1957)

Distribution: Kyrgyzstan (Fergan, Baubash-Ata, Bozbutau Mountain Ranges)

Trichochrysea occidentalis (J. Weise, 1887)

Distribution: S Kazakhstan, Uzbekistan (W Tian-Shan)

Genus *Dermestops* Jacobson, 1898

Dermestops ahngeri Jacobson, 1898

Distribution: Turkmenistan

Genus *Callipta* Lefevre, 1885

Callipta borealis Lopatin, 1876

Distribution: Uzbekistan (Kara-Kum Desert, Bukantau, Tamdytau, Aktau Mountains)

Callipta fausti fausti (J. Weise, 1882)

Distribution: E Transcaucasia (Azerbaijan, S Daghestan)

Callipta fausti badghyza Lopatin, 1997

Distribution: Turkmenistan (Badkhyz)

Callipta fausti balchana Lopatin, 1997

Distribution: W Turkmenistan, (Balkhan Mountains)

Callipta fausti murgabica Lopatin, 1997

Distribution: Turkmenistan

Callipta fausti palvanica Lopatin, 1997

Distribution: Turkmenistan (Kaplanhyr Plateau)

Callipta fausti turcomana L. Medvedev, 1957

Distribution: S Turkmenistan (Kopetdagh Mountain Range)

Genus *Aphilenia* J. Weise, 1889

Subgenus *Aphilenia (Pseudoaphilenia)* Lopatin, 1976

Aphilenia (Pseudoaphilenia) hauseri J. Weise, 1894

Distribution: Kazakhstan (Sandy Deserts), S Central Asia (Sandy Deserts)

Subgenus *Aphilenia (Aphilenia)* J. Weise, 1889

Aphilenia (Aphilenia) interrupta J. Weise, 1889

Distribution: Turkmenistan, Uzbekistan, SW Tajikistan (Sandy Deserts)

Aphilenia (Aphilenia) ornata Reitter, 1888

Distribution: Kazakhstan, Turkmenistan (Deserts)

Aphilenia (Aphilenia) parvula J. Weise, 1894

Distribution: Turkemenistan, Uzbekistan (Deserts)

Genus *Atomyria* Jacobson, 1894

Atomyria sarafschanica (Solsky, 1882)

Distribution: SW Kazakhstan, Uzbekistan, Tajikistan (Bank of the Rivers Amu-Darya, Piandzh, Vakhsh)

Genus *Macrocoma* Chapuis, 1874

Macrocoma rubripes turcmena Lopatin, 1976

Distribution: S Turkmenistan (Kopetdagh Mountain Range)

Macrocoma sarvadensis (Solsky, 1882)

Distribution: Kazakhstan and Central Asia

Genus *Bromius* Chevrolat et Dejean, 1837

Bromius obscurus (Linnaeus, 1758)

Distribution: Europe except for the extreme North, Asian Russia (Siberia, Russian Far East), Japan, Introduced to N America

Genus *Anidania* Reitter, 1889

Anidania luctuosa (Solsky, 1882)

Distribution: S.Kazakhstan, Uzbekistan, Tajikistan, N Afghanistan

Genus *Adoxinia* Reitter, 1888

Adoxinia spinipes Reitter, 1888

Distribution: Turkmenistan, Uzbekistan, W Tajikistan (Sandy Deserts)

Genus *Pachnephoptrus* Reitter, 1892

Pachnephoptrus weisei Reitter, 1892

Distribution: Transcaucasia, Turkey, Turkmenistan, Uzbekistan, Afghanistan

Genus *Pachnephorus* Chevrolat in Dejean, 1837

Subgenus *Pachnephorus (Pachnephoriscus)* Lopatin, 1976

Pachnephorus (Pachnephoriscus) jacobsoni Lopatin, 1976

Distribution: Uzbekistan

Subgenus *Pachnephorus (Pachnephorus)* Chevrolat in Dejean, 1837

Pachnephorus (Pachnephorus) brunneus L. Medvedev, 1957

Distribution: Turkmenistan

Pachnephorus (Pachnephorus) canus J. Weise, 1882

Distribution: S Ukraine, Daghestan, E Mediterranean

Pachnephorus (Pachnephorus) fulvus Lopatin, 1976

Distribution: Uzbekistan

Pachnephorus (Pachnephorus) lewisi Baly, 1878

Distribution: Asian Russia (Maritime Prov.), China

Pachnephorus (Pachnephorus) pilosus (Rossi, 1790)

Distribution: Europe except for the extreme North, Caucasus, Turkey, Siberia

Pachnephorus (Pachnephorus) tessellatus (Duftschmidt, 1825)

Distribution: All over the Palaearctic

Pachnephorus (Pachnephorus) turcomanicus L. Medvedev, 1957

Distribution: Turkmenistan, Uzbekistan

Pachnephorus (Pachnephorus) villosus (Duftschmidt, 1825)

Distribution: S and SE Europe, Crimea, Turkey, Caucasus

Subfamily *Hispinæ* Gyllenhal, 1813

Genus *Dactylispa* J. Weise, 1897

Dactylispa angulosa (Solsky, 1871)

Distribution: Asian Russia (Amurland, Maritime Prov.), China, Korea, Japan

Dactylispa excisa (Kraatz, 1879)

Distribution: Asian Russia (S Amurland, Maritime Prov.), China, Korea

Dactylispa marginicollis borealis L. Medvedev, 1963

Distribution: Asian Russia (S Maritime Prov.)

Dactylispa masonii Gestro, 1923

Distribution: Asian Russia (S Maritime Prov., Sakhalin), China, Japan

Genus *Rhadinosa* J. Weise, 1905

Rhadinosa nigorcyanea (Motschulsky, 1861)

Distribution: Asian Russia (Amurland, Maritime Prov.), China, Korea, Japan

Genus *Hispa* Linnaeus, 1767

Hispa atra Linnaeus, 1767

Distribution: Europe, Caucasus, Kazakhstan, Central Asia, Asian Russia (S Siberia)

Genus *Hispellinus* J. Weise 1897

Hispellinus moerens (Baly, 1874)

Distribution: Asian Russia (S Amurland), China, Japan

Genus *Acmenychus* J. Weise, 1905

Acmenychus caucasicus (Heyden, 1878)

Distribution: Transcaucasia

Acmenychus inermis (Zubkov, 1833)

Distribution: Kazakhstan, Central Asia, NE China, Mongolia

Genus *Cassidispa* Gestro, 1899

Cassidispa relicta L. Medvedev, 1957

Distribution: Asian Russia (S Maritime Prov.)

References

- [1] Askevold. I. S. 1990, Reconstructed phylogeny and reclassification of the genera Donaciinae (Coleoptera: Chrysomelidae), *Quaestiones Entomologicae*, 26: 601-664
- [2] Bienkowski A. O. 1997, New distributional records for several palaeartic Chrysomelidae species with some systematic remarks (Insecta: Coleoptera), *Faunistische Abhandlungen*, 21(4): 91-104
- [3] Bienkowski A. O. 1997, Some surprising discoveries of *Chrysolina relucens* (Coleoptera, Chrysomelidae) on the White Sea shore, in Siberia and in the Far East, *Entomologica Fennica*, 7: 195-199
- [4] Bienkowski A. O. 1998, Morphology and systematics of larvae of some *Chrysolina* species (Insecta: Coleoptera: Chrysomelidae), *Entomologische Abhandlungen*, 58(4): 73-82
- [5] Bienkowski A. O. 1998, Revision of the subgenus *Anopachys* Motschulsky, 1860 of the genus *Chrysolina* Motschulsky, 1869 (Coleoptera: Chrysomelidae: Chrysomelinae), *Genus*, 9(2): 95-153
- [6] Biondi M. 1995, The *Longitarsus anchusae* complex in Near Eastern and description of a new species (Coleoptera: Chrysomelidae: Alticinae), *Nouvelle Revue d'Entomologie*, 12(4): 259-271
- [7] Borowiec L. Świętojańska J. 2001, The Palearctic species of the genus *Rhytidocassis* Spaeth, 1941 (Coleoptera: Chrysomelidae: Cassidinae), *Annale Zoologici*, 51: 325-329
- [8] Doberl M. 1994, Eine neue Alticine von Kaspischen Meer: *Batophila dogueti* nov. spec. (Coleoptera: Chrysomelidae: Alticinae), *Nouvelle Revue d'Entomologie*, 11(2): 149-150
- [9] Gruev B. 1991, *Oreomela lopatini*- a new species of *Oreomela* Jacobson (Coleoptera: Chrysomelidae: Chrysomelinae) form the USSR (Kyrghyz SRR), *Acta Zoologica Bulgarica*, 41: 67-68
- [10] Gruev B. 1994, New distributional data about some leaf beetles in the Korean Peninsula, and descriptions of four new species (Coleoptera: Chrysomelidae), *Insecta Koreana*, 11: 75-84
- [11] Kimoto S. 1993, New or little known Chrysomelidae (Coleoptera) from Japan and its adjacent regions, VI, *Entomological Review of Japan*, 48(1): 93-101
- [12] Konstantinov A. S. 1991, On taxonomy of *Asiorestia* Jacobson (Coleoptera: Chrysomelidae: Alticinae), *Entomological Review Scripta Technica Inc*, 1991: 143-144
- [13] Konstantinov A.S. 1992, Four new species of *Longitarsus* from west Tien Shan (Coleoptera: Chrysomelidae: Alticinae), *Elytron*, 6: 41-46
- [14] Konstantinov A. S. 1996, Review of the Palearctic species of *Crepidodera* (Coleoptera: Chrysomelidae: Alticinae), *Spixiana*, 19(1): 21-37
- [15] Konstantinov A. S., Lopatin I. K. 1992, On the taxonomy of *Phyllotreta* Chev. of the Palearctic region(Coleoptera. Chrysomelidae: Alticinae). *Spixiana* 15(3): 261-267

- [16] Konstantinov A. S., Lopatin I. K. 2000, Review of the *Longitarsus asperifoliarum* group of species (Coleoptera: Chrysomelidae: Alticinae), *The Coleopterists Bulletin*, 54(2): 200-220
- [17] Lopatin I. K. 1992, Zwei neue Chrysolina Arten aus Süd-Osteichen Kazakhstan (Coleoptera: Chrysomelidae), *Elytron*, 6: 5-9
- [18] Mikhailov Y. E. 1999, A new species of the genus *Cryptocephalus* Geoffr. (Coleoptera. Chrysomelidae) from the Russian Far East, *Russian Entomological Journal* 8(2): 129-130
- [19] Mikhailov Y. E. 2000, New and little know leaf beetles of the genus *Chrysolina* Motsch. Form Altai and Sayan Mts. in South Siberia (Coleoptera: Chrysomelidae), *Genus*, 11(2): 129-146
- [20] Mikhailov Y. E. 2002, Contribution to the knowledge of the subgenus *Chrysolina* (Pezocrosita) Jacobson, 1901 three new species from Tuva and the Urals (Coleoptera: Chrysomelidae), *Nouvelle Revue d'Entomologie*, 19(1): 57-71
- [21] Mikhaililov Y. E., Hayashi M. 2002, Chrysomelidae of Sakhalin II, *Entomological Review of Japan*, 57(1): 29-46
- [22] Warchałowski A. 1991, Eine nomenklatorische Änderung innerhalb der Gattung *Chrysolina* Motschulsky, *Genus*, 2(3): 281-282
- [23] Warchałowski A. 1991, Kurze Übersicht der oberseits hellen *Calomicrus* Steph. Arten (Chrysomelidae: Galerucinae), *Genus* 2(1): 41-55
- [24] Warchałowski A. 1991, Über die rot und Schwarz gefleckten Arten der Untergattung *Captocephala* (Coleoptera: Chrysomelidae: Clytrinae), *Genus* 2(3): 229-279
- [25] Warchałowski A. 1998, Über einige kleinasiatische Arten ger Gattung *Pachybrachis* Chevrolat, 1837 (Coleoptera, Chrysomelidae: Cryptocephalinae), *Annales Zoologici*, 48(1/2): 85-90
- [26] Warchałowski A. 1999, Übersicht der westpalaarktischen Arten der Untergattung *Burlinius* Lopatin, 1965 (Coleoptera: Chrysomelidae: Cryptocephalus), *Genus*, 10(4): 529-627
- [27] Warchałowski A. 2000, A few nomenclatorial changes in Chrysomelidae (Coleoptera: Chrysomelidae), *Genus* 11(4): 587-588
- [28] Warchałowski A. 2000, A short review of the genus *Chilotomina* Reitter, 1912 (Coleoptera: Chrysomelidae: Clytrinae), *Genus* 11(4): 573-583
- [29] Igor K. Lopatin, Oleg R. Aleksandrovich, Alexander S. Konstantinov (2004). Check List of Leaf-Beetles (Coleoptera, Chrysomelidae) of the Eastern Europe and Northern Asia. The Publishing House Mantis, Olsztyn, Poland.