



# World News of Natural Sciences

An International Scientific Journal

WNOFNS 29(2) (2020) 75-150

EISSN 2543-5426

---

---

## World Inventory of Beetles of the Family *Chrysomelidae* (Coleoptera). Part 2: Eastern Europe and Northern Asia. Check List from 1768 to 2004

**Tomasz Borowski**

The II Laboratory of Research Works,  
The Independent Institution of Biopaleogeography and Biophysics,  
22 Mickiewicza Str., Złocieniec, Poland

E-mail address: [tomasz.elvis.borowski@wp.pl](mailto:tomasz.elvis.borowski@wp.pl)

### ABSTRACT

This paper presents list of beetles of the family *Chrysomelidae* and their occurrence. The paper includes: 8 subfamilies, 10 tribes, 7 subtribes, 74 genera, 77 subgenera and 933 species of beetles belonging to the family *Chrysomelidae*.

**Keywords:** *Chrysomelidae*, *Chrysomelinae*, *Cryptocephalinae*, *Galerucinae*, *Lamprosomatinae*, *Orsodacninae*, *Megalopodinae*, *Synetinae*, *Zeugophorinae*

### Subfamilies

<i>Chrysomelinae</i>	.....76
<i>Cryptocephalinae</i>	.....109
<i>Galerucinae</i>	.....134
<i>Lamprosomatinae</i>	.....146
<i>Orsodacninae</i>	.....147
<i>Megalopodinae</i>	.....147
<i>Synetinae</i>	.....147
<i>Zeugophorinae</i>	.....148

## – Check List –

(Continuation of the Part 1)

Subfamily *Chrysomelinae* Latreille, 1802

Tribe *Timarchini* Motschulsky, 1860

Genus *Timarcha* Dejean, 1821

Subgenus *Timarcha (MetalloTimarcha)* Motschulsky, 1860

*Timarcha (MetalloTimarcha) hummeli hummeli* Faldermann, 1837

Distribution: N Caucasus, W Transcaucasia

*Timarcha (MetalloTimarcha) hummeli armeniaca* Faldermann, 1837

Distribution: Armenia

*Timarcha (MetalloTimarcha) metallica* (Laicharting, 1781)

Distribution: Mountains of SW and Central Europe, Ukrainian Carpathians

Subgenus *Timarcha (Timarcha)* Dejean, 1821

*Timarcha (Timarcha) goettingensis* (Linnaeus, 1758)

Distribution: Europe except for the extreme North

*Timarcha (Timarcha) rugulosa* Herrich-Schaffer, 1838

Distribution: SE Europe, Moldavia, Ukraine, Crimea

*Timarcha (Timarcha) tenebricosa tenebricosa* (Fabricius, 1775)

Distribution: W and S Europe, Steppe zone of Ukraine and European Russia

*Timarcha (Timarcha) tenebricosa iberica* Motschulsky, 1849

Distribution: Caucasus

*Timarcha (Timarcha) tenebricosa motschulskyi* Bechyne, 1945

Distribution: Crimea

Tribe *Chrysomelini* Latreille, 1802

Subtribus *Chrysolinina* Chen, 1936

Genus *Ambrostoma* Motschulsky, 1860

*Ambrostoma quadriimpressum* Motschulsky, 1845

Distribution: Asian Russia (Transbaikalia, Amurland, Maritime Prov.), Mongolia, N China, Korea

Genus *Crosita* Motschulsky, 1860

*Crosita afghanica* Lopatin, 1962

Distribution: E Tajikistan (Badakhshan), NE Afghanistan

*Crosita altaica altaica* (Gebler, 1823)

Distribution: Central and E Kazakhstan, Tarbagatay, Central Tian-Shan, S Asian Russia (Altai), Mongolia

*Crosita altaica feldermanni* (Krynicky, 1832)

Distribution: SE European Russia, Central and E Kazakhstan (Dry Steppe), Mongolia

*Crosita maximovitschi* (Zubkov, 1833)

Distribution: NE and Central Kazakhstan (Saur Mountain Range), SW Mongolia

*Crosita bogutensis* Lopatin, 1996

Distribution: Kazakhstan (Boguty Mountains)

*Crosita elegans* Lopatin, 1968

Distribution: Mongolia

*Crosita heptapotamica* Jacobson, 1895

Distribution: Central Tian-Shan

*Crosita kowalewskii* (Gebler, 1836)

Distribution: Asian Russia (S Altai), Mongolia, NW China

*Crosita longipes* Jacobson, 1898

Distribution: Asia Russia (S Altai, Tuva), Mongolia

*Crosita pigra* J. Weise, 1894

Distribution: Asian Russia (Tuva), Mongolia

Genus *Gnathomela* Jacobson, 1895

*Gnathomela glasunovi* Bechyne, 1962

Distribution: Uzbekistan (Nuratau Mountain Range)

*Gnathomela laevigata laevigata* Lopatin, 1972

Distribution: Uzbekistan (Kuramin Mountain Range)

*Gnathomela laevigata kirghizica* Lopatin, 1990

Distribution: Kyrgyzstan, (Kyrgyz Alatau Mountain Range)

*Gnathomela meridionalis* Lopatin, 1972

Distribution: S Uzbekistan (Baisuntau Mountsin Range)

*Gnathomela mutica* Lopatin, 1972

Distribution: W Tian-Shan (Ugam, Pskem and Karzhantau Mountain Ranges)

*Gnathomela ovczinnikovi* Lopatin, 1990

Distribution: Kyrgyzstan (Fergan Mountain Range)

*Gnathomela praestans* Lopatin, 1972

Distribution: W Tian-Shan

*Gnathomela valida valida* Lopatin, 1972

Distribution: W Tian-Shan

*Gnathomela valida nuratavica* Lopatin, 1972

Distribution: Uzbekistan (Nuratau Mountain Range)

Genus *Chrysolina* Motschulsky, 1860

Subgenus *Chrysolina (Bittotaenia)* Motschulsky, 1860

*Chrysolina (Bittotaenia) grata grata* (Faldermann, 1837)

Distribution: Transcaucasia, SW Turkmenistan, N Iran

*Chrysolina (Bittotaenia) grata turanica* (Reitter, 1888)

Distribution: SW Turkmenistan, SW Tajikistan

*Chrysolina (Bittotaenia) salviae salviae* (Germar, 1824)

Distribution: Europe, Caucasus, Turkey, Syria

*Chrysolina (Bittotaenia) salviae sculptipennis* (Faldermann, 1937)

Distribution: Caucasus, Turkey

Subgenus ***Chrysolina (Pseudocrosita)*** Lopatin, 1999

***Chrysolina (Pseudocrosita) bactriana*** Lopatin, 1961

Distribution: S Tajikistan (low mountains), S Kyrgyzstan (Alai Mountain Range)

Subgenus ***Chrysolina (Lithopteroides)*** E. Strand, 1935

***Chrysolina (Lithopteroides) exanthematica exanthematica*** (Wiedemann, 1821)

Distribution: Asian Russia (Siberia, Russian Far East), China, N India, Vietnam

***Chrysolina (Lithopteroides) exanthematica gemmifera*** Motschulsky, 1860

Distribution: S Siberia, Mongolia

Subgenus ***Chrysolina (Crositops)*** Marseul, 1883

***Chrysolina (Crositops) kabaki*** Lopatin, 1988,

Distribution: E Kazakhstan (High Mountains)

***Chrysolina (Crositops) pedestris*** (Gebler, 1823)

Distribution: E Kazakhstan, Asian Russia (S Siberia, Altai)

Subgenus ***Chrysolina (Timarchoptera)*** Motschulsky, 1860

***Chrysolina (Timarchoptera) haemochlora*** (Gebler, 1823)

Distribution: W Siberia, Mongolia

Subgenus ***Chrysolina (Chrysocrosita)*** Bechyne, 1950

***Chrysolina (Chrysocrosita) jakovlevi*** (J. Weise, 1894)

Distribution: Asian Russia (Tuva, Sayan)

***Chrysolina (Chrysocrosita) spectabilis spectabilis*** Motschulsky, 1860

Distribution: NE Asian Russia (Kamchatka)

***Chrysolina (Chrysocrosita) polychroma*** L. Medvedev, 1975

Distribution: Asian Russia (Sayan), N Mongolia

Subgenus ***Chrysolina (Lithocrosita)*** L. Medvedev, 1982

***Chrysolina (Lithocrosita) rugulosa*** (Gebler, 1841)

Distribution: Asian Russia (Altai)

Subgenus *Chrysolina (Heliostola)* Motschulsky, 1860

*Chrysolina (Heliostola) carpathica* (Fuss, 1856)

Distribution: SE Europe, W Ukraine (Carpathians)

*Chrysolina (Heliostola) katonica* Lopatin, 1988

Distribution: E Kazakhstan

*Chrysolina (Heliostola) lichenis* (Richter, 1820)

Distribution: Central and SE Europe, W Ukraine

*Chrysolina (Heliostola) montana* (Gebler, 1847)

Distribution: Asian Russia (Altai)

*Chrysolina (Heliostola) schewyrevi* (Jacobson, 1895)

Distribution: Asian Russia (W Siberia, Altai, Transbaikalia)

Subgenus *Chrysolina (Paraheliostola)* L. Medvedev, 1992

*Chrysolina (Paraheliostola) lomakini* Mikailov, 2002

Distribution: Asian Russia (Khakassia)

*Chrysolina (Paraheliostola) soiota soiota* (Jacobson, 1924)

Distribution: Asian Russia (Sayan)

*Chrysolina (Paraheliostola) soiota khakassa* Mikhailov, 2002

Distribution: Asian Russia (Khakassia)

Subgenus *Chrysolina (Pleurosticha)* Motschulsky, 1860

*Chrysolina (Pleurosticha) cavigera* (J. Sahlberg, 1885)

Distribution: Arctic, N Siberia

*Chrysolina (Pleurosticha) gebleri gebleri* L. Medvedev, 1992

Distribution: Asian Russia (Altai)

*Chrysolina (Pleurosticha) gebleri sajanensis* L. Medvedev, 1979

Distribution: Asian Russia (Cisbaikalia, Transbaikalia), Mongolia

*Chrysolina (Pleurosticha) latimargo* (J. Weise, 1896)

Distribution: Asian Russia (S Siberia), Mongolia

*Chrysolina (Pleurosticha) subcostata* (Gebler, 1848)

Distribution: Asian Russia (Siberia, Russian Far East), N Japan

*Chrysolina (Pleurosticha) sylvatica* (Gebler, 1823)  
Distribution: Asian Russia (Altai)

*Chrysolina (Pleurosticha) tolli* (Jacobson, 1910)  
Distribution: Arctic Asia

*Chrysolina (Pleurosticha) uraltuvensis* Mikhailov, 2000  
Asian Russia (W Sayan, S of Krasnoyarsk Prov.)

Subgenus *Chrysolina (Arctolina)* Kontkanen, 1959

*Chrysolina (Arctolina) ballioni* (Lopatin, 1968)  
Distribution: SE Kazakhstan

*Chrysolina (Arctolina) boeberi* (Harold, 1874)  
Distribution: Asian Russia (Chukotka, Magadan Distr., Kamchatka), Alaska

*Chrysolina (Arctolina) bungei* (Jacobson, 1910)  
Distribution: NE Siberia

*Chrysolina (Arctolina) cyanella* (Gebler, 1830)  
Distribution: Asian Russia (Altai)

*Chrysolina (Arctolina) dolini* Lopatin, 1999  
Distribution: SE Kazakhstan (Dzhungar Alatau)

*Chrysolina (Arctolina) dubeshkoe* (L. Medvedev, 1974)  
Distribution: Mongolia

*Chrysolina (Arctolina) kaikana* Lopatin, 1992  
Distribution: SE Kazakhstan (Kikan Mountain Range)

*Chrysolina (Arctolina) kryzhanovskyi* (Lopatin, 1968)  
Distribution: SE Kazakhstan

*Chrysolina (Arctolina) octocosta* (Jacobson, 1924)  
Distribution: SE Kazakhstan (Dzhungar Alatau)

*Chrysolina (Arctolina) oirota* Lopatin, 1990  
Distribution: Asian Russia (Altai)

*Chrysolina (Arctolina) saurica* (Jacobson, 1924)  
Distribution: E Kazakhstan

*Chrysolina (Arctolina) septentrionalis* (Menetries, 1851)  
Distribution: N part of European Russia, Asian Russia (Krasnoyarsk Prov., Transbaikalia)

***Chrysolina (Arctolina) subsulcata*** (Mannerheim, 1853)

Distribution: Arctic Asia, Alaska

***Chrysolina (Arctolina) tastavica*** Lopatin, 1992

Distribution: SE Kazakhstan (Tastau Mountain Range)

***Chrysolina (Arctolina) teleutica*** (Jacobson, 1924)

Distribution: Asian Russia (Altai)

***Chrysolina (Arctolina) valichanovi*** Lopatin, 1990

Distribution: SE Kazakhstan (Dzhungar Alatau)

***Chrysolina (Arctolina) wolosowiczi*** (Jacobson, 1910)

Distribution: NE Asian Russia (Novosiberian Is.)

Subgenus ***Chrysolina (Sibiriella)*** L. Medvedev, 1999

***Chrysolina (Sybiriella) paradoxa*** L. Medvedev, 1999

Distribution: Asian Russia (Altai, Sayan)

Subgenus ***Chrysolina (Altailina)*** Mikhailov, 2000

***Chrysolina (Altailina) capricornis*** Mikhailov, 2000

Distribution: Asian Russia (W Sayan)

***Chrysolina (Altailina) dudkoi dudkoi*** Mikhailov, 2000

Distribution: Asian Russia (W Sayan)

***Chrysolina (Altailina) dudkoi ivanovskiana*** Mikhailov, 2000

Distribution: Asian Russia (W Sayan)

***Chrysolina (Altailina) kholsunica*** Mikhailov, 2000

Distribution: Asian Russia (W Sayan)

Subgenus ***Chrysolina (Pezocrosita)*** Jacobson, 1901

***Chrysolina (Pezocrosita) almaatica*** (Lopatin, 1962)

Distribution: S Kazakhstan

***Chrysolina (Pezocrosita) brevilata*** (Heyden, 1886)

Distribution: Mountains of Kyrgyzstan and S Kazakhstan

***Chrysolina (Pezocrosita) brunnicornis brunnicornis*** (J. Weise, 1887)

Distribution: Asian Russia (Tuva), W Mongolia



*Chrysolina (Pezocrosita) brunicornis bermani* (L. Medvedev, 1978)  
Distribution: Asian Russia (Transbaikalia, Yakutia)

*Chrysolina (Pezocrosita) brunicornis vrangeliana* Voronova, 1982  
Distribution: NE Asian Russia (Wrangel Is.)

*Chrysolina (Pezocrosita) convexicollis* (Jacobson, 1901)  
Asian Russia (Tuva), Mongolia

*Chrysolina (Pezocrosita) discriminata* (Jacobson, 1901)  
Distribution: Asian Russia (E Siberia), Mongolia

*Chrysolina (Pezocrosita) erzinica* Mikhailov, 2002  
Distribution: Asian Russia (Tuva)

*Chrysolina (Pezocrosita) glebi* Lopatin, 1988  
Distribution: Kyrgyzstan

*Chrysolina (Pezocrosita) helenae* (Lopatin, 1968)  
Distribution: Kyrgyzstan

*Chrysolina (Pezocrosita) hyperboreica* Mikhailov, 2002  
Distribution: Arctic Asia (Polar Urals)

*Chrysolina (Pezocrosita) juldusana* (Lopatin, 1962)  
Distribution: SE Kazakhstan, Kyrgyzstan, NW China

*Chrysolina (Pezocrosita) ketmenica* (Lopatin, 1970)  
Distribution: E Kazakhstan (Ketmen Mountain Range)

*Chrysolina (Pezocrosita) kiritschenkoi* (Lopatin, 1970)  
Distribution: Kyrgyzstan

*Chrysolina (Pezocrosita) koenigi* (Jacobson, 1895)  
Distribution: Mountains of Tajikistan and Kyrgyzstan

*Chrysolina (Pezocrosita) lehri* (Lopatin, 1970)  
Distribution: SE Kazakhstan

*Chrysolina (Pezocrosita) lopatini* (Mohr, 1966)  
Distribution: Asian Russia (Cisbaikalia, Transbaikalia), N Mongolia

*Chrysolina (Pezocrosita) medvedevi* (Lopatin, 1970)  
Distribution: E Kazakhstan

*Chrysolina (Pezocrosita) mohri* (Lopatin, 1970)  
Distribution: SE Kazakhstan

- Chrysolina (Pezocrosita) mongolensis* (Lopatin, 1966)  
Distribution: Mongolia
- Chrysolina (Pezocrosita) obovata* (Jacobson, 1895)  
Distribution: Kyrgyzstan (Central Tian-Shan)
- Chrysolina (Pezocrosita) ordinata* (Gebler, 1823)  
Distribution: E Kazakhstan, Asian Russia (SW Siberia, Altais)
- Chrysolina (Pezocrosita) oshanini* (Lopatin, 1965)  
Distribution: Kyrgyzstan and Kazakhstan
- Chrysolina (Pezocrosita) petrenkoi* Lopatin, 1992  
Distribution: SE Kazakhstan (Dzhungar Alatau)
- Chrysolina (Pezocrosita) pusa* (Lopatin, 1962)  
Distribution: Asian Russia (Buryatia), Mongolia
- Chrysolina (Pezocrosita) rufilabris* (Faldermann, 1835)  
Distribution: Asian Russia (E Siberia), Mongolia
- Chrysolina (Pezocrosita) sahlbergiana* (Jacobson, 1901)  
Distribution: Asian Russia (Sayan), N Mongolia
- Chrysolina (Pezocrosita) sajanica* (Jacobson, 1925)  
Distribution: Asian Russia (Tuva)
- Chrysolina (Pezocrosita) sarcandica* Lopatin, 1990  
Distribution: SE Kazakhstan
- Chrysolina (Pezocrosita) sogdiorum* (J. Weise, 1892)  
Distribution: Kyrgyzstan
- Chrysolina (Pezocrosita) tibialis* (Jacobson, 1895)  
Distribution: Asian Russia (Sayan, Tuva)
- Chrysolina (Pezocrosita) tschatkalica* (Lopatin, 1970)  
Distribution: Kyrgyzstan
- Chrysolina (Pezocrosita) tuvensis* L. Medvedev, 1976  
Distribution: Asian Russia (Tuva)
- Chrysolina (Pezocrosita) ulughchemica* Mikhailov, 2002  
Distribution: Asian Russia (Tuva)
- Chrysolina (Pezocrosita) undulata undulata* (Gebler, 1834)  
Distribution: S Siberia

***Chrysolina (Pezocrosita) undulata asperata*** Lopatin, 1990

Distribution: E Kazakhstan

***Chrysolina (Pezocrosita) urjanchaica*** (Jacobson, 1925)

Distribution: Asian Russia (Tuva)

Subgenus ***Chrysolina (Stichoptera)*** Motschulsky, 1860

***Chrysolina (Stichoptera) gypsophilae*** (Kuster, 1845)

Distribution: Europe except for the extreme North, Caucasus, Turkey, NW and Central Kazakhstan

***Chrysolina (Stichoptera) kuesteri*** (Helliesen, 1912)

Distribution: S and Central Europe

***Chrysolina (Stichoptera) pavlenkoi*** (Jacobson, 1924)

Distribution: Asian Russia (Maritime Prov.)

***Chrysolina (Stichoptera) sanguinolenta*** (Linnaeus, 1758)

Distribution: S, Central, and E Europe, Kazakhstan (Steppe zone), Asian Russia (S Siberia, Russian Far East), Mongolia

Subgenus ***Chrysolina (Craspeda)*** Motschulsky, 1860

***Chrysolina (Craspeda) jennisjeensis*** (Breit, 1920)

Distribution: European Russia (Tambov Distr.). Caucasus, Kazakhstan, Asian Russia (Siberia, Russian Far East), Mongolia

***Chrysolina (Craspeda) limbata limbata*** (Fabricius, 1775)

Distribution: Europe except for the North, Caucasus, Kazakhstan, Asian Russia (S Siberia east to Baikal)

***Chrysolina (Craspeda) limbata discipennis*** (Faldermann, 1835)

Distribution: SE Europe, Kazakhstan, Asian Russia (S Siberia, Yakutia), Mongolia

Subgenus ***Chrysolina (Taeniosticha)*** Motschulsky, 1860

***Chrysolina (Taeniosticha) alatafica*** (Jacobson, 1910)

Distribution: SE Kazakhstan, NW China

***Chrysolina (Taeniosticha) changaica*** (Lopatin, 1968)

Distribution: Mongolia

***Chrysolina (Taeniosticha) imperfecta imperfecta*** Breit, 1920

Distribution: S Turkmenistan, Iran, N Afghanistan

***Chrysolina (Taeniosticha) koktumensis*** Lopatin et Kulenova, 1987

Distribution: SE Kazakhstan (Dzhungar Alatau)

***Chrysolina (Taeniosticha) kuldzhensis*** Lopatin, 1976

Distribution: E Tian-Shan

***Chrysolina (Taeniosticha) reitteri reitteri*** (J. Weise, 1884)

Distribution: Steppe of European Russia and Ukraine, Caucasus, Kazakhstan, Asian Russia (Sayan)

***Chrysolina (Taeniosticha) reitteri bakuensis*** Bechyne, 1952

Distribution: Azerbaijan

***Chrysolina (Taeniosticha) reitteri pseudolurida*** (Roubal, 1936)

Distribution: W Caucasus, Turkey

***Chrysolina (Taeniosticha) reitteri jailensis*** Bechyne, 1952

Distribution: S Crimea

***Chrysolina (Taeniosticha) reitteri saxonica*** Silfverberg, 1977

Distribution: Central and western parts of E Europe

***Chrysolina (Taeniosticha) tianshanica*** (Jacobson, 1910)

Distribution: SE Kazakhstan, Kyrgyzstan (Tian-Shan)

Subgenus ***Chrysolina (Ovosoma)*** Motschulsky, 1860

***Chrysolina (Ovosoma) susterai*** Bechyne, 1950

Distribution: SE and southern part of Europe, Kazakhstan, Asian Russia (Altai)

***Chrysolina (Ovosoma) sahlbergi*** (Menetries, 1832)

Distribution: Caucasus, Turkey, Syria, Israel

Subgenus ***Chrysolina (Chrysomorpha)*** Motschulsky, 1860

***Chrysolina (Chrysomorpha) cerealis cerealis*** (Linnaeus, 1767)

Distribution: Europe, Kazakhstan

***Chrysolina (Chrysomorpha) cerealis cyaneoaurata*** (Motschulsky, 1860)

Distribution: Siberia, Mongolia

***Chrysolina (Chrysomorpha) cerealis rufolineata*** (Motschulsky, 1860)

Distribution: N Caucasus, Kazakhstan

Subgenus ***Chrysolina (Colaphosoma)*** Motschulsky, 1860

***Chrysolina (Colaphosoma) sturmi*** (Westhoff, 1882)

Distribution: Europe, Caucasus, Kazakhstan, Siberia

Subgenus ***Chrysolina (Colaphoptera)*** Motschulsky, 1860

***Chrysolina (Colaphoptera) abchasica*** (J. Weise, 1892)

Distribution: W Caucasus

***Chrysolina (Colaphoptera) adzharica*** Lopatin, 1988

Distribution: SW Georgia, N Turkey

***Chrysolina (Colaphoptera) apsilaena*** Silfverberg, 1977

Distribution: Caucasus

***Chrysolina (Colaphoptera) caspica*** (J. Weise, 1892)

Distribution: Caucasus

***Chrysolina (Colaphoptera) marcasitica marcasitica*** (Germar, 1824)

Distribution: Mountains of Central Europe, W Ukraine (Carpathians)

***Chrysolina (Colaphoptera) marcasitica turgida*** (J. Weise, 1882)

Distribution: Sudeten and Carpathians

***Chrysolina (Colaphoptera) pliginskii*** (Reitter, 1913)

Distribution: Crimea

***Chrysolina (Colaphoptera) porphyrea*** (Faldermann, 1837)

Distribution: Caucasus

***Chrysolina (Colaphoptera) purpurascens*** (Germar, 1822)

Distribution: Central Europe, W Ukraine (Carpathians)

***Chrysolina (Colaphoptera) rosti*** (J. Weise, 1892)

Distribution: W Caucasus

***Chrysolina (Colaphoptera) rufa rufa*** (Duftschmidt, 1825)

Distribution: Mountains of Central Europe, Carpathians

***Chrysolina (Colaphoptera) rufa lapidaria*** Bechyne, 1950

Distribution: Central Europe, W Moldavia

*Chrysolina (Colaphoptera) trapezicollis* Bechyne, 1952

Distribution: Caucasus

*Chrysolina (Colaphoptera) umbratilis* (J. Weise, 1887)

Distribution: Mountains of Central Europe, Carpathians

Subgenus *Chrysolina (Ovostoma)* Motschulsky, 1860

*Chrysolina (Ovostoma) globipennis* (Suffrian, 1851)

Distribution: Central and S Europe, Moldavia, Ukraine

*Chrysolina (Ovostoma) olivieri* (Bedel, 1892)

Distribution: Mountains of Central and S Europe, Ukraine

Subgenus *Chrysolina (Euchrysolina)* Bechyne, 1950

*Chrysolina (Euchrysolina) graminis graminis* (Linnaeus, 1758)

Distribution: Europe except for the extreme North, Kazakhstan, Uzbekistan, Asian Russia (S Siberia, Tuva, Altai), Mongolia

*Chrysolina (Euchrysolina) graminis artemisiae* Motschulsky, 1860

Distribution: SE Europe, Kazakhstan, Central Asia, S Siberia

*Chrysolina (Euchrysolina) graminis auraria* Motschulsky, 1860

Distribution: Russian Far East, Japan

*Chrysolina (Euchrysolina) virgata* Motschulsky, 1860

Distribution: Russian Far East, Japan

Subgenus *Chrysolina (Erythrochysa)* Bechyne, 1950

*Chrysolina (Erythrochysa) polita* (Linnaeus, 1758)

Distribution: All over Palaearctic

Subgenus *Chrysolina (Menthastriella)* Bechyne, 1950

*Chrysolina (Menthastriella) herbacea herbacea* (Duftschmidt, 1825)

Distribution: Europe except for the extreme North, Caucasus, Turkey, Transcaucasia, Middle East, W Kazakhstan, W Turkmenistan

*Chrysolina (Menthastriella) coeruleans coeruleans* (L. G. Scriba, 1791)

Distribution: Mountains of Central Europe, Karelia, Belarus

*Chrysolina (Menthastrabella) coerulans relicta* L. Medvedev, 1977

Distribution: Urals

*Chrysolina (Menthastrabella) coerulans splendorifera* Motschulsky, 1860

Distribution: Caucasus, Iran, Iraq

*Chrysolina (Menthastrabella) coerulans uzbekorum* Berchyne, 1950

Distribution: Uzbekistan, Tajikistan

Subgenus *Chrysolina (Colaphodes)* Motschulsky, 1860

*Chrysolina (Colaphodes) haemoptera haemoptera* (Linnaeus, 1758)

Distribution: Europe except for the extreme North, Turkey

Subgenus *Chrysolina (Hypericia)* Bedel, 1892

*Chrysolina (Hypericia) cuprina cuprina* (Duftschmidt, 1825)

Distribution: Europe except for the extreme North, Introduced to USA and Australia

*Chrysolina (Hypericia) cuprina dilecta* Bechyne, 1952

Distribution: Asian Russia (Altai, Sayan)

*Chrysolina (Hypericia) didymata* (L. G. Scriba, 1791)

Distribution: Europe, Turkey

*Chrysolina (Hypericia) difficilis difficilis* (Motschulsky, 1869)

Distribution: Asian Russia (Altai, Sayan)

*Chrysolina (Hypericia) difficilis ussuriensis* (Jacobson, 1901)

Distribution: Asian Russia (Amurland, Maritime Prov.), NE China

*Chrysolina (Hypericia) difficilis yezoensis* (Matsumura, 1911)

Distribution: Asian Russia (Sakhalin), Korea, Japan

*Chrysolina (Hypericia) geminata* (Paykull, 1799)

Distribution: S, Central and E Europe

*Chrysolina (Hypericia) hyperici hyperici* (Forster, 1771)

Distribution: Europe except for the extreme North, Kazakhstan, Uzbekistan

*Chrysolina (Hypericia) hyperici daghestanica* (Reitter, 1912)

Distribution: E Caucasus (Daghestan)

*Chrysolina (Hypericia) seriepunctata* (J. Weise, 1887)

Distribution: Asian Russia (Amurland, Maritime Prov.)

Subgenus *Chrysolina* (*Allohypericia*) Bechyne, 1950

*Chrysolina* (*Allohypericia*) *aeruginosa aeruginosa* (Faldermann, 1835)

Distribution: Kazakhstan, Siberia, Mongolia

*Chrysolina* (*Allohypericia*) *aeruginosa sibirica* (J. Weise, 1887)

Distribution: Russian Far East

*Chrysolina* (*Allohypericia*) *arctica* L. Medvedev, 1980

Distribution: Asian Russia (Wrangel Is.)

*Chrysolina* (*Allohypericia*) *koltzei koltzei* (J. Weise, 1887)

Distribution: Asian Russia (S Siberia, Amurland)

*Chrysolina* (*Allohypericia*) *kotzei brunneipennis* (Matsumura, 1911)

Distribution: Asian Russia (Sakhalin), Japan

*Chrysolina* (*Allohypericia*) *perforata perforata* (Gebler, 1830)

Distribution: Asian Russia (S Siberia, Altai, Sayan), N and NW Mongolia

*Chrysolina* (*Allohypericia*) *perforata pallidipes* L. Medvedev, 1980

Distribution: Asian Russia (S Tuva), Mongolia

*Chrysolina* (*Allohypericia*) *perforata simillima* Mohr, 1966

Distribution: Asian Russia (Transbaikalia), N Mongolia

*Chrysolina* (*Allohypericia*) *purpurata* Faldermann, 1833

Distribution: E Kazakhstan, S Siberia

Subgenus *Chrysolina* (*Anopachys*) Motschulsky, 1860

*Chrysolina* (*Anopachys*) *aurichalcea aurichalcea* (Mannerheim, 1825)

Distribution: Forest and Steppe zone of European Russia, Crimea, Azerbaijan, Kazakhstan, Kyrgyzstan, Asian Russia (S Siberia, Russian Far East), Mongolia, China, Korea, Japan

*Chrysolina* (*Anopachys*) *aurichalcea bohémica* G. Muller, 1949

Distribution: Central Europe, Ukraine

*Chrysolina* (*Anopachys*) *lineella* (J. Weise, 1887)

Distribution: Russian Far East

*Chrysolina* (*Anopachys*) *lineigera* (Jacobson, 1901)

Distribution: Asian Russia (Far East, Sakhalin), NE China, N Japan

*Chrysolina* (*Anopachys*) *neglecta* Bienkovsky, 1998

Distribution: Asian Russia (Khabarovsk Prov, Maritime Prov.)



***Chrysolina (Anopachys) pala*** Bienkovsky, 1998

Distribution: Asian Russia (Maritime Prov.)

***Chrysolina (Anopachys) quadrangulata*** (Motschulsky, 1860)

Distribution: Asian Russia (E Siberia, Russia Far East), N and Central Mongolia

***Chrysolina (Anopachys) relucens*** (Rosenhauer, 1847)

Distribution: Central Europe (Alps), Coasts of White Sea, Asian Russia (Siberia, Russian Far East)

Subgenus ***Chrysolina (Caudatochrysa)*** Bechyne, 1950

***Chrysolina (Caudatochrysa) aino*** Takizawa, 1970

Distribution: Asian Russia (S Kurile Is., Kunashir)

***Chrysolina (Caudatochrysa) angusticollis*** Motschulsky, 1860

Distribution: Asian Russia (Amurland, S Kurile Is.), N China, Japan

***Chrysolina (Caudatochrysa) cyanopurpurea*** (Ballion, 1878)

Distribution: NW China, possible for SE Kazakhstan

Subgenus ***Chrysolina (Chrysolina)*** Motschulsky, 1860

***Chrysolina (Chrysolina) staphylaea staphylaea*** (Linnaeus, 1758)

Distribution: All over the Holarctic

***Chrysolina (Chrysolina) staphylaea daurica*** (Gebler, 1832)

Distribution: Asian Russia (S Siberia, Maritime Prov.), Kazakhstan, Kyrgyzstan, N China

Subgenus ***Chrysolina (Minckia)*** E. Strand, 1935

***Chrysolina (Minckia) chalcites*** (Germar, 1824)

Distribution: Europe, Central and S European Russia, S Ukraine, Transcaucasia, Turkey, Near East, Turkmenistan, Tajikistan

***Chrysolina (Minckia) oricalcia*** (O. F. Muller, 1776)

Distribution: Europe

Subgenus ***Chrysolina (Vittatochrysa)*** Lopatin, 1977

***Chrysolina (Vittatochrysa) nigrovittata*** (Ballion, 1878)

Distribution: SE Kazakhstan, Kyrgyzstan, NW China

Subgenus *Chrysolina (Sphaeromela)* Bedel, 1892

*Chrysolina (Sphaeromela) varians* (Schaller, 1783)

Distribution: Europe, Caucasus, Asian Russia (W Siberia, Altais)

Subgenus *Chrysolina (Bechynea)* L. Medvedev, 1970

*Chrysolina (Bechynea) nikolskii* (Jacobson, 1899)

Distribution: Asian Russia (Amurland, Sakhalin, Kurile Is.), Japan

*Chrysolina (Bechynea) sulcicollis adzhalamica* L. Medvedev, 1970

Distribution: Asian Russia (S Khabarovsk Prov.)

*Chrysolina (Bechynea) sulcicollis sutschanica* L. Medvedev, 1970

Distribution: Asian Russia (Maritime Prov.)

Subgenus *Chrysolina (Paracrosita)* Daccordi, 1982

*Chrysolina (Paracrosita) armeniaca* (Feldermann, 1837)

Distribution: Caucasus, S Turkmenistan

Subgenus *Chrysolina (Chalcoidea)* Motschulsky, 1860

*Chrysolina (Chalcoidea) analis* (Linnaeus, 1767)

Distribution: Europe except for the extreme North and South

*Chrysolina (Chalcoidea) bodemeyeri* (J. Weise, 1910)

Distribution: Turkmenistan (Kopetdagh Mountain Range), Iran

*Chrysolina (Chalcoidea) carnifex* (Fabricius, 1792)

Distribution: Europe, Ukraine, S European Russia, N and E Kazakhstan

*Chrysolina (Chalcoidea) cinctipennis* (Harold, 1874)

Distribution: Hungary, Ukraine, European Russia (Steppe and semi-desert zone), Kazakhstan (except for S and E)

*Chrysolina (Chalcoidea) circumducta* (Menetries, 1835)

Distribution: Kyrgyzstan, Uzbekistan, Tajikistan, NW China

*Chrysolina (Chalcoidea) elbursica* Lopatin, 1981

Distribution: S Turkmenistan, N Iran

*Chrysolina (Chalcoidea) hyrcana* (J. Weise, 1884)

Distribution: Daghestan, Armenia, Azerbaijan, Kazakhstan (except for the South)

***Chrysolina (Chalcoidea) instabilis* Maklin, 1877**

Distribution: Asian Russia (N of Middle and Northeastern Siberia, from Yenisei River in the west, up to Kolyma River in the east, Yakutia, Irkutsk Distr.)

***Chrysolina (Chalcoidea) levi* Ochrimenko, 1990**

Distribution: N Caucasus

***Chrysolina (Chalcoidea) lia* (Jacobson, 1895)**

Distribution: Turkmenistan, Uzbekistan, Tajikistan, S Kyrgyzstan, Iran, Afghanistan

***Chrysolina (Chalcoidea) marginata marginata* (Linnaeus, 1758)**

Distribution: All over the Holarctic

***Chrysolina (Chalcoidea) marginata roubali* Bechyne, 1950**

Distribution: N Caucasus

***Chrysolina (Chalcoidea) marginata songorica* (Gebler, 1843)**

Distribution: SE and E Kazakhstan

***Chrysolina (Chalcoidea) marginata unificans* Bechyne, 1950**

Distribution: Transcaucasia, E Turkey

***Chrysolina (Chalcoidea) tesari* (Roubal, 1936)**

Distribution: Caucasus

***Chrysolina (Chalcoidea) turgaica* (Jacobson, 1910)**

Distribution: W Kazakhstan

***Chrysolina (Chalcoidea) unicolor unicolor* (Gebler, 1845)**

Distribution: Kazakhstan, Kyrgyzstan (N and Central Tian-Shan)

***Chrysolina (Chalcoidea) unicolor alaiensis* Lopatin, 1998**

Distribution: Kyrgyzstan (Alai Mountain Range)

***Chrysolina (Chalcoidea) zamotajlovi* L. Medvedev et Ochrimenko, 1991**

Distribution: Caucasus

Subgenus ***Chrysolina (Diachalcoidea)*** Bechyne, 1955

***Chrysolina (Diachalcoidea) sacarum sacarum* (J. Weise, 1890)**

Distribution: S and SE Kazakhstan, Central Asia (except for the Turkmenistan Deserts and Pamirs), Afghanistan

***Chrysolina (Diachalcoidea) sacarum embiense* Lopatin, 1996**

Distribution: W Kazakhstan

Subgenus *Chrysolina (Fastuolina)* Warchałowski, 1991

*Chrysolina (Fastuolina) fastuosa* (Scopoli, 1763)

Distribution: Europe, Asian Russia (W Siberia, Altai)

Genus *Oreina* Chevrolat in Dejean, 1837

Subgenus *Oreina* (Allorina) J. Weise, 1902

*Oreina (Allorina) bidentata* Bontems, 1981

Distribution: Mountains of S Europe, Carpathians

*Oreina (Allorina) coerulea coerulea* (Olivier, 1790)

Distribution: Mountains of Central and SE Europe, Carpathians, W Belarus, S Ukraine from Carpathians in the west up to Dnepr River in the east, European Russia (except from N)

*Oreina (Allorina) coerulea onega* Bechyne, 1958

Distribution: Karelia

*Oreina (Allorina) coerulea rareua* Bechyne, 1958

Distribution: Bukowina

Subgenus *Oreina (Romalorina)* J. Weise, 1906

*Oreina (Romalorina) alpestris* (Schummel, 1843)

Distribution: Mountains of S, Central and E Europe, from Pyrenees to Carpathians

*Oreina (Romalorina) basilea* (Gebler, 1823)

Distribution: Asian Russia (Altai, Tuva, Sayan, Transbaikalia), Mongolia

*Oreina (Romalorina) bifrons* (Fabricius, 1792)

Distribution: Mountains of Central and S Europe, Ukrainian Carpathians

*Oreina (Romalorina) redikortzevi* (Jacobson, 1925)

Distribution: Asian Russia (Sayan)

*Oreina (Romalorina) viridis* (Duftschmidt, 1825)

Distribution: Mountains of Central and S Europe, Ukrainian Carpathians

Subgenus *Oreina (Intricatorina)* Kuhnelt, 1984

*Oreina (Intricatorina) intricata* (Germar, 1824)

Distribution: Mountains of Central and S Europe, Ukrainian Carpathians

***Oreina (Intricatorina) virgulata*** (Germar, 1824)

Distributions: Mountains of Central, S and SE Europe, Ukrainian Carpathians and Ciscarpathia

Subgenus ***Oreina (Oreina)*** Chevrolat in Dejean, 1837

***Oreina (Oreina) cacaliae*** (Schrank, 1785)

Distribution: Mountains of Central and S Europe, Ukrainian Carpathians

***Oreina (Oreina) speciosissima*** (Scopoli, 1763)

Distribution: Mountains of Central and S Europe, Ukrainian Carpathians

Genus ***Cecchiniola*** Jacobson, 1908

***Cecchiniola platyscelidina*** Jacobson, 1898)

Distribution: Crimea

Genus ***Colaphellus*** J. Weise, 1916

***Colaphellus alpinus alpinus*** (Gebler, 1834)

Distribution: Asian Russia (S and Middle Siberia), Mongolia

***Colaphellus alpinus bowringii*** (Baly, 1865)

Distribution: Asian Russia (Far East), E Asia

***Colaphellus apicalis*** (Menetries, 1849)

Distribution: Middle East, Central Asia (Turkmenistan, Uzbekistan, Tajikistan, Kazakhstan)

***Colaphellus sophiae sophiae*** (Schaller, 1783)

Distribution: Central Europe, W and S Ukraine, Central part of Russian Plain, Armenia

***Colaphellus sophiae hoefti*** (Menetries, 1832)

Distribution: S and E Ukraine, Crimea, southern parts of European Russia, Caucasus, Kazakhstan, Central Asia, W Siberia

Genus ***Gastrophysa*** Chevrolat in Dejean, 1837

Subgenus ***Gastrophysa (Gastrophysa)*** Chevrolat in Dejean, 1837

***Gastrophysa (Gastrophysa) atrocyanea*** Motschulsky, 1860

Distribution: Asian Russia (Amurland, Maritime Prov., Sakhalin), Korea, China, Japan, Vietnam

***Gastrophysa (Gastrophysa) mannerheimi*** (Stal, 1858)

Distribution: Asian Russia (S Siberia, Amurland), Mongolia, N China

***Gastrophysa (Gastrophysa) polygona*** (Linnaeus, 1758)

Distribution: Europe, Turkey, Central Asia, Asian Russia (S Siberia, Amurland), N China, Korea, N America

***Gastrophysa (Gastrophysa) viridula viridula*** (DeGeer, 1775)

Distribution: Europe, SE Kazakhstan, Asian Russia (W and Middle Siberia), N America

***Gastrophysa (Gastrophysa) viridula caucasica*** Jolivet, 1951

Distribution: Caucasus

***Gastrophysa (Gastrophysa) viridula lenta*** (J. Weise, 1887)

Distribution: Asian Russia (E Siberia, Russian Far East), Mongolia

Genus ***Phaedon*** Dahl, 1823

Subgenus ***Phaedon (Phaedon)*** Dahl, 1823

***Phaedon (Phaedon) armoraciae*** (Linnaeus, 1758)

Distribution: N, Central and E Europe, Mountains of S Kazakhstan and Central Asia (except for the Turkmenistan), Asian Russia (Siberia east to Yakutia)

***Phaedon (Phaedon) bogdanovikatjkovi*** Jacobson, 1921

Distribution: W Kazakhstan (River Emba)

***Phaedon (Phaedon) cochleariae cochleariae*** (Fabricius, 1702)

Distribution: Europe, Caucasus, Kazakhstan, Central Asia, Asian Russia (S Siberia, Altai, Sayan)

***Phaedon (Phaedon) cochleariae brassicae*** (Baly, 1874)

Distribution: Russian Far East, Korea, China, Japan

***Phaedon (Phaedon) concinnus*** Stephens, 1834

Distribution: N, NW and E Europe (Baltic States, N European Russia), Asian Russia (N Siberia and Russian Far East), Mongolia

***Phaedon (Phaedon) laevigatus*** (Duftschmidt, 1825)

Distribution: S and Central Europe, Ukraine, S European Russia, Caucasus

Subgenus ***Phaedon (Hemiphaedon)*** Jacobson, 1901

***Phaedon (Hemiphaedon) magnificus*** Lopatin, 1985

Distribution: Kazakhstan (Barsakeljmes Isle in Aral Sea)

*Phaedon (Hemiphaedon) subtilis subtilis* J. Weise, 1900  
Distribution: Plains of Uzbekistan, Kyrgyzstan, Tajikistan

*Phaedon (Hemiphaedon) subtilis opacus* Lopatin, 1976  
Distribution: SE Kazakhstan

Genus *Neophaedon* Jacobson, 1901

*Neophaedon pyritosus alutaceus* Fleischer, 1909  
Distribution: W Kazakhstan, W Central Asia, E Iran, Afghanistan

*Neophaedon pyritosus pyritosus* (Rossi, 1792)  
Distribution: S and E Europe, Caucasus, N Kazakhstan, N Africa

Genus *Sternoplatys* Motschulsky, 1860

Subgenus *Sternoplatys (Sternoplatys)* Motschulsky, 1860

*Sternoplatys (Sternoplatys) clementzi* Jacobson, 1901  
Distribution: S Asian Russia (S Siberia, Altais, Tuva, Yakutia)

*Sternoplatys (Sternoplatys) fausti* J. Weise, 1884  
Distribution: SE and E Asian Russia (Magadan Distr. Ussuri Area)

*Sternoplatys (Sternoplatys) fulvipes fulvipes* Motschulsky, 1860  
Distribution: Asian Russia (E Amurland, Maritime Prov.), NE China

*Sternoplatys (Sternoplatys) fulvipes baicalicus* (J. Weise, 1900)  
Distribution: S Asian Russia (Transbaikalia, W Amurland)

*Sternoplatys (Sternoplatys) segnis* J. Weise, 1884  
Distribution: Mountains of Central and SE Europe, Ukrainian Carpathians

Subgenus *Sternoplatys (Austrosteronoplatys)* Jacobson, 1921

*Sternoplatys (Austrosteronoplatys) longulus* J. Weise, 1890  
Distribution: High Mountains Ranges of S Kazakhstan, Kyrgyzstan, Tajikistan

Genus *Sclerophaedon* J. Weise, 1882

*Sclerophaedon carniolicus* (Germar, 1824)  
Distribution: Mountains of Central and SE Europe, Ukrainian Carpathians

***Sclerophaedon carpathicus*** (J. Weise, 1875)

Distribution: Mountains of Central Europe, Ukrainian Carpathians

***Sclerophaedon orbicularis*** (Suffrian, 1851)

Distribution: Mountains of Central Europe, Ukrainian Carpathians

Genus ***Oreothassa*** Jacobson, 1900

***Oreothassa matjanovi*** Jacobson, 1900

Distribution: E Kazakhstan, S Asian Russia (Altai)

Genus ***Hydrothassa*** J. Thomson, 1866

Subgenus ***Hydrothassa (Agrostithassa)*** Jacobson, 1921

***Hydrothassa (Agrostithassa) glabra*** (Herbst, 1783)

Distribution: Europe except for the extreme North, W Siberia, NW Africa

Subgenus ***Hydrothassa (Hydrothassa)*** J. Thomson, 1886

***Hydrothassa (Hydrothassa) hannoveriana*** (Fabricius, 1775)

Distribution: Central Europe, Ukraine and European Russia except for Steppe zone, Siberia

***Hydrothassa (Hydrothassa) marginella marginella*** (Linnaeus, 1758)

Distribution: Europe except for S, Kazakhstan, S Asian Russia (S Siberia east to Yakutia)

***Hydrothassa (Hydrothassa) marginella eoa*** Lopatin, 1962

Distribution: Asian Russia (Maritime Prov.)

Genus ***Apterocuris*** Jacobson, 1900

***Apterocuris sibirica*** (Gebler, 1830)

Distribution: S Asian Russia (Altai)

Genus ***Prasocuris*** Latreille, 1802

***Prasocuris junci*** (Brahm, 1790)

Distribution: S, Central and E Europe, Caucasus, S Kazakhstan

***Prasocuris phellandrii*** (Linnaeus, 1758)

Distribution: Europe except for N, Asian Russia (S Siberia, Maritime Prov.), Mongolia, N China



Genus *Plagioder*a Chevrolat in Dejean, 1837

*Plagioder*a *versicolor*a (Laicharting, 1781)

Distribution: All over Holarctic, India, Taiwan

Genus *Chrysomela* Linnaeus, 1758

Subgenus *Chrysomela (Pachylina)* L. Medvedev in Medvedev et Chernov, 1969

*Chrysomela (Pachylina) blaisdelli blaisdelli* Van Dyke, 1938

Distribution: NE Asian Russia (Chukotka), Alaska, N Canada

*Chrysomela (Pachylina) blaisdelli taimyrensis* L. Medvedev, 1969

Distribution: N Asian Russia (Taimyr Peninsula)

*Chrysomela (Pachylina) blaisdelli vrangeliana* L. Medvedev, 1973

Distribution: NE Asian Russia (Wrangel Is.)

*Chrysomela (Pachylina) collaris* Linnaeus, 1758

Distribution: All over Palaearctic except for Central Asia

Subgenus *Chrysomela (Macrolina)* Motschulsky, 1860

*Chrysomela (Macrolina) cuprea* Fabricius, 1775

Distribution: All over the Palaearctic except for Central Asia

*Chrysomela (Macrolina) lapponica* Linnaeus, 1758

Distribution: N, Central and E Europe, Kyrgyzstan, Asian Russia (S Siberia, Tuva, Yakutia, Russian Far East, Sakhalin)

*Chrysomela (Macrolina) vigintipunctata* (Scopoli, 1763)

Distribution: All over Palaearctic except for Middle Asia

Subgenus *Chrysomela (Chrysomela)* Linnaeus, 1758

*Chrysomela (chrysomela) populi* Linnaeus, 1758

Distribution: All over Palaearctic, Mountains of S Kazakhstan and Middle Asia

*Chrysomela (chrysomela) saliceti* (J. Weise, 1884)

Distribution: All over the Palaearctic except for Middle Asia

*Chrysomela (chrysomela) tremula* Fabricius, 1787

Distribution: All over the Palaearctic except for Middle Asia

***Chrysomela (chrysomela) turkestanica*** G. Reineck, 1937

Distribution: Mountains of Middle Asia, Afghanistan

Genus ***Linaeidea*** Motschulsky, 1860

***Linaeidea aenea*** (Linnaeus, 1758)

Distribution: Europe except for extreme North, E Kazakhstan, Siberia, N China, Japan

Genus ***Gastrolina*** Baly, 1859

***Gastrolina depressa*** Baly, 1859

Distribution: Asian Russia (Amurland, Maritime Prov.), China, Korea, Japan

***Gastrolina peltoidea*** (Gebler, 1832)

Distribution: Asian Russia (Central Siberia, Yakutia, Transbaikalia, Russian Far East, Sakhalin, Kurile Is.), NE China, Japan

Genus ***Gastrolinoides*** Chujo et Kimoto, 1960

***Gastrolinoides japonica*** (Harold, 1877)

Distribution: Asian Russia (Amurland, Maritime Prov.), Japan

Subtribus ***Doryphorina*** Yuasa, 1936

Genus ***Leptinotarsa*** Chevrolat in Dejean, 1837

***Leptinotarsa decemlineata*** (Say, 1824)

Distribution: Introduced from N America. Europe, Caucasus, European Russia east to Astrakhan Distr. and Kalmykia

Genus ***Zygogramma*** Chevrolat in Dejean, 1837

***Zygogramma suturalis*** (Fabricius, 1775)

Distribution: Introduced from N America. Ciscaucasia, W Caucasus

Subtribus ***Entomoscelina*** Reitter, 1912

Genus ***Cystocnemis*** Motschulsky, 1860

***Cystocnemis concolor*** (Kraatz, 1879)

Distribution: SE Kazakhstan (Saur and Tarbagatay Mountain Ranges)

*Cystocnemis discoidea* (Gebler, 1830)

Distribution: E Kazakhstan, S Asian Russia (S Altais)

Genus *Xenomela* J. Weise, 1884

*Xenomela ballioni* Lopatin, 1989

Distribution: Kyrgyzstan

*Xenomela belousovi* Lopatin, 1989

Distribution: SW Kyrgyzstan and Uzbekistan

*Xenomela dohrni* (Solsky, 1881)

Distribution: Plains of Uzbekistan and N Tajikistan

*Xenomela karatavica* Lopatin, 1989

Distribution: Kazakhstan (Karatau Mountain Range)

*Xenomela konstantinovi* Lopatin, 1995

Distribution: Uzbekistan (Chimghan Mountain Range)

*Xenomela kraatzi* J. Weise, 1884

Distribution: Uzbekistan and Kyrgyzstan (Fergan Mountain Range)

*Xenomela laevigata* Lopatin, 1989

Distribution: S Kyrgyzstan

*Xenomela marginicollis* (Ballion, 1878)

Distribution: Central and E Tian-Shan in the borders of Kyrgyzstan and Kazakhstan, China

*Xenomela minckwitzae minckwitzae* (Jacobson, 1925)

Distribution: Kyrgyzstan (Talas and Ugam Mountain Ranges)

*Xenomela minckwitzae kreutzbergi* Lopatin, 1989

Distribution: Uzbekistan (Karzantau Mountain Range)

*Xenomela minckwitzae pskemica* Lopatin, 1989

Distribution: Kyrgyzstan (Pskem Mountain Range)

*Xenomela ovczinnikovi* Lopatin, 1995

Distribution: Uzbekistan (Kuramin Mountain Range)

*Xenomela regeli* Jacobson, 1897

Distribution: Uzbekistan (Sailyk Mountain, Karzantau Mountain Range)

Subgenus *Oreomela (Olcomela)* Jacobson, 1895

*Oreomela (Olcomela) korolkovi* Jacobson, 1925

Distribution: E Kazakhstan (Dzhungar Alatau Mountain Range)

*Oreomela (Olcomela) suvorovi* Jacobson, 1910

Distribution: E. Kazakhstan (Dzhungar Alatau Mountain Range), NW China

Subgenus *Oreomela (Oreomela)* Jacobson, 1895

*Oreomela (Oreomela) abramovi* Jacobson, 1925

Distribution: Kyrgyzstan (Talas Alatau Mountain Range)

*Oreomela (Oreomela) andreevi* Jacobson, 1910

Distribution: Kyrgyzstan (Terskey Alatau Mountain Range)

*Oreomela (Oreomela) bergi* Jacobson, 1910

Distribution: S Kyrgyzstan, N Tajikistan

*Oreomela (Oreomela) borealis* Lopatin, 1999

Distribution: Kazakhstan (Chu-Ili Mountain)

*Oreomela (Oreomela) celyphoides* Jacobson, 1896

Distribution: S Kazakhstan (Dzhungar Alatau Mountain Range)

*Oreomela (Oreomela) clypealis* Jacobson, 1901

Distribution: Kyrgyzstan (Kyrgyzian Alatau Mountain Range)

*Oreomela (Oreomela) dungana* Jacobson, 1925

Distribution: Kyrgyzstan (Sarydzhaz Mountain Range)

*Oreomela (Oreomela) dzhungara* Jacobson, 1925

Distribution: S Kazakhstan (Dzhungar Alatau Mountain Range)

*Oreomela (Oreomela) fuscipes* (J. Weise, 1885)

Distribution: Kyrgyzstan

*Oreomela (Oreomela) gracilis* Lopatin, 1999

Distribution: Kyrgyzstan (Terskey Alatau Mountain Range)

*Oreomela (Oreomela) heydeni* (J. Weise, 1885)

Distribution: Kyrgyzstan (Son-Kul Mountain Range)

*Oreomela (Oreomela) hohlbecki* Jacobson, 1925

Distribution: Kyrgyzstan (Kyrgyz Mountain Range)

- Oreomela (Oreomela) jacobsoni*** (Semenov, 1894)  
Distribution: Kyrgyzstan (Alai Mountain Range)
- Oreomela (Oreomela) joliveti*** Lopatin, 1976  
Distribution: SE Kazakhstan (Ketmen Mountain Range)
- Oreomela (Oreomela) juldusana*** Lopatin, 1962  
Distribution: NW China
- Oreomela (Oreomela) kabaki*** Lopatin, 1995  
Distribution: E Kazakhstan
- Oreomela (Oreomela) kaszabi*** Lopatin, 1962  
Distribution: Tibet
- Oreomela (Oreomela) korotjaevi*** Lopatin, 1983  
Distribution: SE Kazakhstan
- Oreomela (Oreomela) kungeica*** Lopatin, 1976  
Distribution: Kyrgyzstan (Kunghey Alatau Mountain Range)
- Oreomela (Oreomela) kutzenkoi*** Jacobson, 1925  
Distribution: Kyrgyzstan (Atbashy Mountain Range)
- Oreomela (Oreomela) lopatini*** Grujev, 1991  
Distribution: Kyrgyzstan (Susamyr Mountain Range)
- Oreomela (Oreomela) medvedevi*** Lopatin, 1968  
Distribution: E Tajikistan (Badakhshan)
- Oreomela (Oreomela) mitjaevi*** Lopatin, 1996  
Distribution: SE Kazakhstan
- Oreomela (Oreomela) montivaga*** Lopatin, 1987  
Distribution: Kyrgyzstan (Susamyr Mountain Range)
- Oreomela (Oreomela) pedaschenkoi*** Jacobson, 1925  
Distribution: Kyrgyzstan (Terskey Alatau and Atbashy Mountain Ranges)
- Oreomela (Oreomela) puncticollis*** Lopatin, 1999  
Distribution: E Kazakhstan (Dzhungar Alatau Mountain Range)
- Oreomela (Oreomela) radkewiczi*** Jacobson, 1925  
Distribution: S Kazakhstan (Kendyktau Mountain Range)
- Oreomela (Oreomela) recticollis*** Lopatin 1995  
Distribution: Kyrgyzstan (Kunghey Alatau Mountain Range)

***Oreomela (Oreomela) ruckbeili*** Jacobson, 1925

Distribution: Kyrgyzstan (Terskey Alatau Mountain Range)

***Oreomela (Oreomela) sapozhnikovii*** Jacobson, 1925

Distribution: Kyrgyzstan (Terskey Alatau, Ketmen, Sarydzhas Mountain Ranges)

***Oreomela (Oreomela) sarydzhasae*** Jacobson, 1925

Distribution: Kyrgyzstan (Sarydzhas Mountain Range)

***Oreomela (Oreomela) schnitnikovii*** Jacobson, 1925

Distribution: Kyrgyzstan (Kyrgyz Alatau Mountain Range)

***Oreomela (Oreomela) scutellaris*** Jacobson, 1925

Distribution: Kyrgyzstan (Sarydzhas and Kunghey Alatau Mountain Ranges)

***Oreomela (Oreomela) semenovi*** Jacobson, 1895

Distribution: S Kazakhstan (Transili Alatau Mountain Range)

***Oreomela (Oreomela) sussamyrica*** Lopatin, 1987

Distribution: Kyrgyzstan (Susamyr Mountain Range)

***Oreomela (Oreomela) tarantscha*** Jacobson, 1925

Distribution: SE Kazakhstan

***Oreomela (Oreomela) tarbagataica*** Lopatin, 1968

Distribution: E Kazakhstan (Tarbagatay Mountain Range)

***Oreomela (Oreomela) transalaica*** Lopatin, 1965

Distribution: Kyrgyzstan (Transalai Mountain Range)

***Oreomela (Oreomela) transiliensis*** Lopatin, 1976

Distribution: S Kazakhstan (Transili Alatau Mountain Range)

***Oreomela (Oreomela) tschernavini*** Jacobson, 1925

Distribution: Kyrgyzstan (Susamyr Mountain Range)

***Oreomela (Oreomela) wisei*** Jacobson, 1895

Distribution: Kyrgyzstan (Terskey Alatau Mountain Range)

***Oreomela (Oreomela) zaslavskii*** Lopatin, 1976

Distribution: Kyrgyzstan (Atbasy Mountain Range)

Subgenus ***Oreomela (Entomomela)*** Jacobson, 1925

***Oreomela (Entomomela) arnoldii*** Lopatin, 1974

Distribution: E Kazakhstan (Azatau Mountain Range)

Genus *Entomoscelis* Chevrolat in Dejean, 1837

*Entomoscelis adonidis* (Pallas, 1771)

Distribution: S and SE Europe, Lithuania, Ukraine, European Russia except for northern parts, Turkey, Kazakhstan, Central Asia except for Deserts of Turkmenistan, Asian Russia (Siberia, Yakutia, Russian Far East), Mongolia, N China

*Entomoscelis deserticola* Lopatin, 1967

Distribution: China (Sinkiang)

*Entomoscelis erythrocnema* Jacobson, 1893

Distribution: South parts of Central Asia, North to Nuratau Mountains in Uzbekistan

*Entomoscelis orientalis* Motschulsky, 1860

Distribution: Asian Russia (Transbaikalia, Amurland, Maritime Prov.), Mongolia, N China, Korea

*Entomoscelis pilula* Lopatin, 1967

Distribution: Transcaucasia

*Entomoscelis sacra* (Linnaeus, 1758)

Distribution: SE Europe, Turkey, Kazakhstan, Central Asia

*Entomoscelis suturalis* J. Weise, 1882

Distribution: SE Europe, Caucasus, Transcaucasia, Turkey, Middle East

Subtribus *Gonioctenina* Wilcox, 1972

Genus *Gonioctena* Chevrolat in Dejean, 1837

Subgenus *Gonioctena (Gonioctena)* Chevrolat in Dejean, 1837

*Gonioctena (Gonioctena) coreana* (Bechyne, 1947)

Distribution: Asian Russia (Magadan Distr. Khabarovsk Distr., Amurland, Maritime Prov.), NE China, Korea

*Gonioctena (Gonioctena) decaspilota* (Achard, 1924)

Distribution: N and NE Europe, Asian Russia (Siberia, Russian Far East), Mongolia, N China, Korea

*Gonioctena (Gonioctena) decemnotata* (Marsham, 1802)

Distribution: All over Holarctic except for S Europe and Central Asia

*Gonioctena (Gonioctena) flavicornis flavicornis* (Suffrian, 1851)

Distribution: N, Central and E Europe, Asian Russia (Siberia, Russian Far East, Maritime Prov.), Mongolia, Japan

***Gonioctena (Gonioctena) flavicornis borealis*** (L. Medvedev, 1963)

Distribution: Asian Russia (Kamchatka)

***Gonioctena (Gonioctena) gracilicornis*** (Kraatz, 1879)

Distribution: Asian Russia (Siberia Russian Far East, Maritime Prov., Sakhalin), Mongolia, N China

***Gonioctena (Gonioctena) honshuensis honshuensis*** (Nakane, 1963)

Distribution: Asian Russia (Kurile Is.), Japan

***Gonioctena (Gonioctena) honshuensis ochotense*** (L. Medvedev, 1968)

Distribution: Asian Russia (Magadan Distr., Kamchatka)

***Gonioctena (Gonioctena) honshuensis sachalinensis*** (L. Medvedev, 1968)

Distribution: Asian Russia (Sakhalin)

***Gonioctena (Gonioctena) jacobsoni*** (Ogloblinet L. Medvedev, 1956)

Distribution: Asian Russia (Siberia, Magadan Distr., Maritime Prov.), Mongolia

***Gonioctena (Gonioctena) janovskii*** L. Medvedev, 1976

Distribution: S Siberia, Mongolia

***Gonioctena (Gonioctena) japonica*** (Chujo et Kimoto, 1960)

Distribution: Asian Russia (S Kurile Is.), Japan

***Gonioctena (Gonioctena) kamiyai*** Kimoto, 1963

Distribution: Asian Russia (Amurland, S Maritime Prov.), Japan

***Gonioctena (Gonioctena) kaufmanni*** (L. Miller, 1881)

Distribution: Mountains of Central and E Europe, Carpathians

***Gonioctena (Gonioctena) laeta*** L. Medvedev, 1973

Distribution: Asian Russia (S Maritime Prov.), Korea

***Gonioctena (Gonioctena) linnaeana linnaeana*** (Schrank, 1781)

Distribution: Europe except for Mediterranean, Caucasus, Kazakhstan except for southern parts, Asian Russia (W and S Siberia, Altai, Tuva), Mongolia

***Gonioctena (Gonioctena) linnaeana bergrothi*** (Jacobson, 1901)

Distribution: Asian Russia (S Siberia from Altai to Pacific Coast)

***Gonioctena (Gonioctena) ogloblini*** L. Medvedev et Dubeshko, 1992

Distribution: Asian Russia (Siberia, Russian Far East, Maritime Prov.), Mongolia

***Gonioctena (Gonioctena) sibirica*** (J. Weise, 1893)

Distribution: Asian Russia (Siberia, Russian Far East Kamchatka, Maritime Prov.), Japan



***Gonioctena (Gonioctena) sundmanni*** (Jacobson, 1901)

Distribution: N Europe, Asian Russia (Siberia, Russian Far East, Kamchatka), Mongolia

***Gonioctena (Gonioctena) viminalis viminalis*** (Linnaeus, 1758)

Distribution: All over Holarctic except for Mediterranean, and Central Asia

***Gonioctena (Gonioctena) viminalis rufa*** (Kraatz, 1879)

Distribution: Asian Russia (Transbaikalia, Sayan Russian Far East), Mongolia, NE China, Korea

Subgenus ***Gonioctena (Brachyphytodecta)*** Bechyne, 1947

***Gonioctena (Brachyphytodecta) fulva*** (Motschulsky, 1860)

Distribution: Asian Russia (Amurland, Maritime Prov.), E China, Vietnam

Subgenus ***Gonioctena (Goniomena)*** Motschulsky, 1860

***Gonioctena (Goniomena) pallida*** (Linnaeus, 1758)

Distribution: N, Central and E Europe, Kazakhstan, Asian Russia (Siberia, Maritime Prov.), N Mongolia

***Gonioctena (Goniomena) quinquepunctata intermedia*** (Helliesen, 1913)

Distribution: Mountains of Central and E Europe, N and NE Europe

***Gonioctena (Goniomena) quinquepunctata quinquepunctata*** (Fabricius, 1787)

Distribution: N, Central and E Europe, Carpathians, European Russia Asian Russia (W Siberia, Yakutia)

Subgenus ***Gonioctena (Spartophila)*** Chevrolat in Dejean, 1837

***Gonioctena (Spartophila) olivacea*** (Forster, 1771)

Distribution: S and Central Europe, Belarus, Ukraine east to Kharkov, NW Africa

Subgenus ***Gonioctena (Spartoxena)*** Motschulsky, 1860

***Gonioctena (Spartoxena) fornicata*** Bruggemann, 1873

Distribution: SE Europe, SW Ukraine, Moldavia, Turkey

Genus ***Cercyonops*** Jacobson, 1900

***Cercyonops caraganae*** (Gebler, 1823)

Distribution: NE of European Russia, S Asian Russia (S Siberia, Altai, Tuva)

Subtribus ***Paropsina*** J. Weise, 1915

Genus ***Paropsides*** Motschulsky, 1860

***Paropsides soriculatus*** (Swartz, 1808)

Distribution: Asian Russia (Yakutia, Transbaikalia, Amurland, Maritime Prov.), China, Korea, Japan, Vietnam

Subtribus ***Phratorina*** Lopatin, 1977

Genus ***Phratora*** Chevrolat in Dejean, 1837

Subgenus ***Phratora (Phratora)*** Chevrolat in Dejean, 1837

***Phratora (Phratora) atrovirens*** (Cornelius, 1857)

Distribution: Central and E Europe, Caucasus, Asian Russia (Siberia, Russian Far East), Mongolia

***Phratora (Phratora) horioni*** (Mohr, 1968)

Distribution: Caucasus (Teberda)

***Phratora (Phratora) laticollis*** (Suffrian, 1851)

Distribution: All over Palaearctic except for the extreme N and Central Asia

***Phratora (Phratora) polaris polaris*** (W. G. Schneider, 1886)

Distribution: N Europe Asian Russia (Siberia, N Russian Far East), Mongolia

***Phratora (Phratora) polaris reitteri*** (Lopatin, 1962)

Distribution: Asian Russia (Tuva, Cisbaikalia), Mongolia

***Phratora (Phratora) tibialis*** (Suffrian, 1851)

Distribution: Central and E Europe, Caucasus, Kazakhstan

***Phratora (Phratora) vitellinae*** (Linnaeus, 1758)

Distribution: Europe, Kazakhstan, Asian Russia (Siberia, Russian Far East), Mongolia, Korea

Subgenus ***Phratora (Chaetoceroides)*** E. Strand, 1935

***Phratora (Chaetoceroides) obtusicollis*** Motschulsky, 1860

Distribution: Asian Russia (Amurland, Maritime Prov., Sakhalin, Kurile Is.), Mongolia, NE China, Korea, Japan

***Phratora (Chaetoceroides) vulgatissima*** (Linnaeus, 1758)

Distribution: Europe except for Mediterranean, Caucasus, E Kazakhstan, Asian Russia (Siberia, Russian Far East), Mongolia, N America

Subfamily *Cryptocephalinae* Gyllenhal, 1813

Tribe *Cryptocephalini* Gyllenhal, 1813

Genus *Cryptocephalus* Geoffroy, 1762

Subgenus *Cryptocephalus (Protophysus)* Chevrolat in Dejean, 1837

*Cryptocephalus (Protophysus) schaefferi* Schrank, 1789

Distribution: SE and southern parts of Central Europe, Caucasus, Asian Russia (S Siberia east to Transbaikalia), Kazakhstan

Subgenus *Cryptocephalus (Disopus)* Chevrolat in Dejean, 1837

*Cryptocephalus (Disopus) pini difformis* (Jacoby, 1885)

Distribution: Asian Russia (E Siberia, Sakhalin), Japan

*Cryptocephalus (Disopus) pini pini* (Linnaeus, 1758)

Distribution: Europe except for the South, Asian Russia (W Siberia)

Subgenus *Cryptocephalus (Asionus)* Lopatin, 1988

*Cryptocephalus (Asionus) altaicus* Harold, 1872

Distribution: Asian Russia (Altai, Tuva, Sayan, Transbaikalia), Mongolia, China

*Cryptocephalus (Asionus) apicalis* Gebler, 1850

Distribution: S Ukraine (Crimea), Moldavia, Ciscaucasia, Kazakhstan, Asian Russia (S Siberia)

*Cryptocephalus (Asionus) arnoldii arnoldii* L. Medvedev, 1956

Distribution: S Kazakhstan (W Tian-Shan Mountains), Uzbekistan (Baisuntau Mountain Range), SW Tajikistan

*Cryptocephalus (Asionus) arnoldii sogdianus* Lopatin, 1963

Distribution: N Tajikistan (Zeravshan Mountain Range), N Uzbekistan (Nuratau Mountain Range)

*Cryptocephalus (Asionus) atriplicis* Lopatin, 1967

Distribution: Central and E Kazakhstan, Azerbaijan (Sumghait)

*Cryptocephalus (Asionus) balassogloi* Jacobson, 1895

Distribution: Kazakhstan, Uzbekistan, N Tajikistan

*Cryptocephalus (Asionus) beckeri* Morawitz, 1860

Distribution: SE Russian Plain (Povolzhye), NW Kazakhstan

- Cryptocephalus (Asionus) bidentatus*** L. Medvedev, 1956  
Distribution: Kazakhstan (Talas Alatau), Kyrgyzstan (W. Tian-Shan Mountain Ranges, Fergan Mountain Range), N Tajikistan (Kuramin Mountain Range)
- Cryptocephalus (Asionus) bidentulus bidentulus*** Suffrian, 1854  
Distribution: Asian Russia (Tuva, S Transbaikalia), N and E. Mongolia
- Cryptocephalus (Asionus) bidentulus klementzi*** Ogloblin, 1956  
Distribution: Asian Russia (Tuva), NW Mongolia
- Cryptocephalus (Asionus) bidentulus subdesertus*** L. Medvedev, 1980  
Distribution: S Mongolia
- Cryptocephalus (Asionus) bitaeniatus*** Solsky, 1876  
Distribution: Uzbekistan, S Tajikistan, Turkmenistan (Amu-Darya Valley)
- Cryptocephalus (Asionus) bivulneratus*** Faldermann, 1835  
Distribution: Asian Russia (Tuva, Transbaikalia), Mongolia
- Cryptocephalus (Asionus) bohemiensis*** Drapiez, 1819  
Distribution: SE Europe, N and Central Kazakhstan
- Cryptocephalus (Asionus) borochoensis*** Pic, 1907  
Distribution: E Kazakhstan, NW China
- Cryptocephalus (Asionus) crux*** Gebler, 1848  
Distribution: E Kazakhstan, Asian Russia (S. Siberia, Yakutia, Tuva, Russian Far East), Mongolia
- Cryptocephalus (Asionus) curda*** Jacobson, 1897  
Distribution: Transcaucasia
- Cryptocephalus (Asionus) diadochus*** Lopatin, 1963  
Distribution: Tajikistan (Zeravshan Mountain Range)
- Cryptocephalus (Asionus) dilectus*** J. Weise, 1894  
Distribution: S Kazakhstan (W Tian-Shan), Kyrgyzstan, E Tajikistan
- Cryptocephalus (Asionus) ergenesis*** Morawitz, 1863  
Distribution: NE Ciscaucasia (Ergeni), Georgia, S Urals, W and Central Kazakhstan
- Cryptocephalus (Asionus) fasciatointerruptus*** Berti et Rapilly, 1979  
Distribution: Iran
- Cryptocephalus (Asionus) flavicollis*** Fabricius, 1781  
Distribution: Steppe of S Russian Plain, Kazakhstan, Kyrgyzstan

*Cryptocephalus (Asionus) flexuosus* Krynicki, 1834

Distribution: Steppe of Ukraine, Crimea, Asian Russia (SW Altai), Kazakhstan, Kyrgyzstan

*Cryptocephalus (Asionus) floralis* Krynicki, 1834

Distribution: Crimea

*Cryptocephalus (Asionus) fulmenifer* Reitter, 1889

Distribution: Transcaucasia

*Cryptocephalus (Asionus) gamma* Herrich-Schaffer, 1829

Distribution: Steppe of S Russian Plain, Caucasus, Kazakhstan, Asian Russia (S Siberia, Novosibirsk Distr.)

*Cryptocephalus (Asionus) globulus* Lopatin, 1953

Distribution: Kazakhstan, Kyrgyzstan, Tajikistan, Uzbekistan

*Cryptocephalus (Asionus) halophilus* Gebler, 1830

Distribution: Central Kazakhstan

*Cryptocephalus (Asionus) hamatus* Suffrian, 1854

Distribution: Asian Russia (S Siberia, Amurland, Maritime Prov.), Mongolia

*Cryptocephalus (Asionus) hammadae* Lopatin, 1961

Distribution: S Tajikistan

*Cryptocephalus (Asionus) hauseri* J. Weise, 1887

Distribution: S Kazakhstan (Kendyk Tau Mountain Range)

*Cryptocephalus (Asionus) heydeni* J. Weise, 1886

Distribution: SE Kazakhstan, Mountains of Central Asia to S Tajikistan (Gazimailik Mountain Range)

*Cryptocephalus (Asionus) hirtipennis* Fladermann, 1935

Distribution: Asian Russia (S. Siberia, Yakutia, Russian Far East), Mongolia

*Cryptocephalus (Asionus) impressipygus* Ogloblin, 1956

Distribution: Steppe of SE Russian Plain, Kazakhstan from Uralsk to Zaysan Lake

*Cryptocephalus (Asionus) irenae* Lopatin, 1958

Distribution: Tajikistan

*Cryptocephalus (Asionus) iskanderi* Lopatin, 1961

Distribution: Central Tajikistan

*Cryptocephalus (Asionus) jaxarticus* Lopatin, 1986

Distribution: W Kazakhstan

- Cryptocephalus (Asionus) karakalensis* L. Medvedev, 1955  
Distribution: S Turkmenistan (Kopetdagh Mountain Range), Uzbekistan, Tajikistan
- Cryptocephalus (Asionus) karatavicus* Lopatin, 1971  
Distribution: S Kazakhstan
- Cryptocephalus (Asionus) kerzhneri* Lopatin, 1968  
Distribution: S Kazakhstan
- Cryptocephalus (Asionus) klarae* Lopatin, 1990  
Distribution: SE Kazakhstan
- Cryptocephalus (Asionus) koltzei* J. Weise, 1887  
Distribution: Asian Russia (Amurland, Maritime Prov.), Mongolia, N China, Korea
- Cryptocephalus (Asionus) korotjaevi korotjaevi* L. Medvedev, 1980  
Distribution: Asian Russia (Tuva) Mongolia
- Cryptocephalus (Asionus) korotjaevi shamoensis* L. Medvedev, 1980  
Distribution: Mongolia
- Cryptocephalus (Asionus) lateralis* Suffrian, 1863  
Distribution: Steppe of SE Europe, Caucasus, Kazakhstan
- Cryptocephalus (Asionus) lemniscatus* Suffrian, 1854  
Distribution: Asian Russia (Transbaikalia, Maritime Prov.), Mongolia, N China
- Cryptocephalus (Asionus) medvedevi* Lopatin, 1953  
Distribution: S Turkmenistan (Kopetdagh Mountain Range), Tajikistan, NE Afghanistan
- Cryptocephalus (Asionus) mniczechi* Tappes, 1869  
Distribution: Asian Russia (Altai, Tuva, Sayan)
- Cryptocephalus (Asionus) ogloblini* Lopatin, 1953  
Distribution: S Kazakhstan, Uzbekistan, Kyrgyzstan
- Cryptocephalus (Asionus) oxianus* Lopatin, 1975  
Distribution: S Tajikistan
- Cryptocephalus (Asionus) pavlovskii* Lopatin, 1956  
Distribution: S Kazakhstan (W. Tian-Shan), Uzbekistan
- Cryptocephalus (Asionus) personatus* J. Weise, 1892  
Distribution: Kyrgyzstan (Kyrgyz Alatau, Alai Mountain Range)
- Cryptocephalus (Asionus) prasolovi* Lopatin, 1992  
Distribution: SE Kazakhstan

- Cryptocephalus (Asionus) pseudolateralis* L. Medvedev, 1979  
Distribution: E Kazakhstan
- Cryptocephalus (Asionus) quatuordecimmaculatus* D. H. Schneider, 1792  
Distribution: SE Europe, Turkey
- Cryptocephalus (Asionus) richteri* L. Medvedev, 1957  
Distribution: Transcaucasia
- Cryptocephalus (Asionus) rubi rubi* Menetries, 1832  
Distribution: Transcaucasia
- Cryptocephalus (Asionus) rubi glasunovi* Jacobson, 1894  
Distribution: S Turkmenistan, S Kazakhstan
- Cryptocephalus (Asionus) rubi properus* J. Weise, 1900  
Distribution: SE Kazakhstan, Uzbekistan, S Tajikistan
- Cryptocephalus (Asionus) sarafschanensis sarafschanensis* Solsky, 1882  
Distribution: Tajikistan and Kyrgyzstan
- Cryptocephalus (Asionus) sarafschanensis betpakdalensis* Lopatin, 1976  
Distribution: Kazakhstan (Bekpakdala desert)
- Cryptocephalus (Asionus) sarafschanensis duvivieri* J. Weise, 1892  
Distribution: Kyrgyzstan, Kazakhstan (Syr-Darian Karatau Mountain Range)
- Cryptocephalus (Asionus) sarafschanensis grumi* Lopatin, 1976  
Distribution: E Kazakhstan, SW Mongolia
- Cryptocephalus (Asionus) sarafschanensis iliensis* J. Weise, 1900  
Distribution: Kazakhstan Folding Land (Cisaralia and Cisbalkhashia)
- Cryptocephalus (Asionus) sarafschanensis narynensis* Lopatin, 1976  
Distribution: Kyrgyzstan (Fergana Mountain Range)
- Cryptocephalus (Asionus) sarafschanensis sugatensis* Lopatin, 1999  
Distribution: Kazakhstan (Sjughaty Mountains)
- Cryptocephalus (Asionus) sarafschanensis talassicus* Lopatin, 1976  
Distribution: Uzbekistan, Kyrgyzstan
- Cryptocephalus (Asionus) sarafschanensis tiro* J. Weise, 1900  
Distribution: Kyrgyzstan (Central Tian-Shan)
- Cryptocephalus (Asionus) sareptanus* Morawitz, 1863  
Distribution: SE of the Russian plain, E Ciscaucasia, N, Central and E Kazakhstan

*Cryptocephalus (Asionus) saryarkensis* L. Medvedev et Kulenova, 1980  
Distribution: Central Kazakhstan

*Cryptocephalus (Asionus) spurius* Lopatin, 1956  
Distribution: S Turkmenistan (Kopetdagh Mountain Range)

*Cryptocephalus (Asionus) stackelbergi* Lopatin, 1971  
Distribution: Central and E Kazakhstan

*Cryptocephalus (Asionus) stschukini* Faldermann, 1835  
Distribution: Asian Russia (Altai, Tuva, Sayan, Transbaikalia, Russian Far East), Mongolia

*Cryptocephalus (Asionus) tamaricis* Solsky, 1867  
Distribution: SE of Russian Plain, E Transcaucasia, Kazakhstan, Turkmenistan, Uzbekistan  
Tajikistan, Mongolia, NW China

*Cryptocephalus (Asionus) terminassianae* Lopatin, 1967  
Distribution: SE Kazakhstan

*Cryptocephalus (Asionus) undulatus* Suffrian, 1854  
Distribution: Kazakhstan, Turkmenistan, Uzbekistan, Kyrgyzstan, Tajikistan (except for  
the Pamirs)

*Cryptocephalus (Asionus) verae* L. Medvedev, 1956  
Distribution: W and S Turkmenistan (Kopetdagh Mountain Range)

*Cryptocephalus (Asionus) volkovitschi* Lopatin, 1976  
Distribution: S Transcaucasia

*Cryptocephalus (Asionus) zaitzevi* Lopatin, 1977  
Distribution: Transcaucasia

*Cryptocephalus (Asionus) zinovievi* L. Medvedev, 1973  
Distribution: Asian Russia (Amurland, Maritime Prov.), Mongolia

Subgenus *Cryptocephalus (Heterichnus)* Warchałowski, 1991

*Cryptocephalus (Heterichnus) macrodactylus macrodactylus* Gebler, 1830  
Distribution: Asian Russia (S Altai), Kyrgyzstan, Kazakhstan

*Cryptocephalus (Heterichnus) macrodactylus levipes* Lopatin, 1999  
Distribution: Kyrgyzstan (Central Tian-Shan)

*Cryptocephalus (Heterichnus) macrodactylus persimilis* Lopatin, 1956  
Distribution: Kyrgyzstan (Kavak-Too and Susamyr Mountain Ranges)



***Cryptocephalus (Heterichnus) macrodactylus prodocetus*** Jacobson, 1898  
Distribution: Kyrgyzstan (Fergan and Alai Mountain Ranges)

***Cryptocephalus (Heterichnus) tarsalis tarsalis*** J. Weise, 1887  
Distribution: Mountains of Tajikistan, Kyrgyzstan and Uzbekistan from Badakhshan Mountains in the east, up to Karzhantau Mountain Range in the west

***Cryptocephalus (Heterichnus) tarsalis submontanus*** Lopatin, 1999  
Distribution: S Tajikistan (Gazimailik Mountain Range)

Subgenus ***Cryptocephalus (Cryptocephalus)*** Geoffroy, 1762

***Cryptocephalus (Cryptocephalus) alborzensis*** Rapilly, 1980  
Distribution: E Azerbaijan, N Iran

***Cryptocephalus (Cryptocephalus) anticus*** Suffrian, 1848  
Distribution: Central and S Europe, Caucasus, Turkey, Kazakhstan, Uzbekistan, Kyrgyzstan, Asian Russia (southern parts of W Siberia)

***Cryptocephalus (Cryptocephalus) araxicola*** Iablokoff-Khnzorian, 1968  
Distribution: S Armenia

***Cryptocephalus (Cryptocephalus) aureolus aureolus*** Suffrian, 1847  
Distribution: Europe except for the extreme North

***Cryptocephalus (Cryptocephalus) aureolus transcausicus*** Jacobson, 1898  
Distribution: Caucasus, Transcaucasia

***Cryptocephalus (Cryptocephalus) bicolor*** Eschscholtz, 1818  
Distribution: S and SE Europe, S Ukraine, Caucasus, Turkey, N Iran

***Cryptocephalus (Cryptocephalus) biguttatus*** (Scopoli, 1763)  
Distribution: Europe, E Kazakhstan, Asian Russia (S Siberia)

***Cryptocephalus (Cryptocephalus) biguttulatus*** Gebler, 1841  
Distribution: Asian Russia (Altai, Tuva, Sayan, E Siberia), Mongolia

***Cryptocephalus (Cryptocephalus) biguttulus*** Suffrian, 1848  
Distribution: S Crimea

***Cryptocephalus (Cryptocephalus) bipunctatus bipunctatus*** (Linnaeus, 1758)  
Distribution: Europe, Daghestan, Kazakhstan, Asian Russia (S Siberia)

***Cryptocephalus (Cryptocephalus) bipunctatus cautus*** J. Weise, 1893  
Distribution: Asian Russia (Transbaikalia, Amurland, Maritime Prov.), NE China, Korea

***Cryptocephalus (Cryptocephalus) bodungeni bodungeni*** Jacobson, 1905

Distribution: Kazakhstan (Syr-Darya River Valley), Karzhantau Mountain Range

***Cryptocephalus (Cryptocephalus) bodungeni tadjhika*** Jacobson, 1925

Distribution: N Tajikistan, Uzbekistan (W of Fergana Valley)

***Cryptocephalus (Cryptocephalus) caerulescens*** C. R. Sahlberg, 1839

Distribution: N and Central Europe, Asian Russia (southern parts of W Siberia, Amurland, Maritime Prov., Sakhalin)

***Cryptocephalus (Cryptocephalus) coeruleans*** Marseul, 1875

Distribution: Asian Russia (Cisbaikalia, Amurland, Maritime Prov.), N Mongolia, NE China

***Cryptocephalus (Cryptocephalus) concolor*** Suffrian, 1847

Distribution: SE Azerbaijan (Talysh), Turkmenistan (Kopetdagh Mountains), Iran

***Cryptocephalus (Cryptocephalus) cordiger*** (Linnaeus, 1758)

Distribution: Europe, Kazakhstan, Asian Russia (Tuva, Altais)

***Cryptocephalus (Cryptocephalus) coryli*** (Linnaeus, 1758)

Distribution: All over Palaearctic except for the Central Asia, extreme South and North

***Cryptocephalus (Cryptocephalus) cribratus*** Suffrian, 1847

Distribution: Caucasus, Turkey, W Turkmenistan, N Iran

***Cryptocephalus (Cryptocephalus) cruciger*** Hellen, 1922

Distribution: N Europe

***Cryptocephalus (Cryptocephalus) curtissimus*** Pic, 1907

Distribution: Sandy Deserts of Kazakhstan and Central Asia, delimited in the north by N beach of Aral Sea and Afghanistan in the south

***Cryptocephalus (Cryptocephalus) decemmaculatus*** (Linnaeus, 1758)

Distribution: Europe

***Cryptocephalus (Cryptocephalus) distinguendus*** D. H. Schneider, 1792

Distribution: N, Central, and western parts of East Europe, Asian Russia (Siberia, Magadan Distr.), E Kazakhstan

***Cryptocephalus (Cryptocephalus) duplicatus*** Suffrian, 1847

Distribution: N and W Caucasus, Transcaucasia, Turkey

***Cryptocephalus (Cryptocephalus) elongatus*** Germar, 1824

Distribution: Central and SE Europe, N and Central Kazakhstan, Asian Russia (southern part of W Siberia, Altais, Sayan, S Yakutia)

- Cryptocephalus (Cryptocephalus) eous*** Lopatin, 1952  
Distribution: Asian Russia (Transbaikalia), Mongolia, NE China
- Cryptocephalus (Cryptocephalus) flavipes*** Fabricius, 1781  
Distribution: All over Palaearctic except for the Central Asia (present at Turkmenistan only), Mongolia, Korea, Japan
- Cryptocephalus (Cryptocephalus) haroldi*** Kraatz, 1879  
Distribution: Asian Russia (Amurland, Maritime Prov.), NE China
- Cryptocephalus (Cryptocephalus) hyacinthinus*** Suffrian, 1860  
Distribution: Asian Russia (Maritime Prov., S Kurile Is.), N China, Korea, Japan
- Cryptocephalus (Cryptocephalus) hypochoeridis hypochoeridis*** (Linnaeus, 1758)  
Distribution: Central and E Europe, Asian Russia (Siberia), N and E Kazakhstan
- Cryptocephalus (Cryptocephalus) hypochoeridis praticola*** J. Weise, 1889  
Distribution: Caucasus (Abkhazia, Daghestan, Georgia)
- Cryptocephalus (Cryptocephalus) hypochoeridis transiens*** Franz, 1949  
Distribution: Switzerland, Yugoslavia, Slovakia, Transcarpathia
- Cryptocephalus (Cryptocephalus) imperialis*** Laicharting, 1781  
Distribution: Europe, S European Russia, Central Georgia, Turkey, Cyprus
- Cryptocephalus (Cryptocephalus) janthinus*** Germar, 1824  
Distribution: Southern parts of W and Central Europe, SE Europe, NW Caucasus, Asian Russia (S Siberia, Maritime Prov., Sakhalin)
- Cryptocephalus (Cryptocephalus) kiritschenkiellus*** Lopatin, 1961  
Distribution: Uzbekistan (Fergana Valley)
- Cryptocephalus (Cryptocephalus) krutovskii gebleri*** Jacobson, 1924  
Distribution: E Kazakhstan, Asian Russia (Altai, Tuva, Cisbaikalia)
- Cryptocephalus (Cryptocephalus) krutovskii krutovskii*** Jacobson, 1900  
Distribution: Asian Russia (E Altai, Tuva, Cisbaikalia), Mongolia
- Cryptocephalus (Cryptocephalus) krutovskii triangulifer*** Jacobson, 1926  
Distribution: Asian Russia (Altai, Middle Siberia, S and Middle Yakutia, Amurland, Kamchatka, Maritime Prov., Sakhalin), Japan
- Cryptocephalus (Cryptocephalus) kulibini*** Gebler, 1832  
Distribution: Asian Russia (Transbaikalia, Amurland, Maritime Prov.), Mongolia, NE China, Korea

- Cryptocephalus (Cryptocephalus) laetus*** Fabricius, 1792  
Distribution: Europe except for the West and North, N Caucasus, Kazakhstan except for the South, Asian Russia (W Siberia, Altais)
- Cryptocephalus (Cryptocephalus) laevicollis*** Gebler, 1830  
Distribution: E and SE Europe, Crimea, Ciscaucasia, Kazakhstan (except for the South), Asian Russia (southern parts of W Siberia, Altais)
- Cryptocephalus (Cryptocephalus) latimargo*** L. Medvedev, 1971  
Distribution: Asian Russia (Cisbaikalia, Transbaikalia, Magadan Distr.), Mongolia
- Cryptocephalus (Cryptocephalus) limbatipennis*** Jacoby, 1885  
Distribution: Asian Russia (Maritime Prov.), E China, Japan
- Cryptocephalus (Cryptocephalus) luridipennis luridipennis*** Suffrian, 1854  
Distribution: Asian Russia (southern S part of W Siberia, Altais, Tuva, S Yakutia, Magadan Distr.), Mongolia, Japan
- Cryptocephalus (Cryptocephalus) luridipennis pallescens*** Kraatz, 1879  
Distribution: Asian Russia (Amurland, Maritime Prov.), Mongolia, WE China, Korea
- Cryptocephalus (Cryptocephalus) mannerheimi*** Gebler, 1825  
Distribution: Asian Russia (Altais, Tuva, S Yakutia, Amurland, Maritime Prov.), Mongolia, N China, Korea
- Cryptocephalus (Cryptocephalus) marginatus*** Fabricius, 1781  
Distribution: Europe except for the North
- Cryptocephalus (Cryptocephalus) melanoxanthus melanoxanthus*** Solsky, 1876  
Distribution: Kazakhstan, Kyrgyzstan, Tajikistan, Uzbekistan
- Cryptocephalus (Cryptocephalus) melanoxanthus chotanensis*** (Jacobson, 1895)  
Distribution: Kyrgyzstan (Chon-Khemin River Valley), NW China
- Cryptocephalus (Cryptocephalus) melanoxanthus flaviventris*** Lopatin, 1952  
Distribution: Kazakhstan (Lower Ili and Kharatal Rivers), Turkmenistan
- Cryptocephalus (Cryptocephalus) melanoxanthus variolosus*** (Jacobson, 1894)  
Distribution: Kyrgyzstan (Shores of Issyk-Kul Lake)
- Cryptocephalus (Cryptocephalus) modestus*** Suffrian, 1848  
Distribution: SE of European Russia, Kazakhstan, Asian Russia (Altais)
- Cryptocephalus (Cryptocephalus) monilis*** J. Weise, 1890  
Distribution: Kazakhstan, S Mongolia, N China

- Cryptocephalus (Cryptocephalus) moraei*** (Linnaeus, 1758)  
Distribution: Europe, Caucasus, Turkey, N Iran, Urals, Asian Russia (W Siberia, Altais)
- Cryptocephalus (Cryptocephalus) multiplex liothorax*** (Solsky, 1871)  
Distribution: Asian Russia (southern part of E Siberia, Maritime Prov.), N China, N Korea
- Cryptocephalus (Cryptocephalus) nitidulus*** Fabricius, 1787  
Distribution: N, Central and E Europe, Urals, Asian Russia (S Siberia, Sakhalin, Kurile Is.), N China, Japan
- Cryptocephalus (Cryptocephalus) nitidus*** (Linnaeus, 1758)  
Distribution: Europe, Asian Russia (S Siberia)
- Cryptocephalus (Cryptocephalus) nobilis*** Kraatz, 1879  
Distribution: Asian Russia (Amurland), Japan
- Cryptocephalus (Cryptocephalus) ochroloma*** Gebler, 1830  
Distribution: Asian Russia (Altai, Tuva, E Siberia, Amurland, Maritime Prov.), N Mongolia, N China
- Cryptocephalus (Cryptocephalus) octomaclatus*** Rossi, 1790  
Distribution: S, Central and E Europe, Azerbaijan
- Cryptocephalus (Cryptocephalus) octopunctatus*** (Scopoli, 1763)  
Distribution: Europe, Ciscaucasia, W and E Kazakhstan, Asian Russia (southern parts of W Siberia, Altai)
- Cryptocephalus (Cryptocephalus) orotschena*** Jacobson, 1925  
Distribution: Asian Russia (northern part of W Siberia, Yakutia, Magadan Distr.)
- Cryptocephalus (Cryptocephalus) oxysternus*** Jacobson, 1895  
Distribution: Asian Russia (Maritime Prov.), Mongolia, NE China
- Cryptocephalus (Cryptocephalus) parvulus*** O. F. Muller, 1776  
Distribution: All over Palaearctic except for the Central Asia
- Cryptocephalus (Cryptocephalus) peliopterus*** Solsky, 1871  
Distribution: Asian Russia (S Amurland, Maritime Prov.), NE China, Japan
- Cryptocephalus (Cryptocephalus) prusisus*** Suffrian, 1853  
Distribution: SE Balkan Peninsula, Transcaucasia, Turkey
- Cryptocephalus (Cryptocephalus) pseudocautus*** L. Medvedev, 1973  
Distribution: Asian Russia (Transbaikalia)
- Cryptocephalus (Cryptocephalus) punctiger*** Paykull, 1799  
Distribution: N and Central Europe

- Cryptocephalus (Cryptocephalus) pustulipes*** Menetries, 1836  
Distribution: Asian Russia (S. Siberia, Tuva, S Yakutia, Amurland, Maritime Prov.), Mongolia, NE China, Korea
- Cryptocephalus (Cryptocephalus) putjatae*** Jacobson, 1895  
Distribution: Asian Russia (S Transbaikalia, Maritime Prov.), Mongolia, NE China
- Cryptocephalus (Cryptocephalus) quadriguttatus*** Richter, 1820  
Distribution: Central and E Europe, Ciscaucasia, N and E Kazakhstan, Asian Russia (southern part of W. Siberia, Altai, Tuva), Mongolia
- Cryptocephalus (Cryptocephalus) quadripustulatus*** Gyllenhal, 1813  
Distribution: Europe, W and Middle Siberia
- Cryptocephalus (Cryptocephalus) quinquepunctatus*** (Scopoli, 1763)  
Distribution: Central Europe, Carpathians, Transcarpathia, Moldavia, Transcaucasia, S European Russia, S Urals
- Cryptocephalus (Cryptocephalus) regalis*** Gebler, 1830  
Distribution: Asian Russia (S Siberia, Altai, Tuva, Amurland, Maritime Prov.), Mongolia, N China, Korea, Japan
- Cryptocephalus (Cryptocephalus) rufofasciatus*** Solsky, 1882  
Distribution: Sandy Deserts of Kazakhstan and Central Asia from Ryn-Peski in the north up to S Uzbekistan in the south
- Cryptocephalus (Cryptocephalus) ruralis*** J. Weise, 1887  
Distribution: Asian Russia (S Cisbaikalia, Yakutia, Amurland, Magadan Distr.)
- Cryptocephalus (Cryptocephalus) semiargenteus*** Reitter, 1894  
Distribution: Deserts of S Central Asia and Kazakhstan, from lower Syr-Darya River, up to S Uzbekistan and Tajikistan
- Cryptocephalus (Cryptocephalus) sericeus*** (Linnaeus, 1758)  
Distribution: Europe except for the North and Mediterranean, Caucasus, Transcaucasia, Turkey, N Kazakhstan, Asian Russia (Siberia east to Yakutia)
- Cryptocephalus (Cryptocephalus) sexpunctatus*** (Linnaeus, 1758)  
Distribution: All over the Palaearctic except for the Central Asia
- Cryptocephalus (Cryptocephalus) signatifrons*** Suffrian, 1847  
Distribution: Europe except for the North, SE Poland, SW Ukraine (Carpathians)
- Cryptocephalus (Cryptocephalus) splendens*** Kraatz, 1879  
Distribution: Asian Russia (Altai, Tuva, Sayan, Cisbaikalia, Dsauria, S Yakutia, Amurland, Maritime Prov., Sakhalin), Mongolia, NE China

*Cryptocephalus (Cryptocephalus) surdus* Rapilly, 1980

Distribution: Transcaucasia, Turkey

*Cryptocephalus (Cryptocephalus) tataricus* Gebler, 1841

Distribution: S and E Kazakhstan, Asian Russia (S Cisbaikalia, Tuva), Central Asia, SW Mongolia

*Cryptocephalus (Cryptocephalus) tetredecaspilotus* Baly, 1873

Distribution: Asian Russia (Amurland, Maritime Prov.), China, Japan

*Cryptocephalus (Cryptocephalus) tetratyrus* Solsky, 1871

Distribution: Asian Russia (S Amurland, Maritime Prov.), Korea

*Cryptocephalus (Cryptocephalus) tricoloratus* Jacobson, 1895

Distribution: Asian Russia (S Maritime Prov.), SW China

*Cryptocephalus (Cryptocephalus) trimaculatus* Rossi, 1790

Distribution: S and SE Europe, Caucasus, Turkey

*Cryptocephalus (Cryptocephalus) turangae* Lopatin, 1961

Distribution: S Tajikistan (Vahsh and Kyzyl-Su River Valleys)

*Cryptocephalus (Cryptocephalus) umbrosus* Lopatin, 1956

Distribution: Iran

*Cryptocephalus (Cryptocephalus) violeceus* Laicharting, 1781

Distribution: Central and S Europe, Ciscaucasia

*Cryptocephalus (Cryptocephalus) virens* Suffrian, 1847

Distribution: Central and SE Europe, Steppe of Kazakhstan, Asian Russia (S Siberia)

*Cryptocephalus (Cryptocephalus) vittatus* Fabricius, 1775

Distribution: W, SW and Central Europe

*Cryptocephalus (Cryptocephalus) zejensis* Mikhailov, 1999

Distribution: Asian Russia (Russian Far East)

Subgenus *Cryptocephalus (Burlinius)* Lopatin, 1965

*Cryptocephalus (Burlinius) appositus* Lopatin, 1958

Distribution: S Kyrgyzstan (Fergan Mountain Range)

*Cryptocephalus (Burlinius) bilineatus* (Linnaeus, 1767)

Distribution: Alla over the Palaeartic except for the extreme North and Central Asia

- Cryptocephalus (Burlinius) carpathicus*** Frivaldszky, 1883  
Distribution: Ukrainian Carpathians, Hungary
- Cryptocephalus (Burlinius) chrysopus*** Gmelin, 1787  
Distribution: Europe, N Caucasus, Asian Russia (Sayan)
- Cryptocephalus (Burlinius) confusus*** Suffrian, 1854  
Distribution: Asian Russia (S Siberia, Tuva, Yakutia, Russian Far East), Mongolia
- Cryptocephalus (Burlinius) connexus*** Olivier, 1807  
Distribution: Mediterranean, E Europe, Caucasus, Kazakhstan, Central Asia (Steppe)
- Cryptocephalus (Burlinius) dilutellus dilutellus*** Jacobson, 1901  
Distribution: Kazakhstan, Kyrgyzstan, N and Central Tajikistan
- Cryptocephalus (Burlinius) dilutellus badakshanicus*** Lopatin, 1999  
Distribution: E Tajikistan (Badakshan Mountains)
- Cryptocephalus (Burlinius) elegantulus*** Gravenhorst, 1807  
Distribution: Central and SE Europe, Asian Russia (W Siberia), Turkey
- Cryptocephalus (Burlinius) exiguus*** D.H. Schneider, 1792  
Distribution: Europe, Siberia
- Cryptocephalus (Burlinius) fausti*** J. Weise, 1882  
Distribution: E Caucasus, (Daghestan, Azerbaijan)
- Cryptocephalus (Burlinius) fedtschenkoi*** Jacobson, 1901  
Distribution: Kazakhstan, Tajikistan, Kyrgyzstan
- Cryptocephalus (Burlinius) flavoscutellaris*** L. Medvedev, 1973  
Distribution: Asian Russia (Amurland), Korea
- Cryptocephalus (Burlinius) frontalis*** Marsham, 1802  
Distribution: Europe, Asian Russia (Siberia, Maritime Prov., Sakhalin)
- Cryptocephalus (Burlinius) fulvus*** (Goeze, 1777)  
Distribution: Europe, Transcaucasia, Near East, Asian Russia (Maritime Prov.) W and Central Kazakhstan, N China, Korea
- Cryptocephalus (Burlinius) gussakovskii*** Lopatin, 1952  
Distribution: Asian Russia (Maritime Prov.)
- Cryptocephalus (Burlinius) invisus*** Lopatin, 1963  
Distribution: Kyrgyzstan, Tajikistan



***Cryptocephalus (Burlinius) kabaki*** Lopatin, 2002

Distribution: N China (Tzinzian)

***Cryptocephalus (Burlinius) kurentzovi*** L. Medvedev, 1966

Distribution: Asian Russia (S Kurile Is.), Japan

***Cryptocephalus (Burlinius) labiatus*** (Linnaeus, 1761)

Distribution: Europe, Asian Russia (W Siberia), Mongolia

***Cryptocephalus (Burlinius) lederi*** J. Weise, 1889

Distribution: Transcaucasia, Iran, Afghanistan, Turkmenistan (Kopetdagh Mountains)

***Cryptocephalus (Burlinius) macellus*** Suffrian, 1860

Distribution: S and Central Europe, Transcaucasia, Near and Middle East, N Africa

***Cryptocephalus (Burlinius) nigrofasciatus*** Jacoby, 1885

Distribution: Asian Russia (Amurland, Maritime Prov., Sakhalin), N China, Mongolia, Japan

***Cryptocephalus (Burlinius) ocellatus*** Drapiez, 1819

Distribution: Europe Except for the North, Caucasus, Transcaucasia, Kazakhstan, Asian Russia (S Siberia)

***Cryptocephalus (Burlinius) ochroleucus*** Stephens, 1839

Distribution: Europe, Steppe zone of Ukraine, Transcaucasia, Middle East, NW Africa

***Cryptocephalus (Burlinius) pallifrons*** Gyllenhal, 1813

Distribution: Europe except for the South, Urals, Kazakhstan (except for the South), Asian Russia (W Siberia, Sayan, Yakutia, Maritime Prov.)

***Cryptocephalus (Burlinius) planifrons*** J. Weise, 1882

Distribution: Southern part of Central and East Europe, Balkans, Caucasus, Kazakhstan, Asian Russia (southern part of W Siberia)

***Cryptocephalus (Burlinius) polymorphus polymorphus*** Solsky, 1882

Distribution: Mountain Areas of Central Asia and S Kazakhstan, north to Transili Alatau, Afghanistan

***Cryptocephalus (Burlinius) polymorphus parallelus*** Jacobson, 1895

Distribution: Tajikistan (Vakhsh and Khozratishoh Mountain Ranges)

***Cryptocephalus (Burlinius) polymorphus schmidtii*** Jacobson, 1894

Distribution: Kyrgyzstan (Issyk-Kul Depression)

***Cryptocephalus (Burlinius) populi*** Suffrian, 1848

Distribution: W, Central and southern E Europe, Caucasus, Transcaucasia, E Kazakhstan

***Cryptocephalus (Burlinius) pusillus*** Fabricius, 1777

Distribution: Europe except for the North, Caucasus, Turkey, Algeria

***Cryptocephalus (Burlinius) pygmaeus*** Fabricius, 1792

Distribution: W, SW, Central and southerwest parts of E Europe, N Africa

***Cryptocephalus (Burlinius) saliceti*** G. Zebe, 1855

Distribution: N Europe, northern parts and Mountains of Central and East Europe

***Cryptocephalus (Burlinius) shabalinae*** Lopatin, 1968

Distribution: Kyrgyzstan

***Cryptocephalus (Burlinius) tschimganensis tschimganensis*** J. Weise, 1894

Distribution: SW Kazakhstan, Uzbekistan, Kyrgyzstan, S Tajikistan

***Cryptocephalus (Burlinius) tschimganensis narzykulovi*** Lopatin, 1958

Distribution: Tajikistan

***Cryptocephalus (Burlinius) variceps*** J. Weise, 1884

Distribution: SE Balkans, Transcaucasia, Turkey, Iran

***Cryptocephalus (Burlinius) vittula*** Suffrian, 1848

Distribution: Central, S and SE Europe, Caucasus

***Cryptocephalus (Burlinius) xanthus*** Iablokoff-Khnzorian, 1968

Distribution: Armenia, Azerbaijan, Iran

Genus ***Melixanthus*** Suffrian, 1854

***Melixanthus granularis*** (Suffrian, 1857)

Distribution: S Transcaucasia, Turkmenistan, Jordan, Arabia

***Melixanthus pumilio*** (Suffrian, 1854)

Distribution: Asian Russia (Cisbaikalia, Buryatia, Sakhalin, Kurile Is.), Mongolia, Tibet, Japan

Genus ***Jaxartiolus*** Jacobson, 1922

***Jaxartiolus baeckmannianus*** Jacobson, 1922

Distribution: S Kazakhstan, Uzbekistan, Tajikistan (Rivers Amu-Darya and Vakhsh)

***Jaxartiolus reductosignatus*** Lopatin, 1963

Distribution: Kyrgyzstan (Central Tian-Shan)

Tribe *Pachybrachini* Chapuis, 1874

Genus *Pachybrachis* Chevrolat in Dejean, 1837

*Pachybrachis abditus* Lopatin, 1991

Distribution: Kyrgyzstan (N Coast of Issyk-Kul Lake)

*Pachybrachis absinthii* Lopatin, 1990

Distribution: SE Kazakhstan

*Pachybrachis albicans* (J. Weise, 1882)

Distribution: Transcaucasia, Turkey

*Pachybrachis altimontanus* (Lopatin, 1968)

Distribution: Kyrgyzstan (Fergan and Alai Mountain Ranges)

*Pachybrachis amurensis* L. Medvedev, 1973

Distribution: Asian Russia (Tuva, Amurland, Maritime Prov.), Mongolia

*Pachybrachis arnoldii* (Lopatin, 1967)

Distribution: N and NW Kazakhstan, Mongolia

*Pachybrachis atraphaxidis* (Lopatin, 1968)

Distribution: S and SE Kazakhstan

*Pachybrachis auliensis* (Breit, 1921)

Distribution: S and E Kazakhstan

*Pachybrachis caprea caprea* (J. Weise, 1887)

Distribution: Kazakhstan and Central Asia (except for Turkmenistan)

*Pachybrachis caprea dzhungaricus* L. Medvedev et Rybakova, 1980

Distribution: Mongolia

*Pachybrachis caraganae* Lopatin, 1977

Distribution: Mongolia (Mongol Mountain Range and Ghobi Altai)

*Pachybrachis carpathicus* (Rey, 1883)

Distribution: Ukrainian Transcarpathia, Romania

*Pachybrachis cribricollis* (Pic, 1907)

Distribution: SE of European Russia, Kazakhstan, Turkmenistan, Uzbekistan, Kyrgyzstan

*Pachybrachis curtipennis* (Breit, 1921)

Distribution: Uzbekistan

***Pachybrachis distictopygus*** (Jacobson, 1901)

Distribution: Asian Russia (S Siberia, Maritimie Prov.), Mongolia, NE China

***Pachybrachis fimbriolatus*** (Suffrian, 1848)

Distribution: S, Central and SE Europe, Ukraine, S European Russia, NW Caucasus, Daghestan, Turkey

***Pachybrachis fraudator*** Lopatin, 1991

Distribution: SE Kazakhstan, Kyrgyzstan (Kyrgyz Alatau)

***Pachybrachis ghilarovi*** Lopatin, 1974

Distribution: SE Kazakhstan

***Pachybrachis glycyrrhizae*** (Olivier, 1808)

Distribution: Transcaucasia, S Central Asia, Near and Middle East

***Pachybrachis heptapotamicus*** Lopatin, 1997

Distribution: Kazakhstan, Kyrgyzstan, E Turkmenistan

***Pachybrachis hieroglyphicus*** (Laicharting, 1781)

Distribution: Central, E, and S Europe, S Urals, E Kazakhstan, Russian Far East

***Pachybrachis hippophaes*** (Suffrian, 1848)

Distribution: Mountains of E and Central Europe (Alps and Carpathian)

***Pachybrachis instabilis*** (J. Weise, 1887)

Distribution: Uzbekistan and Kyrgyzstan (Karatau, Karzhantau, Kendyktau Mountain Ranges)

***Pachybrachis issykensis issykensis*** (Jacobson, 1901)

Distribution: Kyrgyzstan (Central and S Tian-Shan)

***Pachybrachis issykensis gussakovskii*** (Lopatin, 1968)

Distribution: Tajikistan (Hissar Mountain Range, Darvaz)

***Pachybrachis issykensis laevigatus*** (Breit, 1921)

Distribution: S Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan up to Pamirs

***Pachybrachis jacobsoni*** (Lopatin, 1968)

Distribution: Uzbekistan, Kyrgyzstan, Tajikistan

***Pachybrachis kaplini*** Lopatin, 1986

Distribution: Turkmenistan (Kara-Kum)

***Pachybrachis kazachstanicus*** Lopatin, 1974

Distribution: NW Kazakhstan

***Pachybrachis kirgizicus kirgizicus*** Lopatin, 1974

Distribution: Kyrgyzstan (N Coast of Issyk-Kul Lake)

***Pachybrachis kirgizicus salsolae*** Lopatin, 1974

Distribution: Kyrgyzstan, Central Tian-Shan

***Pachybrachis koktumensis*** Lopatin, 1991

Distribution: SE Kazakhstan (Dzhungar Alatau)

***Pachybrachis korotjaevi*** Lopatin, 1995

Distribution: Asian Russia (Tuva)

***Pachybrachis kuramensis*** Lopatin, 1974

Distribution: N Tajikistan (Kuramin Mountain Range)

***Pachybrachis latipes*** Lopatin, 1971

Distribution: E Kazakhstan, SW Mongolia

***Pachybrachis limbatus*** (Menetries, 1836)

Distribution: Balkans, Transcaucasia, Turkey, Near East

***Pachybrachis lopatini*** L. Medvedev et Rybakova, 1980

Distribution: Asian Russia (S Siberia, Transbaikalia, Maritime Prov.) NE Mongolia, NE China

***Pachybrachis marki*** Lopatin, 1997

Distribution: S Tajikistan

***Pachybrachis mendax*** (Suffrian, 1860)

Distribution: Moldavia, S Ukraine, Crimea, Ciscaucasia, Transcaucasia, Kazakhstan, Asian Russia (E Siberia, Maritime Prov.), Mongolia, W China

***Pachybrachis merkensis*** (Lopatin, 1968)

Distribution: S Kyrgyzstan, S Kazakhstan

***Pachybrachis mitjaevi*** Lopatin et Kulenowa, 1982

Distribution: SE Kazakhstan

***Pachybrachis mogol*** Lopatin, 1986

Distribution: S Tajikistan

***Pachybrachis nigropunctatus*** (Suffrian, 1854)

Distribution: Transcaucasia, Turkey, Near and Middle East, Steppe and Semi-deserts of Kazakhstan, Central Asia, Afghanistan

***Pachybrachis nitidicollis*** (J. Weise, 1894)

Distribution: S Kazakhstan, Central Asia (except for the Turkmenistan), Afghanistan

***Pachybrachis ochropygus*** (Solsky, 1872)

Distribution: Asian Russia (Amurland, Maritime Prov.), Mongolia, Korea, NE China

***Pachybrachis paganus*** Lopatin, 1990

Distribution: S Kazakhstan

***Pachybrachis pallidulus*** (Suffrian, 1851)

Distribution: SE and southern parts of Central Europe

***Pachybrachis pistor*** (Breit, 1921)

Distribution: Kazakhstan (except for the East), Uzbekistan

***Pachybrachis pubipennis*** Lopatin, 1977

Distribution: Armenia

***Pachybrachis rufescens*** Lopatin, 1974

Distribution: S Kazakhstan

***Pachybrachis scripticollis*** (Faldermann, 1837)

Distribution: Armenia, Near East and Middle East, SW Turkmenistan

***Pachybrachis scriptidorsum*** (Marseul, 1875)

Distribution: SE Europe, N Caucasus, Kazakhstan, Asian Russia (Siberia, Khabarovsk Prov., Magadan Distr.), Mongolia, Korea, China

***Pachybrachis semidesertus*** Lopatin, 1994

Distribution: W Kazakhstan

***Pachybrachis sericans*** (Suffrian, 1860)

Distribution: Asian Russia (Middle Siberia, Transbaikalia), Mongolia

***Pachybrachis sinuatus*** (Mulsant et Rey, 1859)

Distribution: Central and SE Europe, Turkey

***Pachybrachis skopini*** (Lopatin, 1967)

Distribution: SE Kazakhstan

***Pachybrachis tekensis*** Lopatin, 1983

Distribution: Turkmenistan (Kopetdagh Mountain Range)

***Pachybrachis tessellatus tessellatus*** (Olivier, 1791)

Distribution: Ukraine, Moldavia (except for the Moountains), European Russia, NW Caucasus

***Pachybrachis tessellatus orientalis*** (J. Weise, 1894)

Distribution: Armenia, Turkey

***Pachybrachis transbaicalius*** L. Medvedev, 1974

Distribution: Asian Russia (Transbaikalia), Central and E Mongolia

***Pachybrachis tuvensis tuvensis*** L. Medvedev, 1974

Distribution: Asian Russia (Tuva)

***Pachybrachis velarum saluki*** Lopatin, 1995

Distribution: Asian Russia (Altai)

***Pachybrachis velarum*** Warchałowski, 1998

Distribution: Transcaucasia, Turkey

***Pachybrachis vermicularis*** (Suffrian, 1854)

Distribution: SE European Russia, Daghestan, NW Kazakhstan

Genus ***Acolastus*** Gerstaecker, 1855

***Acolastus anthracinus*** (Lopatin, 1976)

Distribution: Uzbekistan, Kyrgyzstan (Chatkal and Talas Mountain Ranges)

***Acolastus atraphaxidis*** (Lopatin, 1960)

Distribution: E Turkmenistan, Uzbekistan, SW Tajikistan

***Acolastus badakshanicus*** (Lopatin, 1967)

Distribution: E Tajikistan (Badakshan), Afghanistan

***Acolastus baeckmanni*** (Jacobson, 1916)

Distribution: Deserts of Central Asia and Kazakhstan (Kyzyl-Kum, Muyn-Kum, Tau-Kum, Saryeshkotrau)

***Acolastus balchaschensis*** (Lopatin et Kulenova, 1982)

Distribution: E Kazakhstan

***Acolastus curtus*** (Lopatin, 1994)

Distribution: Israel

***Acolastus darvazicus*** (Lopatin, 1975)

Distribution: E Tajikistan (Darvaz Mountain Range)

***Acolastus dzhungarus*** (Lopatin, 1976)

Distribution: S and SE Kazakhstan

***Acolastus fausti*** (J. Weise, 1882)

Distribution: S Armenia and Azerbaijan, S Turkmenistan, NW Iran

*Acolastus georgicus* (Lopatin, 1986)

Distribution: E Georgia, Azerbaijan

*Acolastus gobustanus* (Lopatin, 1991)

Distribution: Azerbaijan

*Acolastus gurjevae gurjevae* (Lopatin, 1968)

Distribution: Uzbekistan (Aktau and Nuratau Mountain Ranges)

*Acolastus gurjevae unicolor* (Lopatin, 2001)

Distribution: Uzbekistan (Nuratau Mountain Range)

*Acolastus hauseri* (J. Weise, 1887)

Distribution: S Kazakhstan, Kyrgyzstan (W Tian-Shan Mountain Ranges)

*Acolastus iliensis* (Lopatin, 1967)

Distribution: SE Kazakhstan

*Acolastus inopinatus* (Lopatin, 1992)

Distribution: SE Kazakhstan

*Acolastus intermedius* (Lopatin, 1968)

Distribution: Central Tajikistan

*Acolastus issykensis* (Lopatin, 1992)

Distribution: Kyrgyzstan (Coast of Issyk-Kul Lake)

*Acolastus ivanovi* (Jacobson, 1925)

Distribution: Uzbekistan, Tajikistan, Kyrgyzstan

*Acolastus jacobsoni* (Lopatin, 1968)

Distribution: SE Tajikistan

*Acolastus karakirgiza* (Jacobson, 1925)

Distribution: Uzbekistan, Tajikistan

*Acolastus karatavicus* (Lopatin, 1976)

Distribution: Kazakhstan (Karatau Mountain Range, Syr-Darya River)

*Acolastus karateginus* (Lopatin, 1992)

Distribution: Tajikistan, (Karatechin Mountain Range)

*Acolastus kaszabi* (Lopatin, 1976)

Distribution: Mongolia

*Acolastus khnzoriani* (Lopatin, 1976)

Distribution: SE Turkmenistan (Kugitang Tau Mountain Range)



- Acolastus korotjaevi* (Lopatin, 1992)  
Distribution: S Tajikistan
- Acolastus kryzhanovskii* (Lopatin, 1976)  
Distribution: SE Turkmenistan
- Acolastus kuramensis* (Lopatin, 1992)  
Distribution: N Tajikistan (Kuramin Mountain Range)
- Acolastus limbatus* (Lopatin, 1992)  
Distribution: Kyrgyzstan (Coast of Issyk-Kul Lake)
- Acolastus margaritae* (Lopatin, 1997)  
Distribution: E Turkmenistan
- Acolastus minimus* (Jacobson, 1916)  
Distribution: SE Kazakhstan, S Tajikistan
- Acolastus mogoltavicus* (Lopatin, 1992)  
Distribution: N Tajikistan (Mogol Tau Mountain Range)
- Acolastus murinus* (Lopatin 1961)  
Distribution: Tajikistan (Coasts of Iskander Kul Lake)
- Acolastus nanus* (Lopatin, 1976)  
Distribution: SW Kazakhstan
- Acolastus nigrifrons* (Jacobson, 1916)  
Distribution: Central Tajikistan (Hissar Mountain Range)
- Acolastus nuratavicus* (Lopatin, 1992)  
Distribution: Uzbekistan (Nuratau Mountain Range)
- Acolastus pallidus pallidus* (Lopatin, 1956)  
Distribution: Tajikistan
- Acolastus pallidus montanus* (Lopatin, 1976)  
Distribution: E Tajikistan (Badakhshan)
- Acolastus pallidus tianshanicus* (Lopatin, 1999)  
Distribution: Kyrgyzstan
- Acolastus postfasciatus* (Lopatin, 1975)  
Distribution: S Tajikistan
- Acolastus przewalskii* (Lopatin, 1992)  
Distribution: Kyrgyzstan (Coasts of Issyk-Kul Lake)

*Acolastus regeli* (Jacobson, 1898)

Distribution: SE Kazakhstan, NW China

*Acolastus shahristanus* (Lopatin, 1987)

Distribution: Uzbekistan

*Acolastus similis* (Lopatin, 1976)

Distribution: SE Kazakhstan, S Tajikistan

*Acolastus sogdianus* (Lopatin, 1992)

Distribution: S Tajikistan, S Uzbekistan, SE Turkmenistan

*Acolastus spitameni* (Lopatin, 1990)

Distribution: N Tajikistan (Zervashan Mountain Range)

*Acolastus tadzhibajevi* (Lopatin, 1975)

Distribution: Tajikistan (Gazimailik and Hissar Mountain Ranges)

*Acolastus tadzhicus* (Lopatin, 1968)

Distribution: S Uzbekistan, S Tajikistan

*Acolastus tatiana*e (Lopatin, 1983)

Distribution: N Tajikistan (Zervashan Mountain Range)

*Acolastus transcaspicus* (Pic, 1900)

Distribution: Turkmenistan

*Acolastus turkestanicus* (Lopatin, 1965)

Distribution: N Tajikistan

*Acolastus velutinus* (Lopatin, 1967)

Distribution: E Tajikistan

*Acolastus volkovitschi* (Lopatin, 1986)

Distribution: S Uzbekistan

*Acolastus zaissanicus* (Lopatin, 1967)

Distribution: E Kazakhstan

*Acolastus zerafschanicus* (Lopatin, 1960)

Distribution: Uzbekistan (Zeravshan Mountain Range)

Tribe *Stylosomini* Clavareau, 1913

Genus *Stylosomus* Suffrian, 1848

Subgenus *Stylosomus (Microsomus)* Burlini, 1968

*Stylosomus (Microsomus) costatus* Lopatin, 1962

Distribution: Kyrgyzstan

*Stylosomus (Microsomus) major* Breit, 1918

Distribution: Kazakhstan and Central Asia (from Kopetdagh Mountain Range in the west, up to E Kazakhstan in the east), Monogolia

*Stylosomus (Microsomus) weberi* Reitter, 1905

Distribution: Mountains of S Kazakhstan, Central Asia

Subgenus *Stylosomus (Microstylus)* Rey, 1883

*Stylosomus (Microstylus) ater* Lopatin, 1962

Distribution: Kazakhstan (Transili and Karatau Mountain Ranges), Krygyzstan and Uzbekistan (W Tian-Shan)

*Stylosomus (Microstylus) cylindricus* Morawitz, 1860

Distribution: S Ukraine and European Russia, Caucasus, Kazakhstan

*Stylosomus (Microstylus) tadzhicus* Lopatin, 1965

Distribution: Mountains of Tajikistan

Subgenus *Stylosomus (Stylosomus)* Suffrian, 1848

*Stylosomus (Stylosomus) cheni* Lopatin, 1962

Distribution: S and E Kazakhstan, Kyrgyzstan, Uzbekistan

*Stylosomus (Stylosomus) submetallicus* Chen, 1941

Distribution: NW China

*Stylosomus (Stylosomus) tamaricis tamaricis* (Herrich-Schaffer, 1838)

Distribution: S of European Russia, Ukraine, Caucasus

*Stylosomus (Stylosomus) tamaricis nigrifrons* Fleischer, 1909

Distribution: Kazakhstan, Central Asia

Subfamily *Galerucinae* Latreille, 1802

Tribe *Galerucini* Latreille, 1802

Genus *Clitena* Baly, 1864

*Clitena fuscipennis* (Jacoby, 1885)

Distribution: Asian Russia (Amurland, Maritime Prov., S Kurile Is.), Korea, Japan

Genus *Diorhabda* J. Weise, 1883

*Diorhabda elongata elongata* (Brulle, 1832)

Distribution: Mediterranean, Central Asia

*Diorhabda elongata carinata* (Faldermann, 1837)

Distribution: E Kazakhstan, NW China

*Diorhabda elongata deserticola* Chen, 1961

Distribution: E Kazakhstan, NW China

*Diorhabda fischeri* (Faldermann, 1837)

Distribution: Transcaucasia, Turkey, W Iran, Turkmenistan

*Diorhabda nigrifrons* Laboissiere, 1914

Distribution: S Armenia, N Turkey

*Diorhabda persica* (Faldermann, 1837)

Distribution: SE of European Russia, Daghestan, Kazakhstan, Central Asia, Near and Middle East

*Diorhabda rickmersi* J. Weise, 1900

Distribution: Tajikistan

*Diorhabda rybakovi* J. Weise, 1890

Distribution: SE Kazakhstan, NW China

*Diorhabda tarsalis* J. Weise, 1889

Distribution: Asian Russia (S Siberia), Mongolia, NW China

Genus *Galerucella* Crotch, 1873

Subgenus *Galerucella* (*Galerucella*) Crotch, 1873

*Galerucella* (*Galerucella*) *aquatica* (Geoffroy in Fourcroy, 1785)

Distribution: Europe

***Galerucella (Galerucella) grisescens*** (Joannis, 1866)

Distribution: NW, Central and E Europe, Asian Russia (S. Siberia), N China

***Galerucella (Galerucella) nipponensis*** Laboissiere, 1922

Distribution: Asian Russia (Maritime Prov.), Korea, Japan

***Galerucella (Galerucella) nymphaeae*** (Linnaeus, 1758)

Distribution: Europe, Central Asia, Asian Russia (S Siberia), Mongolia, China, Japan, N America

***Galerucella (Galerucella) sagittariae*** (Gyllenhal, 1813)

Distribution: Europe, Asian Russia (S Siberia)

Subgenus ***Galerucella (Neogalerucella)*** Chujo, 1962

***Galerucella (Neogalerucella) californiensis*** (Linnaeus, 1767)

Distribution: Europe except for N and SW, Caucasus, Turkey, Asian Russia (S. Siberia), Mongolia, China, Japan, N Africa, introduced into N America

***Galerucella (Neogalerucella) lineola*** (Fabricius, 1781)

Distribution: Europe, Asian Russia (S Siberia), Mongolia, China, Japan, N Africa

***Galerucella (Neogalerucella) pusilla*** (Duftschmidt, 1825)

Distribution: S, Central and E Europe, Turkey, Central Asia, China

***Galerucella (Neogalerucella) tenella*** (Linnaeus, 1761)

Distribution: N, Central and E Europe, Asian Russia (S Siberia), China, introduced into N America

Genus ***Xanthogaleruca*** Laboissiere, 1934

***Xanthogaleruca aenescens*** (Fairmaire, 1878)

Distribution: Asian Russia (Maritime Prov.), N China

***Xanthogaleruca flavescens*** J Weise, 1887

Distribution: Asian Russia (Amurland, Maritime Prov.)

***Xanthogaleruca luteola*** (O.F. Muller, 1776)

Distribution: Europe except for N, Caucasus, Turkey, N Africa, Central Asia, introduced to N America

***Xanthogaleruca maculicollis*** (Motschulsky, 1853)

Distribution: Asian Russia (Amurland, Maritime Prov.), China, Japan

Genus *Pyrrhalta* Joannis, 1866

*Pyrrhalta viburni annulicornis* Baly, 1874

Distribution: Asian Russia (Maritime Prov.), N China, Japan

*Pyrrhalta viburni viburni* (Paukull, 1799)

Distribution: Europe except for N and S, Caucasus, Kazakhstan, Asian Russia (W. Siberia), N Africa, introduced into N America

Genus *Tricholochmaea* Laboissiere, 1932

*Tricholochmaea semifulva* (Jacoby, 1885)

Distribution: Asian Russia (Altai, Sayan, Russian Far East)

Genus *Lochmaea* J. Weise, 1883

*Lochmaea capreae capreae* (Linnaeus, 1758)

Distribution: Europe, Transcaucasia, Turkey, N Kazakhstan

*Lochmaea capreae cribrata* Solsky, 1872

Distribution: Asian Russia (Transbaikalia, S Yakutia, Russian Far East), Mongolia, China, Korea

*Lochmaea crataegi* (Forster, 1771)

Distribution: All over Palaearctic except ofr extreme North

*Lochmaea suturalis* (C. G. Thomson, 1866)

Distribution: Europe except for N and S

Genus *Galeruca* Geoffroy, 1762

Subgenus *Galeruca (Galeruca)* Geoffroy, 1762

*Galeruca (Galeruca) circassica* Reitter, 1903

Distribution: N Caucasus, Abkhasia

*Galeruca (Galeruca) dahli dahli* (Joannis, 1866)

Distribution: S and Central Europe, Moldavia, S Ukraine, Crimea, Asian Russia (W Siberia, Altai, Cisbaikalia)

*Galeruca (Galeruca) dahli vicina* Solsky, 1872

Distribution: Asian Russia (Transbaikalia, Russian Far East), Mongolia

***Galeruca (Galeruca) daurica*** (Joannis, 1866)

Distribution: Asian Russia (Sayan, Cisbaikalia, Transbaikalia, Yakutia, Russian Far East), Mongolia

***Galeruca (Galeruca) extensa*** (Motschulsky, 1861)

Distribution: Asian Russia (S Maritime Prov.), China, Korea

***Galeruca (Galeruca) heydeni*** J. Weise, 1887

Distribution: Asian Russia (Amurland, Maritime Prov.), China, Korea

***Galeruca (Galeruca) hyrcana*** L. Medvedev, 1969

Distribution: Azerbaijan

***Galeruca (Galeruca) interrupta interrupta*** (Illiger, 1802)

Distribution: Europe except for N, Turkey, Syria, N Africa

***Galeruca (Galeruca) interrupta armeniaca*** J. Weise, 1886

Distribution: Transcaucasia, Turkmenistan, Uzbekistan, Tajikistan

***Galeruca (Galeruca) interrupta circumdata*** (Duftschmidt, 1825)

Distribution: S, SE and Central Europe, Asian Russia (S Siberia), Mongolia

***Galeruca (Galeruca) interrupta fulvimargo*** Reitter, 1908

Distribution: Mountains of S Kazakhstan, E Central Asia, NW China, Korea

***Galeruca (Galeruca) laticollis*** C. R. Sahlberg, 1838

Distribution: N Europe, Mountains of Central and E Europe, NE Kazakhstan, Siberia, Mongolia

***Galeruca (Galeruca) pomonae petschenega*** Jacobson, 1925

Distribution: SE European Russia (S Cisvolga), E Daghestan

***Galeruca (Galeruca) pomonae pomonae*** (Scopoli, 1763)

Distribution: Europe, Kazakhstan, Central Asia, Asian Russia (W Siberia Yakutia, Altai), Mongolia

***Galeruca (Galeruca) reichardti*** Jacobson, 1925

Distribution: Asian Russia (Maritime Prov.), China, Korea

***Galeruca (Galeruca) spectabilis spectabilis*** Faldermann, 1837

Distribution: Transcaucasia, N Iran

***Galeruca (Galeruca) spectabilis lacericollis*** Semenov, 1909

Distribution: E Azerbaijan, N Iran, S Turkmenistan

***Galeruca (Galeruca) spectabilis orientalis*** Osculati, 1844

Distribution: Turkey, Syria, W Iran, Transcaucasia

***Galeruca (Galeruca) tanaceti tanaceti*** (Linnaeus, 1758)

Distribution: Europe, Caucasus, Turkey, Kazakhstan, Central Asia, Asian Russia (W Siberia, Altai)

***Galeruca (Galeruca) tanaceti convexa*** Jacobson, 1925

Distribution: Mountains of Ciscaucasia, Armenia

***Galeruca (Galeruca) tanaceti incisicollis*** (Motschulsky, 1860)

Distribution: Asian Russia (Siberia, Russian Far East), Mongolia

***Galeruca (Galeruca) weisei*** Reitter, 1903

Distribution: SE Kazakhstan, Asian Russia (Siberia, Altai, Russian Far East), Mongolia

Subgenus ***Galeruca (Haptoscelis)*** J. Weise, 1886

***Galeruca (Haptoscelis) melanocephala melanocephala*** (Ponza, 1805)

Distribution: S and Central Europe, Belarus, Ukraine, S European Russia, Ciscaucasia, W Siberia

Subgenus ***Galeruca (Emarhopa)*** J. Weise, 1886

***Galeruca (Emarhopa) rufa*** Germar, 1824

Distribution: S and SE Europe, Ukraine, Crimea, S European Russia, Turkey

Genus ***Theone*** Gistel, 1857

***Theone costipennis*** (Kirsch, 1880)

Distribution: W Daghestan, Turkmenistan, Uzbekistan

***Theone margelanica*** (Kraatz, 1882)

Distribution: Uzbekistan, Kyrgyzstan (Fergana Valley)

***Theone octocostata octocostata*** (J. Weise, 1912)

Distribution: Pamirs, N India, Pakistan

***Theone octocostata lopatini*** Mandl, 1970

Distribution: E Tajikistan (Badakhshan)

***Theone silphoides silphoides*** (Dalman 1823)

Distribution: SE European Russia, Daghestan, Steppe of Kazakhstan

***Theone silphoides artemisiae*** (Jacobson, 1895)

Distribution: Tajikistan



***Theone silphoides kuldshensis*** Mandl, 1968

Distribution: E Kazakhstan, NW China

***Theone silphoides scrobiculata*** Mandl, 1968

Distribution: E Kazakhstan (Tarbagatay Mountain Range)

Genus ***Pallasiola*** Jacobson, 1925

***Pallasiola absinthii*** (Pallas, 1773)

Distribution: N. Kazakhstan, Kyrgyzstan, Pamirs, Asian Russia (S Siberia), N Mongolia, N China

Genus ***Nyctiphantus*** Semenov, 1902

***Nyctiphantus bergi*** Semenov, 1904

Distribution: Kazakhstan (Shores of Balkhash Lake)

***Nyctiphantus custos*** Semenov, 1902

Distribution: S Kazakhstan

***Nyctiphantus hirtus hirtus*** (J. Weise, 1885)

Distribution: S and E Kazakhstan, NW China

***Nyctiphantus hirtus nocturnus*** (Semenov, 1891)

Distribution: Turkmenistan (Karakum Desert)

Genus ***Apophyllia*** J. Thomson, 1858

***Apophyllia eoa*** Ogloblin, 1936

Distribution: Asian Russia (Maritime Prov.), Korea

***Apophyllia thalassina*** (Faldermann, 1835)

Distribution: Asian Russia (Transbaikalia, Amurland), Mongolia, China

Tribe ***Sermylassini*** Mroczkowski, 1991

Genus ***Sermylassa*** Reitter, 1912

***Sermylassa halensis*** (Linnaeus, 1767)

Distribution: Central and E Europe, Balkans, Kazakhstan, Asian Russia (Urals, W and Middle Siberia, Altai)

Tribe *Agelasticini* Chapuis, 1875

Genus *Agelasa* Motschulsky, 1860

*Agelasa nigriceps* Motschulsky, 1860

Distribution: Asian Russia (Maritime Prov.), N China, Japan

Genus *Gallerucida* Motschulsky, 1860

*Gallerucida bifasciata* Motschulsky, 1860

Distribution: Asian Russia (S Amurland, Maritime Prov.), China, Korea, Japan

*Gallerucida flavipennis* Solsky, 1872

Distribution: Asian Russia (Maritime Prov.), E China

*Gallerucida gloriosa* (Baly, 1861)

Distribution: Asian Russia (Maritime Prov.), N and Central China

Genus *Agelastica* Chevrolat in Dejean, 1837

*Agelastica alni alni* (Linnaeus, 1758)

Distribution: All over Palaearctic except for Central Asia, Introduced to N America

*Agelastica alni orientalis* Baly, 1878

Distribution: Central Asia, SE Kazakhstan, Mongolia, W China

*Agelastica coerulea* Baly, 1874

Distribution: Asian Russia (Maritime Prov.), N. China, Korea, Japan, N America

Genus *Morphosphaera* Baly, 1861

*Morphosphaera japonica* (Hornstedt, 1788)

Distribution: Asian Russia (S Amurland), China, Japan, India

Tribe *Luperini* Leng, 1920

Subtribus *Aucacophorina* Chapuis, 1875

Genus *Aulacophora* Chevrolat in Dejean, 1837

*Aulacophora foveicollis* (H. Lucas, 1849)

Distribution: S Europe (Mediterranean), Near and Middle East, Turkey, Transcaucasia, India, Burma, Sri Lanka

***Aulacophora nigripennis*** Motschulsky, 1857

Distribution: Asian Russia (Amurland, Maritime Prov.), China, Korea, Japan

Subtribus ***Luperina*** Wilcox, 1965

Genus ***Medythia*** Jacoby, 1887

***Medythia suturalis nigrobilineatus*** (Motschulsky, 1860)

Distribution: Asian Russia (Amurland, Maritime Prov.), China, Korea, Japan

***Medythia suturali suturalis*** (Motschulsky, 1860)

Distribution: S Asia

Genus ***Tschitscherinula*** Jacobson, 1908

***Tschitscherinula paradoxocara*** Jacobson, 1908

Distribution: Uzbekistan, Turkmenistan, S Tajikistan

Genus ***Stenoluperus*** Ogloblin, 1936

***Stenoluperus cyaneus*** (Baly, 1874)

Distribution: Asian Russia (S Kurile Is.), Japan

***Stenoluperus nipponensis*** (Laboissiere, 1913)

Distribution: Asian Russia (Amurland, Maritime Prov., Sakhalin, S Kurile Is.), China, Korea, Japan

Genus ***Nymphius*** J. Weise, 1900

***Nymphius ogloblini*** (Bogatchev, 1947)

Distribution: Armenia, N Turkey

***Nymphius pravei*** (Jacobson, 1899)

Distribution: S Ukraine, SE of European Russia, NW Kazakhstan

***Nymphius stylifer*** (J. Weise, 1899)

Distribution: Georgia, Armenia

Genus ***Phyllobrotica*** Chevrolat in Dejean, 1837

***Phyllobrotica adusta*** (Creutzer, 1799)

Distribution: Central and SE Europe

***Phyllobrotica elegans* Kraatz, 1866**

Distribution: Ciscaucasia, S of Steppe Zone of Ukraine and European Russia, Crimea, Transcaucasia, Turkey

***Phyllobrotica quadrimaculata* (Linnaeus, 1758)**

Distribution: Europe except for Mediterranean, Ciscaucasia, S Siberia, E Kazakhstan

***Phyllobrotica signata* (Mannerheim, 1825)**

Distribution: Asian Russia (S Siberia, Altai, Sayan, Amurland, Maritime Prov.), Mongolia, N and W China

Genus ***Euliroetis*** Ogloblin, 1936

***Euliroetis obscuripes* Ogloblin, 1936**

Distribution: Asian Russia (S Amurland, Maritime Prov.)

***Euliroetis ornata* (Baly, 1874)**

Distribution: Asian Russia (S Maritime Prov.), Korea, China, Japan

Genus ***Exosoma*** Jacoby, 1903

***Exosoma collare* (Hummel, 1825)**

Distribution: Ukraine, S and E of European Russia, Caucasus, Syria, N Kazakhstan, SW Siberia

***Exosoma flavipes* (Heyden, 1878)**

Distribution: Armenia, Turkey

Genus ***Euluperus*** J. Weise, 1886

***Euluperus xnathopus xanthopus* (Duftschmidt, 1825)**

Distribution: Southern Steppe of Ukraine and European Russia, NW Kazakhstan, W Transcaucasia

***Euluperus xanthopus virescens* J. Weise, 1886**

Distribution: E Transcaucasia

Genus ***Falsoexosoma*** Pic, 1926

***Falsoexosoma cyanipennis* (Reitter, 1902)**

Distribution: Azerbaijan, Turkmenistan (Kopetdagh), Iran

Genus *Calomicrus* Stephens, 1832

*Calomicrus altaicus altaicus* (Mannerheim, 1825)

Distribution: Asian Russia (S and Middle Siberia, Russian Far East, Amurland), N Mongolia

*Calomicrus altaicus eous* Ogloblin, 1936

Distribution: Asian Russia (Maritime Prov.)

*Calomicrus angorensis* Pic, 1913

Distribution: Transcaucasia, Turkey

*Calomicrus circumfusus* (Marsham, 1802)

Distribution: Europe, W Ukraine, Belarus, W of European Russia, Moldavia, N Africa (Tunisia)

*Calomicrus darvasicus* Lopatin, 1975

Distribution: E Tajikistan

*Calomicrus deserticola* Ogloblin, 1936

Distribution: Turkmenistan

*Calomicrus ghilarovi* Lopatin, 1988

Distribution: S Tajikistan (Babatagh Mountain Range)

*Calomicrus grandis* (Jacobson, 1894)

Distribution: Kyrgyzstan, SE Kazakhstan

*Calomicrus gussakovskyi* Ogloblin, 1936

Distribution: S Tajikistan

*Calomicrus hissaricus* Ogloblin, 1936

Distribution: Central Tajikistan

*Calomicrus minutus* Joannis, 1866

Distribution: Asian Russia (Southern E Siberia, Khabarovsk Distr., Maritime Prov.)

*Calomicrus nairicus* Lopatin, 1990

Distribution: Armenia

*Calomicrus palii* Lopatin, 1965

Distribution: Kyrgyzstan

*Calomicrus pinicola* (Duftschmidt, 1825)

Distribution: Europe, W Ukraine, Northern and Central parts of European Russia

*Calomicrus populi* Lopatin, 1963

Distribution: Central and SE Tajikistan

*Calomicrus sericeus* (Jacobson, 1894)

Distribution: S Kazakhstan, Kyrgyzstan (Tian-Shan)

*Calomicrus sugonjaevi* Lopatin, 1983

Distribution: Turkmenistan (Kopetdagh)

Genus *Luperus* Geoffroy, 1762

*Luperus anthracinus* Ogloblin, 1936

Distribution: S Asian Russia (Altai), Mongolia

*Luperus armeniacus* Kiesenwetter, 1878

Distribution: Bulgaria, S Crimea, Transcaucasia

*Luperus caucasicus* J. Weise, 1879

Distribution: Caucasus

*Luperus cyanipennis* Kuster, 1848

Distribution: S and SW Ukraine, Crimea, Moldavia, Balkans

*Luperus discolor* Faldermann, 1837

Distribution: Transcaucasia

*Luperus ehneri* Jacobson, 1901

Distribution: Kyrgyzstan, SE Kazakhstan

*Luperus flavilabris* Ogloblin, 1941

Distribution: Tajikistan

*Luperus flavipes flavipes* (Linnaeus, 1767)

Distribution: All over Palaearctic except for Central Asia

*Luperus flavipes obscuricorinis* Ogloblin, 1936

Distribution: E Asian Russia (Russian Far East)

*Luperus floralis* Faldermann, 1837

Distribution: Azerbaijan

*Luperus kiesenwetteri* Joannis, 1866

Distribution: SE of European Russia (Steppe zone), N Kazakhstan, Transcaucasia

*Luperus kiritschenkoi* Ogloblin, 1936

Distribution: Crimea

*Luperus longicornis longicornis* (Fabricius, 1781)

Distribution: Europe, Caucasus, Asian Russia (Russian Far East)

***Luperus longicornis tenebricosus*** Ogloblin, 1936

Distribution: Asian Russia (Yakutia)

***Luperus lyperus*** (Sulzer, 1776)

Distribution: Central and E Europe, Asian Russia (W Siberia), Mongolia

***Luperus margaritae*** Lopatin, 1990

Distribution: Armenia

***Luperus orientalis*** Faldermann, 1837

Distribution: Daghestan, Transcaucasia, W Turkmenistan (Kopetdagh)

***Luperus perlucidus*** Khnzorian, 1956

Distribution: Armenia

***Luperus semiflavus*** Ogloblin, 1936

Distribution: NE China

***Luperus similis*** Iablokoff-Khnzorian, 1970

Distribution: Asian Russia (Altai)

***Luperus turkestanicus*** J. Weise, 1892

Distribution: Kyrgyzstan

***Luperus viridipennis viridipennis*** Germar, 1824

Distribution: Mountains of Europe, W Ukraine (Carpathians), Forest and Forest-Steppe zone of European Russia

***Luperus viridipennis laricis*** (Motschulsky, 1859)

Distribution: Asian Russia (Middle Siberia, Amurland), Mongolia, Japan

***Luperus xanthopoda*** (Schrank, 1781)

Distribution: Southern parts of Central and E Europe, Ciscaucasia, Kyrgyzstan, SE Kazakhstan

Genus ***Atrachya*** Dejean, 1837

***Atrachya menetriesi*** (Feldermann, 1835)

Distribution: Asian Russia (Amurland, Maritime Prov., Sakhalin, S Kurile Is), Korea, China, Japan

Genus ***Monolepta*** Chevrolat in Dejean, 1837

***Monolepta dichroa dichroa*** Harold, 1877

Distribution: Asian Russia (Sakhalin), Japan

***Monolepta dichroa kurilensis*** L. Medvedev, 1966

Distribution: Asian Russia (Kunashir Isle)

***Monolepta eoa*** Ogloblin, 1936

Distribution: Asian Russia (Maritime Prov.)

***Monolepta hieroglyphica biarcuata*** J. Weise, 1889

Distribution: Asian Russia (Maritime Prov.), Korea, China, Japan

***Monolepta nebulosa*** Ogloblin, 1936

Distribution: Asian Russia (Maritime Prov.)

***Monolepta pallidula*** (Baly, 1874)

Distribution: Asian Russia (S Maritime Prov.), China, Japan

***Monolepta quadriguttata*** (Motschulsky, 1860)

Distribution: Asian Russia (Amurland, Maritime Prov.), Mongolia, Korea, China, Japan

***Monolepta russica*** (Gmelin, 1790)

Distribution: E Ciscaucasia, Kazakhstan, Plains of Central Asia

***Monolepta semenovi*** Ogloblin, 1936

Distribution: Asian Russia (S Maritime Prov.), China

***Monolepta subseriata*** J. Weise, 1887

Distribution: Asian Russia (Transbaikalia, Amurland, Maritime Prov.)

Genus ***Fleutiauxia*** Laboissiere, 1933

***Fleutiauxia armata*** (Baly, 1874)

Distribution: Asian Russia (Amurland, Maritime Prov.), Korea, China, Japan

Subfamily ***Lamprosomatinae*** Gemminger et Harold, 1874

Tribe ***Lamprosomatini*** Gemminger et Harold, 1874

Genus ***Oomorphus*** Curtis, 1831

***Oomorphus concolor*** (Sturm, 1807)

Distribution: Central, SE and S Europe, Caucasus

***Oomorphus nigrocoeruleus*** (Baly, 1873)

Distribution: Asian Russia (Maritime Prov.), China, Japan



Subfamily ***Orsodacninae*** J. Thomson, 1866

Genus ***Orsodacne*** Latreille, 1802

***Orsodacne cerasi*** (Linnaeus, 1758)

Distribution: Europe, Caucasus, Asian Russia (W Siberia, Altai, Cisbaikalia)

***Orsodacne lineola*** (Panzer, 1795)

Distribution: Europe except for the North, Mediterranean

Subfamily ***Megalopodinae*** Clavareau, 1913

Genus ***Temnaspis*** Lacordaire, 1845

***Temnaspis bonneuili*** Pic, 1947

Distribution: Asian Russia (Amurland, Maritime Prov.)

Genus ***Clythraeloma*** Kraatz, 1879

***Clythraeloma cyanipennis*** Kraatz, 1879

Distribution: Asian Russia (Amurland, Maritime Prov.), China, Korea

Subfamily ***Synetinae*** Edwards, 1953

Genus ***Syneta*** Lacordaire, 1845

***Syneta adamsi*** Baly, 1877

Distribution: Asian Russia (Amurland, Khabarovsk Prov., Maritime Prov., Sakhalin, Kurile Is.), China, Korea

***Syneta betulae betulae*** (Fabricius, 1792)

Distribution: N and northern parts of E Europe, Asian Russia (Siberia east to Transbaikalia), Mongolia

***Syneta betulae amurensis*** Pic, 1901

Distribution: Asian Russia (Amurland, Khabarovsk Prov., Maritime Prov., Sakhalin)

Subfamily *Zeugophorinae* Chujo, 1952

Genus *Zeugophora* Kunze, 1818

Subgenus *Zeugophora (Zeugophora)* Kunze, 1818

*Zeugophora (Zeugophora) bimaculata* Kraatz, 1879

Distribution: Asian Russia (Amurland, Maritime Prov.)

*Zeugophora (Zeugophora) flavicollis* (Marsham, 1802)

Distribution: N, Central and E Europe, Kazakhstan, Asian Russia (W. Siberia, Tuva, Yakutia)

*Zeugophora (Zeugophora) frontalis* Suffrian, 1841

Distribution: Europe, Asian Russia (Siberia, Tuva, Sakhalin)

*Zeugophora (Zeugophora) hozumii* Chujo, 1953

Distribution: Russian Far East, Japan

*Zeugophora (Zeugophora) scutellaris* Suffrian, 1841

Distribution: Central and E Europe, Ciscaucasia, Kazakhstan, Tajikistan, Kyrgyzstan, Asian Russia (southern W. Siberia, Altai)

*Zeugophora (Zeugophora) subspinosa* (Fabricius, 1781)

Distribution: All over the Palearctic except for the Central Asia

*Zeugophora (Zeugophora) turneri* Power, 1863

Distribution: Central and East Europe, Asian Russia (southern W. Siberia, Transbaikalia), Mongolia

*Zeugophora (Zeugophora) wisei* Reitter, 1889

Distribution: Armenia, N Iran

Subgenus *Zeugophora (Pedrillia)* Westwood, 1864

*Zeugophora (Pedrillia) annulata* Baly, 1873

Distribution: Asian Russia (Amurland, Khabarovsk Prov., Maritime Prov., Sakhalin, Kurile Is.), China, Korea, Japan

*Zeugophora (Pedrillia) bicolor* Kraatz, 1879

Distribution: Asian Russia (Amurland, Maritime Prov., Kurile Is.), China

## References

- [1] Askevold. I. S. 1990, Reconstructed phylogeny and reclassification of the genera Donaciinae (Coleoptera: Chrysomelidae), *Quaestiones Entomologicae*, 26: 601-664
- [2] Bienkowski A. O. 1997, New distributional records for several palaeartic Chrysomelidae species with some systematic remarks (Insecta: Coleoptera), *Faunistische Abhandlungen*, 21(4): 91-104
- [3] Bienkowski A. O. 1997, Some surprising discoveries of *Chrysolina relucens* (Coleoptera, Chrysomelidae) on the White Sea shore, in Siberia and in the Far East, *Entomologica Fennica*, 7: 195-199
- [4] Bienkowski A. O. 1998, Morphology and systematics of larvae of some *Chrysolina* species (Insecta: Coleoptera: Chrysomelidae), *Entomologische Abhandlungen*, 58(4): 73-82
- [5] Bienkowski A. O. 1998, Revision of the subgenus *Anopachys* Motschulsky, 1860 of the genus *Chrysolina* Motschulsky, 1869 (Coleoptera: Chrysomelidae: Chrysomelinae), *Genus*, 9(2): 95-153
- [6] Biondi M. 1995, The *Longitarsus anchusae* complex in Near Eastern and description of a new species (Coleoptera: Chrysomelidae: Alticinae), *Nouvelle Revue d'Entomologie*, 12(4): 259-271
- [7] Borowiec L. Świętojańska J. 2001, The Palearctic species of the genus *Rhytidocassis* Spaeth, 1941 (Coleoptera: Chrysomelidae: Cassidinae), *Annale Zoologici*, 51: 325-329
- [8] Doberl M. 1994, Eine neue Alticine von Kaspischen Meer: *Batophila dogueti* nov. spec. (Coleoptera: Chrysomelidae: Alticinae), *Nouvelle Revue d'Entomologie*, 11(2): 149-150
- [9] Gruev B. 1991, *Oreomela lopatini*- a new species of *Oreomela* Jacobson (Coleoptera: Chrysomelidae: Chrysomelinae) form the USSR (Kyrghyz SRR), *Acta Zoologica Bulgarica*, 41: 67-68
- [10] Gruev B. 1994, New distributional data about some leaf beetles in the Korean Peninsula, and descriptions of four new species (Coleoptera: Chrysomelidae), *Insecta Koreana*, 11: 75-84
- [11] Kimoto S. 1993, New or little known Chrysomelidae (Coleoptera) from Japan and its adjacent regions, VI, *Entomological Review of Japan*, 48(1): 93-101
- [12] Konstantinov A. S. 1991, On taxonomy of *Asiorestia* Jacobson (Coleoptera: Chrysomelidae: Alticinae), *Entomological Review Scripta Technica Inc*, 1991: 143-144
- [13] Konstantinov A.S. 1992, Four new species of *Longitarsus* from west Tien Shan (Coleoptera: Chrysomelidae: Alticinae), *Elytron*, 6: 41-46
- [14] Konstantinov A. S. 1996, Review of the Palearctic species of *Crepidodera* (Coleoptera: Chrysomelidae: Alticinae), *Spixiana*, 19(1): 21-37
- [15] Konstantinov A. S., Lopatin I. K. 1992, On the taxonomy of *Phyllotreta* Chev. of the Palearctic region( Coleoptera. Chrysomelidae: Alticinae). *Spixiana* 15(3): 261-267

- [16] Konstantinov A. S., Lopatin I. K. 2000, Review of the *Longitarsus asperifoliarum* group of species (Coleoptera: Chrysomelidae: Alticinae), *The Coleopterists Bulletin*, 54(2): 200-220
- [17] Lopatin I. K. 1992, Zwei neue Chrysolina Arten aus Süd-Osteichen Kazakhstan (Coleoptera: Chrysomelidae), *Elytron*, 6: 5-9
- [18] Mikhailov Y. E. 1999, A new species of the genus *Cryptocephalus* Geoffr. (Coleoptera. Chrysomelidae) from the Russian Far East, *Russian Entomological Journal* 8(2): 129-130
- [19] Mikhailov Y. E. 2000, New and little know leaf beetles of the genus *Chrysolina* Motsch. Form Altai and Sayan Mts. in South Siberia (Coleoptera: Chrysomelidae), *Genus*, 11(2): 129-146
- [20] Mikhailov Y. E. 2002, Contribution to the knowledge of the subgenus *Chrysolina* (Pezocrosita) Jacobson, 1901 three new species from Tuva and the Urals (Coleoptera: Chrysomelidae), *Nouvelle Revue d'Entomologie*, 19(1): 57-71
- [21] Mikhaililov Y. E., Hayashi M. 2002, Chrysomelidae of Sakhalin II, *Entomological Review of Japan*, 57(1): 29-46
- [22] Warchałowski A. 1991, Eine nomenklatorische Änderung innerhalb der Gattung *Chrysolina* Motschulsky, *Genus*, 2(3): 281-282
- [23] Warchałowski A. 1991, Kurze Übersicht der oberseits hellen *Calomicrus* Steph. Arten (Chrysomelidae: Galerucinae), *Genus* 2(1): 41-55
- [24] Warchałowski A. 1991, Über die rot und Schwarz gefleckten Arten der Untergattung *Captocephala* (Coleoptera: Chrysomelidae: Clytrinae), *Genus* 2(3): 229-279
- [25] Warchałowski A. 1998, Über einige kleinasiatische Arten ger Gattung *Pachybrachis* Chevrolat, 1837 (Coleoptera, Chrysomelidae: Cryptocephalinae), *Annales Zoologici*, 48(1/2): 85-90
- [26] Warchałowski A. 1999, Übersicht der westpalaarktischen Arten der Untergattung *Burlinius* Lopatin, 1965 (Coleoptera: Chrysomelidae: Cryptocephalus), *Genus*, 10(4): 529-627
- [27] Warchałowski A. 2000, A few nomenclatorial changes in Chrysomelidae (Coleoptera: Chrysomelidae), *Genus* 11(4): 587-588
- [28] Warchałowski A. 2000, A short review of the genus *Chilotomina* Reitter, 1912 (Coleoptera: Chrysomelidae: Clytrinae), *Genus* 11(4): 573-583
- [29] Igor K. Lopatin, Oleg R. Aleksandrovich, Alexander S. Konstantinov (2004). Check List of Leaf-Beetles (Coleoptera, Chrysomelidae) of the Eastern Europe and Northern Asia. The Publishing House Mantis, Olsztyn, Poland.