



# World News of Natural Sciences

An International Scientific Journal

WNOFNS 29(3) (2020) 240-251

EISSN 2543-5426

---

---

## Inventory of Beetles of the Family *Apionidae* (Coleoptera) from Australo-Pacific Region (1833-2001)

**Tomasz Borowski**

The II Laboratory of Research Works,  
The Independent Institution of Biopaleogeography and Biopaleophysics,  
22 Mickiewicza Str., Złocieniec, Poland

E-mail address: [tomasz.elvis.borowski@wp.pl](mailto:tomasz.elvis.borowski@wp.pl)

### ABSTRACT

This paper presents list of beetles of the family *Apionidae* and their occurrence. The paper includes: 3 subfamilies, 4 tribes, 38 genera, 10 subgenera and 54 species of beetles belonging to the family *Apionidae*.

**Keywords:** *Apioninae*, *Ixapiini*, *Myrmacielinae*, *Myrmacielini*, *Rhadinocybinae*, *Notapionini*, *Rhadinocybini*

### Subfamilies / Tribes

<i>Apioninae</i>	.....241
<i>Ixapiini</i>	.....241
<i>Myrmacielinae</i>	.....241
<i>Myrmacielini</i>	.....241
<i>Rhadinocybinae</i>	.....241
<i>Notapionini</i>	.....241
<i>Rhadinocybini</i>	.....246

Kingdom *Animalia*

Phylum *Arthropoda*

Class *Hexapoda*

Order *Coleoptera*

Superfamily *Curculionoidea* Latreille, 1802

Family *Apionidae* C.J. Schönherr, 1823

Subfamily *Apioninae* Schoenherr, 1823

Tribe *Ixapiini* Alonso-Zarazaga, 1990

Genus *Papuapion* Korotyaev, 1987

*Papuapion sculpturatum* (Faust, 1899)

Distribution: Papua New Guinea

Subfamily *Myrmacielinae* Zimmerman, 1994

Tribe *Myrmacielini* Zimmerman, 1994

Genus *Myrmacielus* Chevrolat, 1833

*Myrmacielus formicarius* Pascoe, 1870

Distribution: Australia, New Guinea

*Myrmacielus exsertus* Pascoe, 1872

Distribution: Australia, New Guinea

Subfamily *Rhadinocybinae* Alonso-Zarazaga, 1992

Tribe *Notapionini* Zimmerman, 1994

Genus *Alissapion* Wanat, 2001

*Alissapion zimmermani* Wanat, 2001

Distribution: Australia

*Allisapion ibaense* Wanat, 2001

Distribution: New Guinea

Genus *Allonotapion* Wanat, 2001

*Allonotapion subulirostre* Wanat, 2001

Distribution: Australia

*Allonotapion bommelense* Wanat, 2001

Distribution: New Guinea

Genus *Anapotapion* Wanat, 2001

*Anapotapion caledonicum* Wanat, 2001

Distribution: New Caledonia, Loyalty Is.

Genus *Apionocybus* Wanat, 2001

*Apionocybus aeneus* (Heller, 1901)

Distribution: New Guinea

*Apionocybus bennigseni* (Wagner, 1912)

Distribution: New Guinea

*Apionocybus nigricollis* (Heller, 1901)

Distribution: New Guinea

Genus *Apotapion* Zimmerman, 1943

*Apotapion gibbipenne* (Fairmaire, 1881)

Distribution: Fiji

Genus *Brachygybus* Wanat, 2001

Subgenus *Brachygybus (Brachygybus)* Wanat, 2001

*Brachygybus (Brachygybus) silvaticus* Wanat, 2001

Distribution: Papua New Guinea

Subgenus *Brachycybus* (*Notocybus*) Wanat, 2001

*Brachycybus* (*Notocybus*) *tegminalis* Wanat, 2001

Distribution: Papua New Guinea

Genus *Coeliapion* Wanat, 2001

*Coeliapion bilocalis* Wanat, 2001

Distribution: New Guinea

*Coeliapion mednostriatum* (Lea, 1926)

Distribution: Australia

Genus *Ganonotapion* Wanat, 2001

*Ganonotapion hornabrooki* Wanat, 2001

Distribution: Papua New Guinea

Genus *Ganoapion* Zimmerman, 1994

Subgenus *Ganoapion* (*Ganoapion*) Zimmerman, 1994

*Ganoapion* (*Ganoapion*) *clavicornis* (Lea, 1926)

Distribution: Australia

Subgenus *Ganoapion* (*Proganoapion*) Wanat, 2001

*Ganoapion* (*Proganoapion*) *rhadinocyboides* Wanat, 2001

Distribution: Australia

Genus *Heterocybus* Wanat, 2001

*Heterocybus debilifrons* Wanat, 2001

Distribution: Papua New Guinea

*Heterocybus oxystomoides* Wanat, 2001

Distribution: Papua New Guinea

Genus *Ithyocybus* Wanat, 2001

*Ithyocybus bilogayensis* Wanat, 2001

Distribution: New Guinea

Genus *Lissapion* Zimmerman, 1994

*Lissapion varistriatum* (Lea, 1926)

Distribution: Australia

Genus *Micronotapion* Wanat, 2001

*Micronotapion gibbiceps* Wanat, 2001

Distribution: Australia

*Micronotapion magnicolle* Wanat, 2001

Distribution: Papua New Guinea

Genus *Myrmacyba* Heller, 1929

*Myrmacyba postcallosa* Heller, 1929

Distribution: Sulawesi, Moluccas, New Guinea

Genus *Myrmecocybus* Wanat, 2001

*Myrmecocybus asekianus* Wanat, 2001

Distribution: Papua New Guinea

Genus *Myrmecapion* Wanat, 2001

*Myrmecapion australicum* Wanat, 2001

Distribution: Australia

Genus *Nanomymyrcyba* Wanat, 1990

*Nanomymyrcyba minuta* Wanat, 1990

Distribution: Vietnam, Taiwan, Philippines, Sumatra, Sulawesi, New Guinea, Australia

Genus *Notapion* Zimmerman, 1994

*Notapion trilobicolle* (Lea, 1926)

Distribution: Australia, New Guinea

*Notapion riedeli* Wanat, 2001

Distribution: New Guinea

Genus *Ommatocybus* Wanat, 2001

*Ommatocybus simplex* Wanat, 2001

Distribution: New Guinea

Genus *Platycybus* Wanat, 2001

*Platycybus altipetax* Wanat, 2001

Distribution: Papua New Guinea

*Platycybus missai* Wanat, 2001

Distribution: Papua New Guinea

Genus *Schismatapion* Wanat, 2001

Subgenus *Schismatapion* (*Schismatapion*) Wanat, 2001

*Schismatapion* (*Schismatapion*) *tetahoense* Wanat, 2001

Distribution: New Guinea

Subgenus *Schismatapion* (*Leptotetapion*) Wanat, 2001

*Schismatapion* (*Leptotetapion*) *magnum* Wanat, 2001

Distribution: New Guinea

Genus *Tapinocybus* Wanat, 2001

*Tapinocybus sinakiensis* Wanat, 2001

Distribution: New Guinea

Genus *Titanapion* Wanat, 2001

*Titanapion splendidum* (Heller, 1901)

Distribution: New Guinea

Tribe *Rhadinocybini* Alonso-Zarazaga, 1992

Genus *Apinogrammus* Wanat, 2001

*Apinogrammus sedlaceki* Wanat, 2001

Distribution: New Caledonia

Genus *Diapion* Wanat, 2001

*Diapion politum* Wanat, 2001

Distribution: New Caledonia

Genus *Discelapion* Wanat, 2001

*Discelapion plumirostre* Wanat, 2001

Distribution: New Caledonia

Genus *Caledonapion* Wanat, 2001

*Caledonapion montaguei* Wanat, 2001

Distribution: New Caledonia

Genus *Hellerenius* Wanat, 2001

*Hellerenius lobifer* Wanat, 2001

Distribution: New Caledonia

Genus *Himantapion* Wanat, 2001

*Himantaion inermipes* Wanat, 2001

Distribution: New Caledonia

Genus *Rhadinocyba* Faust, 1889

*Rhadinocyba singularis* (Wencker, 1863)

Distribution: New Caledonia

***Rhadinocyba sulcifrons*** Wanat, 2001

Distribution: New Caledonia

Genus ***Megatracheloides*** Lucas, 1920

***Megatracheloides chloris*** Faust, 1889

Distribution: New Caledonia

Genus ***Pterapion*** Faust, 1889

Subgenus ***Pterapion (Pterapion)*** Faust, 1889

***Pterapion (Pterapion) monstrosum*** Faust, 1889

Distribution: New Caledonia

Subgenus ***Pterapion (Apterapion)*** Faust, 1889

***Pterapion (Apterapion) hamiota*** (Wanat, 2001)

Distribution: New Caledonia

Genus ***Pogonapion*** Wanat, 2001

***Pogonapion kuscheli*** Wanat, 2001

Distribution: New Caledonia

Genus ***Tetrapion*** Wanat, 2001

Subgenus ***Tetrapion (Tetrapion)*** Wanat, 2001

***Tetrapion (Tetrapion) krausei*** (Wanat, 1990)

Distribution: New Caledonia

Subgenus ***Tetrapion (Axinapion)*** Wanat, 2001

***Tetrapion (Axinapion) thoracicum*** Wanat, 2001

Distribution: Loyalty Is.

Genus ***Thyridapion*** Wanat, 2001

***Thyridapion araneipes*** Wanat, 2001

Distribution: New Caledonia



Genus *Zimmius* Wanat, 2001

*Zimmius alutaceus* Wanat, 2001

Distribution: New Caledonia

**References**

- [1] Alonso-Zarazaga M. A., Revision of the supraspecific taxa in the Palaearctic Apionidae, *Graellsia* 1990, 46: 19-156
- [2] Alonso-Zarazaga M. A., Rhadinocybini trib. n. in the Apionidae, *Graellsia*, 1992, 48: 193-194
- [3] Beutel R. G., Phylogenetic Analysis of thoracic structures of Carabidae (Coleoptera), *Z. Zool. Syst. Evol. Forsch.* 1992, 30: 53-74
- [4] Beutel R. G., Phylogenetic Analysis of Mysophaga (Coleoptera). *Zool. Anz.* 1998, 237: 291-308,
- [5] Beutel R. G., Haas F., Phylogenetic Relationships of the Suborders of Coleoptera. *Cladistics* 2000, 16: 103-141
- [6] Burrett C., Duhig N., Berry R., Varne R., Asian and South-western Pacific Continental Terranes derived from Gondwana and their Biogeographic Significance, *Aust. Syst. Bot.* 1991, 4: 13-24
- [7] Colonnelli E., Key to the genera Ceutorhynchinae living on Ephedra with description of a new genus and two new species, *Koleopt. Rund.* 1995, 65: 203-220
- [8] Farrell B.D., Inordinate Fondness. Explained Why are there so many Beetles. *Science*, 1998, 281: 555-559
- [9] Gonget H., The Brentidae (Coleoptera) of Northern Europe, *Fauna Entomologica Scandinavica*, 1997, 34: 1-289
- [10] Guilbert E., Baylac M., Najt J., Canopy arthropod diversity in a New Caledonian primary forest sampled by fogging, *Pan-Pacific Entomol.* 1995, 71: 3-12
- [11] Hewitt G., The genetic legacy of the Quaternary ice ages, *Nature*, 2000, 405: 907-913
- [12] Howden A.T., Structures related to oviposition in Curculionoidea, *Memoir Entomol. Soc. Wash.*, 1995, 14: 53-100
- [13] Kukalova-Peck J., Lawrence J. F., Evolution, of the hind wing in Coleoptera, *Can. Entomol.* 1993, 125: 181-258
- [14] Kuschel G. The Palaearctic Nemonychidae, *Ann. Soc. Entomol. Fr.* 1993, 29: 23-46
- [15] Kuschel G., A phylogenetic classification of Curculionoidea to families and subfamilies, *Memoir Entomol. Soc. Wash.* 1995, 14: 5-33
- [16] Kuschel G., Oberprieler R. G., Rayner R. J., Cretaceous weevils from southern Africa, with description of a new genus and species and phylogenetic and zoogeographical comments, *Entomol. Scand.* 1994, 25: 137-149

- [17] Martin P. G., Dowd J. M., Application of Evidence from Molecular Biology to the Biogeography of Angiosperms, *Aust. Syst. Bot.* 1991, 4: 111-116
- [18] Marvaldi A. E., Morrone J. J., Phylogenetic systematics of weevils, *Insect Syst. Evol.* 2000, 31: 43-58
- [19] Michaux B., Distributional patterns and tectonic development in Indonesia, *Aust. Syst. Bot.* 1991, 4: 25-36
- [20] Muona J., The Eucnemidae of South-east Asia and the Western Pacific- A Biogeographical Study, *Aust. Syst. Bot.* 1991, 4: 165-182
- [21] Oberprieler R., The larvae of the weevil tribe Eurhynchini and the phylogeny of the Brentidae, *Invertebrate Taxonomy* 2000, 14: 755-770
- [22] Reid C. A. M., Spilopyrinae Chapuis, a new subfamily in the Chrysomelidae and its systematic placement, *Invertebrate Taxonomy* 2000, 14: 837-862
- [23] Thompson R. T., Observations on the morphology and classification of weevils with a key to major groups, *J. Nat. Hist.* 1992, 26: 835-891
- [24] Veevers J. J., Phanerozoic Australia in the Changing Configuration of Proto-Pangea Through Gondwanaland and Pangea to the Present Dispersed Continents, *Aust. Syst. Bot.* 1991, 4: 1-11
- [25] Wanat M., Studies on Oriental Apionidae 1. New genera and species from Thailand, Sumatra, Moluccas and New Caledonia, *Ann. Zool.* 1990, 43: 347-361
- [26] Wanat M., Apionidae of the Arabian Peninsula, *Fauna of the Saudi Arabia*, 1990, 11: 55-81
- [27] Wanat M., New and little known Squamapion species from Western Palaeartic, *Annales Zoologici* 1997, 47: 285-295
- [28] Kuschel G., 2003. Nemonychidae, Belidae, Brentidae (Insecta: Coleoptera: Curculionidae) *Fauna of New Zealand* 45, 100 pp.
- [29] Leschen R.A., Lawrence J.F., Kuschel G., Thorpe S., Wang Q., 2003. Coleoptera genera of New Zealand *New Zealand Entomologist* 26: 15-28 (December 2003)
- [30] Faust, J. (1889) Beitrag zur Kaferfauna zweier Inseln. Stettiner Entomologische Zeitung, 50, 61 - 106.
- [31] Angelov, P. (1965) Die Migration von *Apion*-Arten über baumartige Pflanzen (Curculionidae, Col.). *Nauchni Trudove - Vissh Pedagogicheski Institut Plovdiv*, 3, 111-122.
- [32] APG III (2009). An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG III. *Botanical Journal of the Linnean Society*, 161, 105-121.
- [33] Bouchet, P., Jaffré, T. & Veillon, J.M. (1995) Plant extinction in New Caledonia: protection of sclerophyll forests urgently needed. *Biodiversity and Conservation*, 4, 415-428.

- [34] Caterino, M.S. (2006) Chlamydopsinae (Coleoptera: Histeridae) from New Caledonia. *Memoirs of the Queensland Museum*, 52(1), 27–64.
- [35] Deuve, Th. (1981) Le genre *Caledonica* Chaudoir. Liste commentée et description de deux espèces nouvelles (Col. Cicindellidae). *Annales de la Société Entomologique de France*, (N.S.), 17, 179–190.
- [36] Faust, J. (1889) Beitrag zur Käferfauna zweier Inseln. *Stettiner Entomologische Zeitung*, 50, 61–106.
- [37] Grandcolas, P., Muriene, J., Robillard, T., Desutter-Grandcolas, L., Jourdan, H., Guilbert, E. & Deharveng, L. (2008) New Caledonia: a very old Darwinian island? *Philosophical Transactions of the Royal Society B; Biological Sciences*, 363 (1508), 3309–3317.
- [38] Heller, K.M. (1916) Die Käfer von Neu-Caledonien und den benachbarten Inselgruppen. In: Sarasin, F., Roux, J. (Eds), *Nova Caledonia, Zoologie*. 2 (3). C. W. Kreidels Verlag, Wiesbaden, pp. 229–364.
- [39] Jäch, M. & Balke, M. (eds) (2010) Water Beetles of New Caledonia (part 1). *Monographs on Coleoptera*, 3, iv + 449 pp.
- [40] Jaffré, T., Morat, Ph., Veillon, J.-M., Rigault, F. & Dagostini, G. (2001) *Composition et caractéristiques de la flore indigène de Nouvelle-Calédonie*. Documents scientifiques et techniques, II 4, volume spécial, IRD, Centre de Nouméa, 121 pp.
- [41] Jolivet, P. & Verma, K.K. (2008). On the origin of the Chrysomelid fauna of New Caledonia. In: Jolivet, P., Santiago-Blay, J., Schmitt, M. (Eds) *Research on Chrysomelidae*, Vol 1. Brill Publishers, Leiden-Boston, pp. 309–319.
- [42] Jolivet, P. & Verma, K.K. (2009) Biogeography and biology of the New Caledonian Chrysomelidae (Coleoptera). In: Jolivet, P., Santiago-Blay, J., Schmitt, M. (Eds) *Research on Chrysomelidae*, Vol 2. Brill Publishers, Leiden, pp. 211–223.
- [43] Kissinger, D.G. (2002) Review of *Noterapion* Kissinger from Chile and Argentina (Coleoptera: Apionidae). *Insecta Mundi*, 16(4), 221–246.
- [44] Kuschel, G. (1994) Nemonychidae of Australia, New Guinea and New Caledonia, pp. 563–637, figs K1–K148. In: Zimmerman, E. C., *Australian Weevils (Coleoptera: Curculionoidea)*. Volume 1. Orthoceri, Anthribidae to Attelabidae. The Primitive Weevils, CSIRO Australia.
- [45] Kuschel, G. (1998). The subfamily Anthribinae in New Caledonia and Vanuatu (Coleoptera: Anthribidae). *New Zealand Journal of Zoology*, 25, 335–408.
- [46] Kuschel, G. (2003) Nemonychidae, Belidae, Brentidae (Insecta: Coleoptera: Curculionoidea). *Fauna of New Zealand*, 45, 100 pp.
- [47] May, B.M. (1987). Immature stages of Curculionoidea (Coleoptera): rearing records 1964–1986. *New Zealand Entomologist*, 9, 44–56.
- [48] Montrouzier, P. (1860) Essai sur la faune entomologique de la Nouvelle-Calédonie (Balade) et des îles des Pins, Art, Lifu, etc., (suite 1). *Annales de la Société Entomologique de France*, (III), 8, 867–916.

- [49] Paulian, R. (1991) *Les Coléoptères Scarabaeoidea de Nouvelle-Calédonie*. Faune tropicale, XXIX. Institut Français de Recherche Scientifique pour le Développement en Coopération, Paris, 164 pp.
- [50] Rheinheimer, J. (1989) Notes on the host plants of some adult Australian weevils (Coleoptera: Curculionidae). *Australian Entomological Magazine*, 16, 27–31.
- [51] Rheinheimer, J. (1997) *Sterculapion*, eine neue Apioniden-Gattung aus Australien (Coleoptera: Apionidae). *Koleopterologische Rundschau*, 67, 257–262.
- [52] Rheinheimer, J. (1999) *Sterculapion bartramiae*, eine neue Apioniden-Art aus Neukaledonien (Coleoptera: Apionidae). *Koleopterologische Rundschau*, 69, 167–169.
- [53] Wanat, M. (1990) Studies on Oriental Apionidae (Coleoptera). 1. New genera and species from Thailand, Sumatra, Moluccas and New Caledonia. *Annales Zoologici (Warsaw)*, 43, 347–361.
- [54] Wanat, M. (2008). The Apionidae (Coleoptera: Curculionoidea) of New Caledonia. Genus *Megatracheloides*. In: Grandcolas, P. (Ed.) *Zoologia Neocaledonica* 6. Biodiversity studies in New Caledonia. Mémoires du Muséum national d'Histoire naturelle, Paris, 197, pp. 297–321.
- [55] Wanat, M. (2009) The Apionidae (Coleoptera: Curculionoidea) of New Caledonia, genus *Caledonapion* Wanat. *Australian Journal of Entomology*, 48, 223–233.
- [56] Wanat, M. (2001) Genera of Australo-Pacific Rhadinocybinae and Myrmacielinae, with biogeography of the Apionidae (Coleoptera: Curculionoidea) and phylogeny of the Brentidae (s. lato). The Publishing House Mantis, Olsztyn, Poland, 432 pp.